

Target Species

Based on 101,299 complete checklists

453 species observed in Arizona, US (subnational1/US-AZ) in **Apr** that you need for your **Arizona Life List**

1. Mourning Dove	48.64% frequency
2. House Finch	46.12%
3. White-winged Dove	37.40%
4. Lesser Goldfinch	35.82%
5. Gila Woodpecker	33.13%
6. Turkey Vulture	31.77%
7. Verdin	28.68%
8. Gambel's Quail	28.24%
9. Common Raven	28.12%
10. Yellow-rumped Warbler	27.29%
11. White-crowned Sparrow	23.38%
12. House Sparrow	22.73%
13. Anna's Hummingbird	22.70%
14. Great-tailed Grackle	22.26%
15. Curve-billed Thrasher	21.36%
16. Lucy's Warbler	21.36%
17. Black-chinned Hummingbird	21.22%
18. Abert's Towhee	19.28%
19. Northern Cardinal	18.28%
20. Northern Mockingbird	17.96%
21. Eurasian Collared-Dove	17.47%
22. Broad-billed Hummingbird	17.20%

[Go to top](#)

23. Bewick's Wren	<u>16.94%</u>
24. Ash-throated Flycatcher	<u>16.87%</u>
25. Ladder-backed Woodpecker	<u>16.77%</u>
26. Cactus Wren	<u>16.73%</u>
27. Vermilion Flycatcher	<u>16.68%</u>
28. American Coot	<u>16.25%</u>
29. Red-tailed Hawk	<u>16.13%</u>
30. Chipping Sparrow	<u>16.13%</u>
31. Phainopepla	<u>16.01%</u>
32. European Starling	<u>15.71%</u>
33. Red-winged Blackbird	<u>15.62%</u>
34. Yellow Warbler	<u>15.57%</u>
35. Bell's Vireo	<u>15.55%</u>
36. White-breasted Nuthatch	<u>14.35%</u>
37. Northern Rough-winged Swallow	<u>13.95%</u>
38. Acorn Woodpecker	<u>13.16%</u>
39. Say's Phoebe	<u>12.91%</u>
40. Ruby-crowned Kinglet	<u>12.87%</u>
41. Song Sparrow	<u>12.59%</u>
42. Killdeer	<u>11.85%</u>
43. Wilson's Warbler	<u>11.82%</u>
44. Cooper's Hawk	<u>11.72%</u>
45. Bridled Titmouse	<u>11.54%</u>
46. Black Phoebe	<u>10.72%</u>
47. Western Kingbird	<u>10.68%</u>
48. Brown-headed Cowbird	<u>10.64%</u>
49. Mexican Jay	<u>10.63%</u>

[Go to top](#)

50.	Cassin's Kingbird	10.62%
51.	Great Blue Heron	10.47%
52.	American Robin	10.30%
53.	Rock Pigeon	10.18%
54.	Mallard	10.06%
55.	Pine Siskin	10.01%
56.	Northern Flicker	9.89%
57.	Common Yellowthroat	9.69%
58.	Black-throated Sparrow	9.66%
59.	Cinnamon Teal	9.40%
60.	Ruddy Duck	9.31%
61.	Canyon Towhee	9.17%
62.	Black-throated Gray Warbler	9.01%
63.	Barn Swallow	8.95%
64.	Broad-tailed Hummingbird	8.71%
65.	Spotted Towhee	8.66%
66.	Green-tailed Towhee	8.46%
67.	Lark Sparrow	8.46%
68.	House Wren	8.38%
69.	Hooded Oriole	8.37%
70.	Black-headed Grosbeak	8.35%
71.	Pyrrhuloxia	8.26%
72.	Violet-green Swallow	8.05%
73.	Orange-crowned Warbler	7.69%
74.	Painted Redstart	7.68%
75.	Black-tailed Gnatcatcher	7.43%

[Go to top](#)

76.	Pied-billed Grebe	7.43%
77.	Cliff Swallow	7.33%
78.	Greater Roadrunner	7.32%
79.	Costa's Hummingbird	7.28%
80.	Lincoln's Sparrow	6.99%
81.	Canyon Wren	6.95%
82.	Summer Tanager	6.94%
83.	American Kestrel	6.88%
84.	Northern Shoveler	6.75%
85.	Neotropic Cormorant	6.73%
86.	Lazuli Bunting	6.71%
87.	Gray Hawk	6.63%
88.	Dark-eyed Junco	6.17%
89.	Inca Dove	6.10%
90.	Dusky-capped Flycatcher	6.10%
91.	Plumbeous Vireo	6.06%
92.	Scott's Oriole	6.01%
93.	Bullock's Oriole	5.90%
94.	Blue-gray Gnatcatcher	5.88%
95.	Steller's Jay	5.64%
96.	Rufous-winged Sparrow	5.57%
97.	Brewer's Sparrow	5.50%
98.	Black-necked Stilt	5.39%
99.	American Wigeon	5.30%
100.	Yellow-eyed Junco	5.30%
101.	Great Egret	5.19%

[Go to top](#)

102.	Hutton's Vireo	5.13%
103.	Ring-necked Duck	5.08%
104.	Rivoli's Hummingbird	4.99%
105.	Hermit Thrush	4.93%
106.	Western Bluebird	4.83%
107.	Least Sandpiper	4.77%
108.	White-throated Swift	4.75%
109.	Bushtit	4.66%
110.	Pygmy Nuthatch	4.52%
111.	Townsend's Warbler	4.34%
112.	Canada Goose	4.31%
113.	Double-crested Cormorant	4.20%
114.	White-faced Ibis	4.18%
115.	Snowy Egret	4.13%
116.	Spotted Sandpiper	4.10%
117.	Gadwall	4.04%
118.	Hairy Woodpecker	3.97%
119.	Woodhouse's Scrub-Jay	3.96%
120.	Hammond's Flycatcher	3.93%
121.	Swainson's Hawk	3.89%
122.	Gray Flycatcher	3.86%
123.	Rufous-crowned Sparrow	3.83%
124.	Mountain Chickadee	3.80%
125.	Green Heron	3.78%
126.	Rock Wren	3.76%
127.	Grace's Warbler	3.69%
128.	Wild Turkey	3.67%

[Go to top](#)

129.	Eared Grebe	3.67%
130.	Zone-tailed Hawk	3.66%
131.	Brewer's Blackbird	3.65%
132.	Arizona Woodpecker	3.62%
133.	Great Horned Owl	3.58%
134.	Tree Swallow	3.55%
135.	Green-winged Teal	3.47%
136.	American Avocet	3.40%
137.	Cassin's Vireo	3.39%
138.	Brown-crested Flycatcher	3.39%
139.	Hepatic Tanager	3.32%
140.	Western Tanager	3.29%
141.	Gilded Flicker	3.25%
142.	Black-crowned Night-Heron	3.22%
143.	Osprey	3.19%
144.	Blue-winged Teal	3.12%
145.	Long-billed Dowitcher	3.11%
146.	Rufous Hummingbird	2.98%
147.	Yellow-headed Blackbird	2.97%
148.	Belted Kingfisher	2.92%
149.	Northern Beardless-Tyrannulet	2.81%
150.	Warbling Vireo	2.80%
151.	Loggerhead Shrike	2.72%
152.	Brown Creeper	2.71%
153.	Bufflehead	2.65%
154.	Yellow-breasted Chat	2.55%

[Go to top](#)

155.	Virginia's Warbler	2.53%
156.	Common Gallinule	2.50%
157.	Dusky Flycatcher	2.42%
158.	Red-faced Warbler	2.35%
159.	Marsh Wren	2.31%
160.	Lesser Scaup	2.31%
161.	Vesper Sparrow	2.31%
162.	Sora	2.28%
163.	Cassin's Finch	2.21%
164.	American Crow	2.17%
165.	Black Vulture	2.14%
166.	Mexican Duck	2.09%
167.	Common Black Hawk	2.07%
168.	Western Sandpiper	2.02%
169.	Northern Harrier	1.92%
170.	Cedar Waxwing	1.84%
171.	Sharp-shinned Hawk	1.84%
172.	Elf Owl	1.83%
173.	Savannah Sparrow	1.83%
174.	Chihuahuan Raven	1.81%
175.	Lesser Nighthawk	1.80%
176.	Crissal Thrasher	1.77%
177.	Olive Warbler	1.75%
178.	Juniper Titmouse	1.74%
179.	Pacific-slope Flycatcher	1.73%
180.	Horned Lark	1.69%

[Go to top](#)

181.	Harris's Hawk	1.69%
182.	Bald Eagle	1.69%
183.	Western Meadowlark	1.65%
184.	Blue-throated Mountain-gem	1.65%
185.	Elegant Trogon	1.64%
186.	Redhead	1.64%
187.	Hermit Warbler	1.63%
188.	Greater Pewee	1.63%
189.	Violet-crowned Hummingbird	1.57%
190.	Greater Yellowlegs	1.55%
191.	Common Poorwill	1.54%
192.	Ring-billed Gull	1.50%
193.	MacGillivray's Warbler	1.46%
194.	Western Wood-Pewee	1.45%
195.	Red-breasted Nuthatch	1.42%
196.	Nashville Warbler	1.42%
197.	American Pipit	1.40%
198.	Wilson's Phalarope	1.38%
199.	Bronzed Cowbird	1.35%
200.	Rosy-faced Lovebird	1.30%
201.	Western Screech-Owl	1.29%
202.	Peregrine Falcon	1.29%
203.	Black-chinned Sparrow	1.21%
204.	Western Grebe	1.21%
205.	Eastern Meadowlark	1.19%
206.	Townsend's Solitaire	1.19%
207.	Wilson's Snipe	1.14%

[Go to top](#)

208.	Common Ground Dove	1.11%
209.	Buff-breasted Flycatcher	1.10%
210.	Bank Swallow	1.08%
211.	Scaled Quail	1.04%
212.	Solitary Sandpiper	1.03%
213.	Whiskered Screech-Owl	1.01%
214.	Franklin's Gull	0.9832%
215.	Virginia Rail	0.9803%
216.	Lesser Yellowlegs	0.9664%
217.	Red-naped Sapsucker	0.9388%
218.	Common Merganser	0.8993%
219.	Red Crossbill	0.8687%
220.	Lark Bunting	0.8223%
221.	Northern Pygmy-Owl	0.7799%
222.	Burrowing Owl	0.7611%
223.	Band-tailed Pigeon	0.7374%
224.	Calliope Hummingbird	0.7276%
225.	Golden Eagle	0.7236%
226.	Willet	0.7058%
227.	Cattle Egret	0.7009%
228.	Montezuma Quail	0.6960%
229.	Northern Pintail	0.6871%
230.	White-throated Sparrow	0.6841%
231.	American Goldfinch	0.6673%
232.	Lucifer Hummingbird	0.6496%
233.	Evening Grosbeak	0.5992%

[Go to top](#)

234.	Gray Vireo	0.5795%
235.	Mexican Whip-poor-will	0.5726%
236.	Wood Duck	0.5607%
237.	Bendire's Thrasher	0.5489%
238.	Black-capped Gnatcatcher	0.5380%
239.	Canvasback	0.5291%
240.	Pinyon Jay	0.5054%
241.	Prairie Falcon	0.5035%
242.	Semipalmated Plover	0.5015%
243.	Least Bittern	0.4847%
244.	Clark's Grebe	0.4768%
245.	Lewis's Woodpecker	0.4630%
246.	Mexican Chickadee	0.4590%
247.	American White Pelican	0.4561%
248.	Olive-sided Flycatcher	0.4423%
249.	Mountain Bluebird	0.4344%
250.	Long-billed Curlew	0.4314%
251.	Common Goldeneye	0.4156%
252.	Vaux's Swift	0.3998%
253.	Bonaparte's Gull	0.3939%
254.	Barn Owl	0.3682%
255.	Marbled Godwit	0.3465%
256.	Spotted Owl	0.3268%
257.	California Condor	0.3208%
258.	Red-breasted Merganser	0.3169%
259.	California Gull	0.3159%

[Go to top](#)

260.	Cassin's Sparrow	0.3040%
261.	Ridgway's Rail	0.2853%
262.	Black-bellied Whistling-Duck	0.2646%
263.	Thick-billed Kingbird	0.2576%
264.	Merlin	0.2527%
265.	Rufous-capped Warbler	0.2330%
266.	Botteri's Sparrow	0.2290%
267.	Williamson's Sapsucker	0.2271%
268.	Caspian Tern	0.2192%
269.	Golden-crowned Sparrow	0.2182%
270.	Common Loon	0.2142%
271.	Flammulated Owl	0.2132%
272.	Blue Grosbeak	0.2063%
273.	Downy Woodpecker	0.2043%
274.	Snow Goose	0.2034%
275.	Eastern Bluebird	0.2034%
276.	Flame-colored Tanager	0.2024%
277.	Indigo Bunting	0.1984%
278.	Five-striped Sparrow	0.1974%
279.	Swamp Sparrow	0.1925%
280.	Purple Martin	0.1876%
281.	Red-necked Phalarope	0.1856%
282.	Forster's Tern	0.1826%
283.	Cordilleran Flycatcher	0.1816%
284.	Swainson's Thrush	0.1806%
285.	Hooded Merganser	0.1797%
286.	Rose-throated Becard	0.1708%

[Go to top](#)

287.	Crested Caracara	0.1668%
288.	Tufted Flycatcher	0.1658%
289.	Sage Thrasher	0.1619%
290.	Lawrence's Goldfinch	0.1560%
291.	Northern Goshawk	0.1550%
292.	Streak-backed Oriole	0.1451%
293.	Grasshopper Sparrow	0.1382%
294.	Sinaloa Wren	0.1313%
295.	Rufous-backed Robin	0.1283%
296.	Clark's Nutcracker	0.1254%
297.	Black-and-white Warbler	0.1135%
298.	Broad-winged Hawk	0.1125%
299.	White-tailed Kite	0.1096%
300.	Black Rail	0.1086%
301.	Black-bellied Plover	0.1086%
302.	Brown Pelican	0.1076%
303.	LeConte's Thrasher	0.1076%
304.	Red-shouldered Hawk	0.0997%
305.	Greater Scaup	0.0967%
306.	Whimbrel	0.0958%
307.	Northern Parula	0.0958%
308.	Clay-colored Sparrow	0.0898%
309.	Baird's Sandpiper	0.0879%
310.	Harris's Sparrow	0.0849%
311.	Greater White-fronted Goose	0.0839%
312.	Golden-crowned Kinglet	0.0839%

[Go to top](#)

313. Dunlin	0.0790%
314. Buff-collared Nightjar	0.0740%
315. Least Grebe	0.0721%
316. American Bittern	0.0701%
317. Slate-throated Redstart	0.0701%
318. Snowy Plover	0.0671%
319. Semipalmated Sandpiper	0.0642%
320. Crescent-chested Warbler	0.0622%
321. American Golden-Plover	0.0592%
322. Gray Catbird	0.0592%
323. Sanderling	0.0582%
324. Rose-breasted Grosbeak	0.0533%
325. Fan-tailed Warbler	0.0513%
326. Northern Saw-whet Owl	0.0503%
327. Ferruginous Hawk	0.0484%
328. Ruddy Ground Dove	0.0434%
329. White-eared Hummingbird	0.0424%
330. Brown Thrasher	0.0415%
331. Least Tern	0.0395%
332. Pacific Wren	0.0385%
333. Berylline Hummingbird	0.0375%
334. Green Kingfisher	0.0365%
335. Heermann's Gull	0.0326%
336. Red Phalarope	0.0316%
337. Fox Sparrow	0.0306%
338. Long-eared Owl	0.0296%

[Go to top](#)

339.	Palm Warbler	0.0286%
340.	American Three-toed Woodpecker	0.0276%
341.	American Dipper	0.0276%
342.	American Redstart	0.0276%
343.	Surf Scoter	0.0257%
344.	White Wagtail	0.0237%
345.	Herring Gull	0.0227%
346.	Ferruginous Pygmy-Owl	0.0227%
347.	Ross's Goose	0.0217%
348.	Northern Waterthrush	0.0207%
349.	Short-tailed Hawk	0.0197%
350.	Red-throated Loon	0.0188%
351.	Willow Flycatcher	0.0178%
352.	Tropical Kingbird	0.0178%
353.	Yellow-throated Warbler	0.0178%
354.	Black-throated Green Warbler	0.0178%
355.	Nutting's Flycatcher	0.0158%
356.	Sandhill Crane	0.0148%
357.	Chestnut-collared Longspur	0.0148%
358.	Louisiana Waterthrush	0.0148%
359.	Long-tailed Duck	0.0138%
360.	Winter Wren	0.0138%
361.	Stilt Sandpiper	0.0128%
362.	Glossy Ibis	0.0128%
363.	Blue Mockingbird	0.0128%
364.	Ring-necked Pheasant	0.0119%
365.	Yellow-collared Lovebird	0.0119%

[Go to top](#)

366.	Baird's Sparrow	0.0119%
367.	Monk Parakeet	0.0109%
368.	Eastern Phoebe	0.0109%
369.	Lapland Longspur	0.0109%
370.	Black-throated Blue Warbler	0.0109%
371.	Pectoral Sandpiper	0.0099%
372.	Reddish Egret	0.0099%
373.	Rough-legged Hawk	0.0099%
374.	Nanday Parakeet	0.0099%
375.	Baltimore Oriole	0.0099%
376.	White-winged Scoter	0.0089%
377.	Short-billed Dowitcher	0.0079%
378.	McCown's Longspur	0.0079%
379.	Sagebrush Sparrow	0.0079%
380.	Tennessee Warbler	0.0079%
381.	Hooded Warbler	0.0079%
382.	Mute Swan	0.0069%
383.	Red-necked Grebe	0.0069%
384.	Laughing Gull	0.0069%
385.	Canada Jay	0.0069%
386.	Carolina Wren	0.0069%
387.	Prothonotary Warbler	0.0069%
388.	Tricolored Heron	0.0059%
389.	Varied Thrush	0.0059%
390.	Worm-eating Warbler	0.0059%
391.	Horned Grebe	0.0049%

[Go to top](#)

392.	Yellow-bellied Sapsucker	0.0049%
393.	Purple Finch	0.0049%
394.	Common Grackle	0.0049%
395.	Yellow-billed Cuckoo	0.0039%
396.	Sabine's Gull	0.0039%
397.	Pacific Loon	0.0039%
398.	Brant	0.0030%
399.	Black Scoter	0.0030%
400.	White Ibis	0.0030%
401.	Scissor-tailed Flycatcher	0.0030%
402.	Black-billed Magpie	0.0030%
403.	Magnolia Warbler	0.0030%
404.	Varied Bunting	0.0030%
405.	Cackling Goose	0.0020%
406.	Eurasian Wigeon	0.0020%
407.	Barrow's Goldeneye	0.0020%
408.	Plain-capped Starthroat	0.0020%
409.	Mississippi Kite	0.0020%
410.	Yellow-throated Vireo	0.0020%
411.	Black-throated Magpie-Jay	0.0020%
412.	Sedge Wren	0.0020%
413.	Snow Bunting	0.0020%
414.	Ovenbird	0.0020%
415.	Chestnut-sided Warbler	0.0020%
416.	Blackpoll Warbler	0.0020%
417.	Fulvous Whistling-Duck	0.0010%

[Go to top](#)

418.	Trumpeter Swan	0.0010%
419.	Tundra Swan	0.0010%
420.	California Quail	0.0010%
421.	Chukar	0.0010%
422.	African Collared-Dove	0.0010%
423.	Black Swift	0.0010%
424.	Mountain Plover	0.0010%
425.	Northern Jacana	0.0010%
426.	Mew Gull	0.0010%
427.	Western Gull	0.0010%
428.	Yellow-footed Gull	0.0010%
429.	Black Tern	0.0010%
430.	Common Tern	0.0010%
431.	Roseate Spoonbill	0.0010%
432.	Eared Quetzal	0.0010%
433.	Red-breasted Sapsucker	0.0010%
434.	Red-headed Woodpecker	0.0010%
435.	White-eyed Vireo	0.0010%
436.	Blue-headed Vireo	0.0010%
437.	Philadelphia Vireo	0.0010%
438.	Kentucky Warbler	0.0010%
439.	Blackburnian Warbler	0.0010%
440.	Painted Bunting	0.0010%
441.	Dickcissel	0.0010%
442.	Garganey	0.0000%
443.	Dusky Grouse	0.0000%
444.	Black-legged Kittiwake	0.0000%

[Go to top](#)

445.	Little Blue Heron	0.0000%
446.	Short-eared Owl	0.0000%
447.	Aplomado Falcon	0.0000%
448.	Sulphur-bellied Flycatcher	0.0000%
449.	California Scrub-Jay	0.0000%
450.	Cave Swallow	0.0000%
451.	Sprague's Pipit	0.0000%
452.	Orchard Oriole	0.0000%
453.	Scarlet Tanager	0.0000%
