

## Target Species

Based on 101,299 complete checklists

**453** species observed in Arizona, US (subnational1/US-AZ) in **Apr** that you need for your **Arizona Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.2646%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0010%</b>
3. <b>Snow Goose</b>	<b>0.2034%</b>
4. <b>Ross's Goose</b>	<b>0.0217%</b>
5. <b>Greater White-fronted Goose</b>	<b>0.0839%</b>
6. <b>Brant</b>	<b>0.0030%</b>
7. <b>Cackling Goose</b>	<b>0.0020%</b>
8. <b>Canada Goose</b>	<b>4.31%</b>
9. <b>Mute Swan</b>	<b>0.0069%</b>
10. <b>Trumpeter Swan</b>	<b>0.0010%</b>
11. <b>Tundra Swan</b>	<b>0.0010%</b>
12. <b>Wood Duck</b>	<b>0.5607%</b>
13. <b>Garganey</b>	<b>0.0000%</b>
14. <b>Blue-winged Teal</b>	<b>3.12%</b>
15. <b>Cinnamon Teal</b>	<b>9.40%</b>
16. <b>Northern Shoveler</b>	<b>6.75%</b>
17. <b>Gadwall</b>	<b>4.04%</b>
18. <b>Eurasian Wigeon</b>	<b>0.0020%</b>
19. <b>American Wigeon</b>	<b>5.30%</b>
20. <b>Mallard</b>	<b>10.06%</b>
21. <b>Mexican Duck</b>	<b>2.09%</b>
22. <b>Northern Pintail</b>	<b>0.6871%</b>

[Go to top](#)

23. <b>Green-winged Teal</b>	<b>3.47%</b>
24. <b>Canvasback</b>	<b>0.5291%</b>
25. <b>Redhead</b>	<b>1.64%</b>
26. <b>Ring-necked Duck</b>	<b>5.08%</b>
27. <b>Greater Scaup</b>	<b>0.0967%</b>
28. <b>Lesser Scaup</b>	<b>2.31%</b>
29. <b>Surf Scoter</b>	<b>0.0257%</b>
30. <b>White-winged Scoter</b>	<b>0.0089%</b>
31. <b>Black Scoter</b>	<b>0.0030%</b>
32. <b>Long-tailed Duck</b>	<b>0.0138%</b>
33. <b>Bufflehead</b>	<b>2.65%</b>
34. <b>Common Goldeneye</b>	<b>0.4156%</b>
35. <b>Barrow's Goldeneye</b>	<b>0.0020%</b>
36. <b>Hooded Merganser</b>	<b>0.1797%</b>
37. <b>Common Merganser</b>	<b>0.8993%</b>
38. <b>Red-breasted Merganser</b>	<b>0.3169%</b>
39. <b>Ruddy Duck</b>	<b>9.31%</b>
40. <b>Scaled Quail</b>	<b>1.04%</b>
41. <b>California Quail</b>	<b>0.0010%</b>
42. <b>Gambel's Quail</b>	<b>28.24%</b>
43. <b>Montezuma Quail</b>	<b>0.6960%</b>
44. <b>Chukar</b>	<b>0.0010%</b>
45. <b>Ring-necked Pheasant</b>	<b>0.0119%</b>
46. <b>Dusky Grouse</b>	<b>0.0000%</b>
47. <b>Wild Turkey</b>	<b>3.67%</b>
48. <b>Least Grebe</b>	<b>0.0721%</b>
49. <b>Pied-billed Grebe</b>	<b>7.43%</b>

[Go to top](#)

50. <b>Horned Grebe</b>	<b>0.0049%</b>
51. <b>Red-necked Grebe</b>	<b>0.0069%</b>
52. <b>Eared Grebe</b>	<b>3.67%</b>
53. <b>Western Grebe</b>	<b>1.21%</b>
54. <b>Clark's Grebe</b>	<b>0.4768%</b>
55. <b>Rock Pigeon</b>	<b>10.18%</b>
56. <b>Band-tailed Pigeon</b>	<b>0.7374%</b>
57. <b>Eurasian Collared-Dove</b>	<b>17.47%</b>
58. <b>African Collared-Dove</b>	<b>0.0010%</b>
59. <b>Inca Dove</b>	<b>6.10%</b>
60. <b>Common Ground Dove</b>	<b>1.11%</b>
61. <b>Ruddy Ground Dove</b>	<b>0.0434%</b>
62. <b>White-winged Dove</b>	<b>37.40%</b>
63. <b>Mourning Dove</b>	<b>48.64%</b>
64. <b>Greater Roadrunner</b>	<b>7.32%</b>
65. <b>Yellow-billed Cuckoo</b>	<b>0.0039%</b>
66. <b>Lesser Nighthawk</b>	<b>1.80%</b>
67. <b>Common Poorwill</b>	<b>1.54%</b>
68. <b>Buff-collared Nightjar</b>	<b>0.0740%</b>
69. <b>Mexican Whip-poor-will</b>	<b>0.5726%</b>
70. <b>Black Swift</b>	<b>0.0010%</b>
71. <b>Vaux's Swift</b>	<b>0.3998%</b>
72. <b>White-throated Swift</b>	<b>4.75%</b>
73. <b>Rivoli's Hummingbird</b>	<b>4.99%</b>
74. <b>Plain-capped Starthroat</b>	<b>0.0020%</b>
75. <b>Blue-throated Mountain-gem</b>	<b>1.65%</b>

[Go to top](#)

76. <b>Lucifer Hummingbird</b>	<b>0.6496%</b>
77. <b>Black-chinned Hummingbird</b>	<b>21.22%</b>
78. <b>Anna's Hummingbird</b>	<b>22.70%</b>
79. <b>Costa's Hummingbird</b>	<b>7.28%</b>
80. <b>Broad-tailed Hummingbird</b>	<b>8.71%</b>
81. <b>Rufous Hummingbird</b>	<b>2.98%</b>
82. <b>Calliope Hummingbird</b>	<b>0.7276%</b>
83. <b>Broad-billed Hummingbird</b>	<b>17.20%</b>
84. <b>Berylline Hummingbird</b>	<b>0.0375%</b>
85. <b>Violet-crowned Hummingbird</b>	<b>1.57%</b>
86. <b>White-eared Hummingbird</b>	<b>0.0424%</b>
87. <b>Ridgway's Rail</b>	<b>0.2853%</b>
88. <b>Virginia Rail</b>	<b>0.9803%</b>
89. <b>Sora</b>	<b>2.28%</b>
90. <b>Common Gallinule</b>	<b>2.50%</b>
91. <b>American Coot</b>	<b>16.25%</b>
92. <b>Black Rail</b>	<b>0.1086%</b>
93. <b>Sandhill Crane</b>	<b>0.0148%</b>
94. <b>Black-necked Stilt</b>	<b>5.39%</b>
95. <b>American Avocet</b>	<b>3.40%</b>
96. <b>Black-bellied Plover</b>	<b>0.1086%</b>
97. <b>American Golden-Plover</b>	<b>0.0592%</b>
98. <b>Snowy Plover</b>	<b>0.0671%</b>
99. <b>Semipalmated Plover</b>	<b>0.5015%</b>
100. <b>Killdeer</b>	<b>11.85%</b>
101. <b>Mountain Plover</b>	<b>0.0010%</b>

[Go to top](#)

102.	<b>Northern Jacana</b>	<b>0.0010%</b>
103.	<b>Whimbrel</b>	<b>0.0958%</b>
104.	<b>Long-billed Curlew</b>	<b>0.4314%</b>
105.	<b>Marbled Godwit</b>	<b>0.3465%</b>
106.	<b>Stilt Sandpiper</b>	<b>0.0128%</b>
107.	<b>Sanderling</b>	<b>0.0582%</b>
108.	<b>Dunlin</b>	<b>0.0790%</b>
109.	<b>Baird's Sandpiper</b>	<b>0.0879%</b>
110.	<b>Least Sandpiper</b>	<b>4.77%</b>
111.	<b>Pectoral Sandpiper</b>	<b>0.0099%</b>
112.	<b>Semipalmated Sandpiper</b>	<b>0.0642%</b>
113.	<b>Western Sandpiper</b>	<b>2.02%</b>
114.	<b>Short-billed Dowitcher</b>	<b>0.0079%</b>
115.	<b>Long-billed Dowitcher</b>	<b>3.11%</b>
116.	<b>Wilson's Snipe</b>	<b>1.14%</b>
117.	<b>Wilson's Phalarope</b>	<b>1.38%</b>
118.	<b>Red-necked Phalarope</b>	<b>0.1856%</b>
119.	<b>Red Phalarope</b>	<b>0.0316%</b>
120.	<b>Spotted Sandpiper</b>	<b>4.10%</b>
121.	<b>Solitary Sandpiper</b>	<b>1.03%</b>
122.	<b>Greater Yellowlegs</b>	<b>1.55%</b>
123.	<b>Willet</b>	<b>0.7058%</b>
124.	<b>Lesser Yellowlegs</b>	<b>0.9664%</b>
125.	<b>Black-legged Kittiwake</b>	<b>0.0000%</b>
126.	<b>Sabine's Gull</b>	<b>0.0039%</b>
127.	<b>Bonaparte's Gull</b>	<b>0.3939%</b>
128.	<b>Laughing Gull</b>	<b>0.0069%</b>

[Go to top](#)

129.	<b>Franklin's Gull</b>	<b>0.9832%</b>
130.	<b>Heermann's Gull</b>	<b>0.0326%</b>
131.	<b>Mew Gull</b>	<b>0.0010%</b>
132.	<b>Ring-billed Gull</b>	<b>1.50%</b>
133.	<b>Western Gull</b>	<b>0.0010%</b>
134.	<b>Yellow-footed Gull</b>	<b>0.0010%</b>
135.	<b>California Gull</b>	<b>0.3159%</b>
136.	<b>Herring Gull</b>	<b>0.0227%</b>
137.	<b>Least Tern</b>	<b>0.0395%</b>
138.	<b>Caspian Tern</b>	<b>0.2192%</b>
139.	<b>Black Tern</b>	<b>0.0010%</b>
140.	<b>Common Tern</b>	<b>0.0010%</b>
141.	<b>Forster's Tern</b>	<b>0.1826%</b>
142.	<b>Red-throated Loon</b>	<b>0.0188%</b>
143.	<b>Pacific Loon</b>	<b>0.0039%</b>
144.	<b>Common Loon</b>	<b>0.2142%</b>
145.	<b>Neotropic Cormorant</b>	<b>6.73%</b>
146.	<b>Double-crested Cormorant</b>	<b>4.20%</b>
147.	<b>American White Pelican</b>	<b>0.4561%</b>
148.	<b>Brown Pelican</b>	<b>0.1076%</b>
149.	<b>American Bittern</b>	<b>0.0701%</b>
150.	<b>Least Bittern</b>	<b>0.4847%</b>
151.	<b>Great Blue Heron</b>	<b>10.47%</b>
152.	<b>Great Egret</b>	<b>5.19%</b>
153.	<b>Snowy Egret</b>	<b>4.13%</b>
154.	<b>Little Blue Heron</b>	<b>0.0000%</b>

[Go to top](#)

155.	<b>Tricolored Heron</b>	<b>0.0059%</b>
156.	<b>Reddish Egret</b>	<b>0.0099%</b>
157.	<b>Cattle Egret</b>	<b>0.7009%</b>
158.	<b>Green Heron</b>	<b>3.78%</b>
159.	<b>Black-crowned Night-Heron</b>	<b>3.22%</b>
160.	<b>White Ibis</b>	<b>0.0030%</b>
161.	<b>Glossy Ibis</b>	<b>0.0128%</b>
162.	<b>White-faced Ibis</b>	<b>4.18%</b>
163.	<b>Roseate Spoonbill</b>	<b>0.0010%</b>
164.	<b>California Condor</b>	<b>0.3208%</b>
165.	<b>Black Vulture</b>	<b>2.14%</b>
166.	<b>Turkey Vulture</b>	<b>31.77%</b>
167.	<b>Osprey</b>	<b>3.19%</b>
168.	<b>White-tailed Kite</b>	<b>0.1096%</b>
169.	<b>Golden Eagle</b>	<b>0.7236%</b>
170.	<b>Mississippi Kite</b>	<b>0.0020%</b>
171.	<b>Northern Harrier</b>	<b>1.92%</b>
172.	<b>Sharp-shinned Hawk</b>	<b>1.84%</b>
173.	<b>Cooper's Hawk</b>	<b>11.72%</b>
174.	<b>Northern Goshawk</b>	<b>0.1550%</b>
175.	<b>Bald Eagle</b>	<b>1.69%</b>
176.	<b>Common Black Hawk</b>	<b>2.07%</b>
177.	<b>Harris's Hawk</b>	<b>1.69%</b>
178.	<b>Gray Hawk</b>	<b>6.63%</b>
179.	<b>Red-shouldered Hawk</b>	<b>0.0997%</b>
180.	<b>Broad-winged Hawk</b>	<b>0.1125%</b>

[Go to top](#)

181.	<b>Short-tailed Hawk</b>	<b>0.0197%</b>
182.	<b>Swainson's Hawk</b>	<b>3.89%</b>
183.	<b>Zone-tailed Hawk</b>	<b>3.66%</b>
184.	<b>Red-tailed Hawk</b>	<b>16.13%</b>
185.	<b>Rough-legged Hawk</b>	<b>0.0099%</b>
186.	<b>Ferruginous Hawk</b>	<b>0.0484%</b>
187.	<b>Barn Owl</b>	<b>0.3682%</b>
188.	<b>Flammulated Owl</b>	<b>0.2132%</b>
189.	<b>Whiskered Screech-Owl</b>	<b>1.01%</b>
190.	<b>Western Screech-Owl</b>	<b>1.29%</b>
191.	<b>Great Horned Owl</b>	<b>3.58%</b>
192.	<b>Northern Pygmy-Owl</b>	<b>0.7799%</b>
193.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0227%</b>
194.	<b>Elf Owl</b>	<b>1.83%</b>
195.	<b>Burrowing Owl</b>	<b>0.7611%</b>
196.	<b>Spotted Owl</b>	<b>0.3268%</b>
197.	<b>Long-eared Owl</b>	<b>0.0296%</b>
198.	<b>Short-eared Owl</b>	<b>0.0000%</b>
199.	<b>Northern Saw-whet Owl</b>	<b>0.0503%</b>
200.	<b>Eared Quetzal</b>	<b>0.0010%</b>
201.	<b>Elegant Trogon</b>	<b>1.64%</b>
202.	<b>Belted Kingfisher</b>	<b>2.92%</b>
203.	<b>Green Kingfisher</b>	<b>0.0365%</b>
204.	<b>Williamson's Sapsucker</b>	<b>0.2271%</b>
205.	<b>Yellow-bellied Sapsucker</b>	<b>0.0049%</b>
206.	<b>Red-naped Sapsucker</b>	<b>0.9388%</b>
207.	<b>Red-breasted Sapsucker</b>	<b>0.0010%</b>

[Go to top](#)



208.	<b>Lewis's Woodpecker</b>	<b>0.4630%</b>
209.	<b>Red-headed Woodpecker</b>	<b>0.0010%</b>
210.	<b>Acorn Woodpecker</b>	<b>13.16%</b>
211.	<b>Gila Woodpecker</b>	<b>33.13%</b>
212.	<b>American Three-toed Woodpecker</b>	<b>0.0276%</b>
213.	<b>Downy Woodpecker</b>	<b>0.2043%</b>
214.	<b>Ladder-backed Woodpecker</b>	<b>16.77%</b>
215.	<b>Hairy Woodpecker</b>	<b>3.97%</b>
216.	<b>Arizona Woodpecker</b>	<b>3.62%</b>
217.	<b>Northern Flicker</b>	<b>9.89%</b>
218.	<b>Gilded Flicker</b>	<b>3.25%</b>
219.	<b>Crested Caracara</b>	<b>0.1668%</b>
220.	<b>American Kestrel</b>	<b>6.88%</b>
221.	<b>Merlin</b>	<b>0.2527%</b>
222.	<b>Aplomado Falcon</b>	<b>0.0000%</b>
223.	<b>Peregrine Falcon</b>	<b>1.29%</b>
224.	<b>Prairie Falcon</b>	<b>0.5035%</b>
225.	<b>Rosy-faced Lovebird</b>	<b>1.30%</b>
226.	<b>Yellow-collared Lovebird</b>	<b>0.0119%</b>
227.	<b>Monk Parakeet</b>	<b>0.0109%</b>
228.	<b>Nanday Parakeet</b>	<b>0.0099%</b>
229.	<b>Rose-throated Becard</b>	<b>0.1708%</b>
230.	<b>Northern Beardless-Tyrannulet</b>	<b>2.81%</b>
231.	<b>Tufted Flycatcher</b>	<b>0.1658%</b>
232.	<b>Olive-sided Flycatcher</b>	<b>0.4423%</b>
233.	<b>Greater Pewee</b>	<b>1.63%</b>

[Go to top](#)

234.	<b>Western Wood-Pewee</b>	<b>1.45%</b>
235.	<b>Willow Flycatcher</b>	<b>0.0178%</b>
236.	<b>Hammond's Flycatcher</b>	<b>3.93%</b>
237.	<b>Gray Flycatcher</b>	<b>3.86%</b>
238.	<b>Dusky Flycatcher</b>	<b>2.42%</b>
239.	<b>Pacific-slope Flycatcher</b>	<b>1.73%</b>
240.	<b>Cordilleran Flycatcher</b>	<b>0.1816%</b>
241.	<b>Buff-breasted Flycatcher</b>	<b>1.10%</b>
242.	<b>Black Phoebe</b>	<b>10.72%</b>
243.	<b>Eastern Phoebe</b>	<b>0.0109%</b>
244.	<b>Say's Phoebe</b>	<b>12.91%</b>
245.	<b>Vermilion Flycatcher</b>	<b>16.68%</b>
246.	<b>Dusky-capped Flycatcher</b>	<b>6.10%</b>
247.	<b>Ash-throated Flycatcher</b>	<b>16.87%</b>
248.	<b>Nutting's Flycatcher</b>	<b>0.0158%</b>
249.	<b>Brown-crested Flycatcher</b>	<b>3.39%</b>
250.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0000%</b>
251.	<b>Tropical Kingbird</b>	<b>0.0178%</b>
252.	<b>Cassin's Kingbird</b>	<b>10.62%</b>
253.	<b>Thick-billed Kingbird</b>	<b>0.2576%</b>
254.	<b>Western Kingbird</b>	<b>10.68%</b>
255.	<b>Scissor-tailed Flycatcher</b>	<b>0.0030%</b>
256.	<b>White-eyed Vireo</b>	<b>0.0010%</b>
257.	<b>Bell's Vireo</b>	<b>15.55%</b>
258.	<b>Gray Vireo</b>	<b>0.5795%</b>
259.	<b>Hutton's Vireo</b>	<b>5.13%</b>

[Go to top](#)

260.	<b>Yellow-throated Vireo</b>	<b>0.0020%</b>
261.	<b>Cassin's Vireo</b>	<b>3.39%</b>
262.	<b>Blue-headed Vireo</b>	<b>0.0010%</b>
263.	<b>Plumbeous Vireo</b>	<b>6.06%</b>
264.	<b>Philadelphia Vireo</b>	<b>0.0010%</b>
265.	<b>Warbling Vireo</b>	<b>2.80%</b>
266.	<b>Loggerhead Shrike</b>	<b>2.72%</b>
267.	<b>Canada Jay</b>	<b>0.0069%</b>
268.	<b>Black-throated Magpie-Jay</b>	<b>0.0020%</b>
269.	<b>Pinyon Jay</b>	<b>0.5054%</b>
270.	<b>Steller's Jay</b>	<b>5.64%</b>
271.	<b>California Scrub-Jay</b>	<b>0.0000%</b>
272.	<b>Woodhouse's Scrub-Jay</b>	<b>3.96%</b>
273.	<b>Mexican Jay</b>	<b>10.63%</b>
274.	<b>Black-billed Magpie</b>	<b>0.0030%</b>
275.	<b>Clark's Nutcracker</b>	<b>0.1254%</b>
276.	<b>American Crow</b>	<b>2.17%</b>
277.	<b>Chihuahuan Raven</b>	<b>1.81%</b>
278.	<b>Common Raven</b>	<b>28.12%</b>
279.	<b>Mountain Chickadee</b>	<b>3.80%</b>
280.	<b>Mexican Chickadee</b>	<b>0.4590%</b>
281.	<b>Bridled Titmouse</b>	<b>11.54%</b>
282.	<b>Juniper Titmouse</b>	<b>1.74%</b>
283.	<b>Verdin</b>	<b>28.68%</b>
284.	<b>Horned Lark</b>	<b>1.69%</b>
285.	<b>Northern Rough-winged Swallow</b>	<b>13.95%</b>
286.	<b>Purple Martin</b>	<b>0.1876%</b>

[Go to top](#)

287.	<b>Tree Swallow</b>	<b>3.55%</b>
288.	<b>Violet-green Swallow</b>	<b>8.05%</b>
289.	<b>Bank Swallow</b>	<b>1.08%</b>
290.	<b>Barn Swallow</b>	<b>8.95%</b>
291.	<b>Cliff Swallow</b>	<b>7.33%</b>
292.	<b>Cave Swallow</b>	<b>0.0000%</b>
293.	<b>Bushtit</b>	<b>4.66%</b>
294.	<b>Golden-crowned Kinglet</b>	<b>0.0839%</b>
295.	<b>Ruby-crowned Kinglet</b>	<b>12.87%</b>
296.	<b>Red-breasted Nuthatch</b>	<b>1.42%</b>
297.	<b>White-breasted Nuthatch</b>	<b>14.35%</b>
298.	<b>Pygmy Nuthatch</b>	<b>4.52%</b>
299.	<b>Brown Creeper</b>	<b>2.71%</b>
300.	<b>Blue-gray Gnatcatcher</b>	<b>5.88%</b>
301.	<b>Black-tailed Gnatcatcher</b>	<b>7.43%</b>
302.	<b>Black-capped Gnatcatcher</b>	<b>0.5380%</b>
303.	<b>Rock Wren</b>	<b>3.76%</b>
304.	<b>Canyon Wren</b>	<b>6.95%</b>
305.	<b>House Wren</b>	<b>8.38%</b>
306.	<b>Pacific Wren</b>	<b>0.0385%</b>
307.	<b>Winter Wren</b>	<b>0.0138%</b>
308.	<b>Sedge Wren</b>	<b>0.0020%</b>
309.	<b>Marsh Wren</b>	<b>2.31%</b>
310.	<b>Carolina Wren</b>	<b>0.0069%</b>
311.	<b>Bewick's Wren</b>	<b>16.94%</b>
312.	<b>Cactus Wren</b>	<b>16.73%</b>

[Go to top](#)

313. <b>Sinaloa Wren</b>	<b>0.1313%</b>
314. <b>American Dipper</b>	<b>0.0276%</b>
315. <b>European Starling</b>	<b><u>15.71%</u></b>
316. <b>Blue Mockingbird</b>	<b>0.0128%</b>
317. <b>Gray Catbird</b>	<b>0.0592%</b>
318. <b>Curve-billed Thrasher</b>	<b><u>21.36%</u></b>
319. <b>Brown Thrasher</b>	<b>0.0415%</b>
320. <b>Bendire's Thrasher</b>	<b>0.5489%</b>
321. <b>LeConte's Thrasher</b>	<b>0.1076%</b>
322. <b>Crissal Thrasher</b>	<b><u>1.77%</u></b>
323. <b>Sage Thrasher</b>	<b>0.1619%</b>
324. <b>Northern Mockingbird</b>	<b><u>17.96%</u></b>
325. <b>Eastern Bluebird</b>	<b>0.2034%</b>
326. <b>Western Bluebird</b>	<b><u>4.83%</u></b>
327. <b>Mountain Bluebird</b>	<b>0.4344%</b>
328. <b>Townsend's Solitaire</b>	<b><u>1.19%</u></b>
329. <b>Varied Thrush</b>	<b>0.0059%</b>
330. <b>Swainson's Thrush</b>	<b>0.1806%</b>
331. <b>Hermit Thrush</b>	<b><u>4.93%</u></b>
332. <b>American Robin</b>	<b><u>10.30%</u></b>
333. <b>Rufous-backed Robin</b>	<b>0.1283%</b>
334. <b>Cedar Waxwing</b>	<b><u>1.84%</u></b>
335. <b>Phainopepla</b>	<b><u>16.01%</u></b>
336. <b>Olive Warbler</b>	<b><u>1.75%</u></b>
337. <b>House Sparrow</b>	<b><u>22.73%</u></b>
338. <b>White Wagtail</b>	<b>0.0237%</b>

[Go to top](#)

339.	<b>American Pipit</b>	<b>1.40%</b>
340.	<b>Sprague's Pipit</b>	<b>0.0000%</b>
341.	<b>Evening Grosbeak</b>	<b>0.5992%</b>
342.	<b>House Finch</b>	<b>46.12%</b>
343.	<b>Purple Finch</b>	<b>0.0049%</b>
344.	<b>Cassin's Finch</b>	<b>2.21%</b>
345.	<b>Red Crossbill</b>	<b>0.8687%</b>
346.	<b>Pine Siskin</b>	<b>10.01%</b>
347.	<b>Lesser Goldfinch</b>	<b>35.82%</b>
348.	<b>Lawrence's Goldfinch</b>	<b>0.1560%</b>
349.	<b>American Goldfinch</b>	<b>0.6673%</b>
350.	<b>Lapland Longspur</b>	<b>0.0109%</b>
351.	<b>Chestnut-collared Longspur</b>	<b>0.0148%</b>
352.	<b>McCown's Longspur</b>	<b>0.0079%</b>
353.	<b>Snow Bunting</b>	<b>0.0020%</b>
354.	<b>Rufous-winged Sparrow</b>	<b>5.57%</b>
355.	<b>Botteri's Sparrow</b>	<b>0.2290%</b>
356.	<b>Cassin's Sparrow</b>	<b>0.3040%</b>
357.	<b>Grasshopper Sparrow</b>	<b>0.1382%</b>
358.	<b>Chipping Sparrow</b>	<b>16.13%</b>
359.	<b>Clay-colored Sparrow</b>	<b>0.0898%</b>
360.	<b>Black-chinned Sparrow</b>	<b>1.21%</b>
361.	<b>Brewer's Sparrow</b>	<b>5.50%</b>
362.	<b>Black-throated Sparrow</b>	<b>9.66%</b>
363.	<b>Five-striped Sparrow</b>	<b>0.1974%</b>
364.	<b>Lark Sparrow</b>	<b>8.46%</b>
365.	<b>Lark Bunting</b>	<b>0.8223%</b>

[Go to top](#)

366.	<b>Fox Sparrow</b>	<b>0.0306%</b>
367.	<b>Dark-eyed Junco</b>	<b>6.17%</b>
368.	<b>Yellow-eyed Junco</b>	<b>5.30%</b>
369.	<b>White-crowned Sparrow</b>	<b>23.38%</b>
370.	<b>Golden-crowned Sparrow</b>	<b>0.2182%</b>
371.	<b>Harris's Sparrow</b>	<b>0.0849%</b>
372.	<b>White-throated Sparrow</b>	<b>0.6841%</b>
373.	<b>Sagebrush Sparrow</b>	<b>0.0079%</b>
374.	<b>Vesper Sparrow</b>	<b>2.31%</b>
375.	<b>Savannah Sparrow</b>	<b>1.83%</b>
376.	<b>Baird's Sparrow</b>	<b>0.0119%</b>
377.	<b>Song Sparrow</b>	<b>12.59%</b>
378.	<b>Lincoln's Sparrow</b>	<b>6.99%</b>
379.	<b>Swamp Sparrow</b>	<b>0.1925%</b>
380.	<b>Canyon Towhee</b>	<b>9.17%</b>
381.	<b>Abert's Towhee</b>	<b>19.28%</b>
382.	<b>Rufous-crowned Sparrow</b>	<b>3.83%</b>
383.	<b>Green-tailed Towhee</b>	<b>8.46%</b>
384.	<b>Spotted Towhee</b>	<b>8.66%</b>
385.	<b>Yellow-breasted Chat</b>	<b>2.55%</b>
386.	<b>Yellow-headed Blackbird</b>	<b>2.97%</b>
387.	<b>Western Meadowlark</b>	<b>1.65%</b>
388.	<b>Eastern Meadowlark</b>	<b>1.19%</b>
389.	<b>Orchard Oriole</b>	<b>0.0000%</b>
390.	<b>Hooded Oriole</b>	<b>8.37%</b>
391.	<b>Streak-backed Oriole</b>	<b>0.1451%</b>

[Go to top](#)

392.	<b>Bullock's Oriole</b>	<b>5.90%</b>
393.	<b>Baltimore Oriole</b>	<b>0.0099%</b>
394.	<b>Scott's Oriole</b>	<b>6.01%</b>
395.	<b>Red-winged Blackbird</b>	<b>15.62%</b>
396.	<b>Bronzed Cowbird</b>	<b>1.35%</b>
397.	<b>Brown-headed Cowbird</b>	<b>10.64%</b>
398.	<b>Brewer's Blackbird</b>	<b>3.65%</b>
399.	<b>Common Grackle</b>	<b>0.0049%</b>
400.	<b>Great-tailed Grackle</b>	<b>22.26%</b>
401.	<b>Ovenbird</b>	<b>0.0020%</b>
402.	<b>Worm-eating Warbler</b>	<b>0.0059%</b>
403.	<b>Louisiana Waterthrush</b>	<b>0.0148%</b>
404.	<b>Northern Waterthrush</b>	<b>0.0207%</b>
405.	<b>Black-and-white Warbler</b>	<b>0.1135%</b>
406.	<b>Prothonotary Warbler</b>	<b>0.0069%</b>
407.	<b>Crescent-chested Warbler</b>	<b>0.0622%</b>
408.	<b>Tennessee Warbler</b>	<b>0.0079%</b>
409.	<b>Orange-crowned Warbler</b>	<b>7.69%</b>
410.	<b>Lucy's Warbler</b>	<b>21.36%</b>
411.	<b>Nashville Warbler</b>	<b>1.42%</b>
412.	<b>Virginia's Warbler</b>	<b>2.53%</b>
413.	<b>MacGillivray's Warbler</b>	<b>1.46%</b>
414.	<b>Kentucky Warbler</b>	<b>0.0010%</b>
415.	<b>Common Yellowthroat</b>	<b>9.69%</b>
416.	<b>Hooded Warbler</b>	<b>0.0079%</b>
417.	<b>American Redstart</b>	<b>0.0276%</b>

[Go to top](#)



418.	<b>Northern Parula</b>	<b>0.0958%</b>
419.	<b>Magnolia Warbler</b>	<b>0.0030%</b>
420.	<b>Blackburnian Warbler</b>	<b>0.0010%</b>
421.	<b>Yellow Warbler</b>	<b>15.57%</b>
422.	<b>Chestnut-sided Warbler</b>	<b>0.0020%</b>
423.	<b>Blackpoll Warbler</b>	<b>0.0020%</b>
424.	<b>Black-throated Blue Warbler</b>	<b>0.0109%</b>
425.	<b>Palm Warbler</b>	<b>0.0286%</b>
426.	<b>Yellow-rumped Warbler</b>	<b>27.29%</b>
427.	<b>Yellow-throated Warbler</b>	<b>0.0178%</b>
428.	<b>Grace's Warbler</b>	<b>3.69%</b>
429.	<b>Black-throated Gray Warbler</b>	<b>9.01%</b>
430.	<b>Townsend's Warbler</b>	<b>4.34%</b>
431.	<b>Hermit Warbler</b>	<b>1.63%</b>
432.	<b>Black-throated Green Warbler</b>	<b>0.0178%</b>
433.	<b>Fan-tailed Warbler</b>	<b>0.0513%</b>
434.	<b>Rufous-capped Warbler</b>	<b>0.2330%</b>
435.	<b>Wilson's Warbler</b>	<b>11.82%</b>
436.	<b>Red-faced Warbler</b>	<b>2.35%</b>
437.	<b>Painted Redstart</b>	<b>7.68%</b>
438.	<b>Slate-throated Redstart</b>	<b>0.0701%</b>
439.	<b>Hepatic Tanager</b>	<b>3.32%</b>
440.	<b>Summer Tanager</b>	<b>6.94%</b>
441.	<b>Scarlet Tanager</b>	<b>0.0000%</b>
442.	<b>Western Tanager</b>	<b>3.29%</b>
443.	<b>Flame-colored Tanager</b>	<b>0.2024%</b>
444.	<b>Northern Cardinal</b>	<b>18.28%</b>

[Go to top](#)

445.	<b>Pyrrhuloxia</b>	<b>8.26%</b>
446.	<b>Rose-breasted Grosbeak</b>	<b>0.0533%</b>
447.	<b>Black-headed Grosbeak</b>	<b>8.35%</b>
448.	<b>Blue Grosbeak</b>	<b>0.2063%</b>
449.	<b>Lazuli Bunting</b>	<b>6.71%</b>
450.	<b>Indigo Bunting</b>	<b>0.1984%</b>
451.	<b>Varied Bunting</b>	<b>0.0030%</b>
452.	<b>Painted Bunting</b>	<b>0.0010%</b>
453.	<b>Dickcissel</b>	<b>0.0010%</b>