

Target Species

Based on 63,757 complete checklists

434 species observed in Arizona, US (subnational1/US-AZ) in **Aug** that you need for your **Arizona Life List**

1. Mourning Dove	43.81% frequency
2. Lesser Goldfinch	40.05%
3. White-winged Dove	35.59%
4. House Finch	35.53%
5. Turkey Vulture	33.24%
6. Gila Woodpecker	24.88%
7. Verdin	21.86%
8. Common Raven	20.90%
9. White-breasted Nuthatch	20.59%
10. Black-chinned Hummingbird	19.88%
11. Curve-billed Thrasher	19.18%
12. Black-headed Grosbeak	18.87%
13. Anna's Hummingbird	18.58%
14. Acorn Woodpecker	17.77%
15. Blue Grosbeak	17.61%
16. Broad-billed Hummingbird	17.00%
17. Gambel's Quail	15.18%
18. Red-tailed Hawk	15.09%
19. Great-tailed Grackle	15.00%
20. Eurasian Collared-Dove	14.69%
21. Western Kingbird	14.55%
22. Bewick's Wren	13.82%

23. Ladder-backed Woodpecker	<u>13.81%</u>
24. House Sparrow	<u>13.81%</u>
25. Abert's Towhee	<u>13.69%</u>
26. Cactus Wren	<u>13.43%</u>
27. Yellow Warbler	<u>13.38%</u>
28. Northern Cardinal	<u>13.36%</u>
29. Barn Swallow	<u>13.24%</u>
30. Rufous Hummingbird	<u>13.08%</u>
31. Cassin's Kingbird	<u>12.93%</u>
32. Western Wood-Pewee	<u>12.80%</u>
33. Northern Mockingbird	<u>12.69%</u>
34. Black Phoebe	<u>12.67%</u>
35. Mexican Jay	<u>12.66%</u>
36. Vermilion Flycatcher	<u>11.84%</u>
37. Western Tanager	<u>11.80%</u>
38. Northern Flicker	<u>11.80%</u>
39. Broad-tailed Hummingbird	<u>11.65%</u>
40. Bridled Titmouse	<u>11.51%</u>
41. Bell's Vireo	<u>11.44%</u>
42. Killdeer	<u>11.34%</u>
43. Phainopepla	<u>10.96%</u>
44. Lark Sparrow	<u>10.86%</u>
45. Black-throated Sparrow	<u>10.80%</u>
46. Lazuli Bunting	<u>10.65%</u>
47. Canyon Wren	<u>10.63%</u>
48. Great Blue Heron	<u>10.22%</u>
49. Canyon Towhee	<u>10.21%</u>

[Go to top](#)

50.	Greater Roadrunner	10.21%
51.	Rock Pigeon	10.01%
52.	American Coot	9.85%
53.	Spotted Towhee	9.51%
54.	Painted Redstart	8.78%
55.	Wilson's Warbler	8.65%
56.	Summer Tanager	8.57%
57.	Steller's Jay	8.44%
58.	American Kestrel	8.35%
59.	European Starling	8.34%
60.	Red-winged Blackbird	8.30%
61.	Brown-headed Cowbird	8.14%
62.	Pygmy Nuthatch	7.96%
63.	House Wren	7.91%
64.	Common Yellowthroat	7.88%
65.	Cooper's Hawk	7.65%
66.	Yellow-breasted Chat	7.61%
67.	Song Sparrow	7.50%
68.	American Robin	7.46%
69.	Yellow-eyed Junco	7.30%
70.	Black-throated Gray Warbler	7.27%
71.	Rufous-crowned Sparrow	7.26%
72.	Rivoli's Hummingbird	7.18%
73.	Plumbeous Vireo	6.88%
74.	Black-tailed Gnatcatcher	6.86%
75.	Mountain Chickadee	6.65%

[Go to top](#)

76. Warbling Vireo	6.57%
77. Say's Phoebe	6.44%
78. Loggerhead Shrike	6.39%
79. Rufous-winged Sparrow	6.38%
80. Chipping Sparrow	6.07%
81. Hooded Oriole	6.01%
82. Gray Hawk	5.96%
83. Hutton's Vireo	5.95%
84. Spotted Sandpiper	5.75%
85. Inca Dove	5.73%
86. Hairy Woodpecker	5.70%
87. Western Bluebird	5.69%
88. Black-necked Stilt	5.62%
89. Least Sandpiper	5.53%
90. Brown Creeper	5.49%
91. Hepatic Tanager	5.47%
92. Mallard	5.28%
93. Brown-crested Flycatcher	5.27%
94. Ash-throated Flycatcher	5.25%
95. Lucy's Warbler	5.20%
96. Swainson's Hawk	5.10%
97. Pied-billed Grebe	5.03%
98. Varied Bunting	5.02%
99. Sulphur-bellied Flycatcher	4.98%
100. Cliff Swallow	4.92%
101. Woodhouse's Scrub-Jay	4.91%

[Go to top](#)

102.	Botteri's Sparrow	4.87%
103.	Cassin's Sparrow	4.79%
104.	Northern Rough-winged Swallow	4.76%
105.	Arizona Woodpecker	4.70%
106.	White-faced Ibis	4.70%
107.	Violet-green Swallow	4.56%
108.	Green Heron	4.52%
109.	Yellow-billed Cuckoo	4.48%
110.	Great Egret	4.38%
111.	Cinnamon Teal	4.35%
112.	Wilson's Phalarope	4.34%
113.	Pyrrhuloxia	4.31%
114.	Purple Martin	4.27%
115.	MacGillivray's Warbler	4.24%
116.	Bullock's Oriole	4.23%
117.	Bushtit	4.21%
118.	Dusky-capped Flycatcher	4.07%
119.	Neotropic Cormorant	4.05%
120.	Nashville Warbler	3.95%
121.	Western Sandpiper	3.83%
122.	Orange-crowned Warbler	3.78%
123.	Common Ground Dove	3.71%
124.	Snowy Egret	3.67%
125.	Hermit Warbler	3.64%
126.	Rock Wren	3.61%
127.	Ruddy Duck	3.58%
128.	Yellow-headed Blackbird	3.53%

[Go to top](#)

129.	Costa's Hummingbird	3.44%
130.	Blue-gray Gnatcatcher	3.38%
131.	Grace's Warbler	3.35%
132.	American Avocet	3.34%
133.	Dark-eyed Junco	3.33%
134.	Red-faced Warbler	3.32%
135.	Black-crowned Night-Heron	3.30%
136.	Blue-throated Mountain-gem	3.19%
137.	Greater Yellowlegs	3.18%
138.	Lesser Nighthawk	3.16%
139.	Double-crested Cormorant	3.12%
140.	Violet-crowned Hummingbird	3.08%
141.	Zone-tailed Hawk	3.06%
142.	Tree Swallow	3.04%
143.	Long-billed Dowitcher	2.94%
144.	Gilded Flicker	2.89%
145.	Eastern Meadowlark	2.89%
146.	Yellow-rumped Warbler	2.87%
147.	Tropical Kingbird	2.85%
148.	Virginia's Warbler	2.80%
149.	Cordilleran Flycatcher	2.73%
150.	Hermit Thrush	2.72%
151.	Lesser Yellowlegs	2.61%
152.	Red-breasted Nuthatch	2.57%
153.	Baird's Sandpiper	2.53%
154.	White-throated Swift	2.49%

[Go to top](#)

155.	Townsend's Warbler	2.45%
156.	Peregrine Falcon	2.44%
157.	Canada Goose	2.42%
158.	Crissal Thrasher	2.34%
159.	Elegant Trogon	2.28%
160.	Northern Shoveler	2.24%
161.	American Crow	2.17%
162.	Band-tailed Pigeon	2.16%
163.	Sora	2.14%
164.	Wild Turkey	2.10%
165.	Osprey	2.07%
166.	Pine Siskin	2.07%
167.	Great Horned Owl	2.03%
168.	Calliope Hummingbird	1.90%
169.	Juniper Titmouse	1.89%
170.	Northern Beardless-Tyrannulet	1.87%
171.	Lark Bunting	1.87%
172.	Black Vulture	1.84%
173.	Scott's Oriole	1.83%
174.	Chihuahuan Raven	1.79%
175.	Lucifer Hummingbird	1.76%
176.	Gray Flycatcher	1.72%
177.	Olive Warbler	1.71%
178.	Common Gallinule	1.70%
179.	Bank Swallow	1.70%
180.	Greater Pewee	1.68%

[Go to top](#)

181.	Solitary Sandpiper	1.68%
182.	Montezuma Quail	1.65%
183.	Pacific-slope Flycatcher	1.64%
184.	Mexican Duck	1.63%
185.	Scaled Quail	1.62%
186.	Thick-billed Kingbird	1.51%
187.	Willow Flycatcher	1.49%
188.	Green-winged Teal	1.47%
189.	Horned Lark	1.41%
190.	Rosy-faced Lovebird	1.36%
191.	Bronzed Cowbird	1.34%
192.	Common Poorwill	1.25%
193.	Long-billed Curlew	1.18%
194.	Olive-sided Flycatcher	1.16%
195.	Semipalmated Plover	1.16%
196.	Harris's Hawk	1.15%
197.	Mexican Chickadee	1.14%
198.	Black-bellied Whistling-Duck	1.13%
199.	Brewer's Sparrow	1.13%
200.	Red Crossbill	1.10%
201.	Five-striped Sparrow	1.08%
202.	Buff-breasted Flycatcher	1.07%
203.	Belted Kingfisher	1.03%
204.	Burrowing Owl	0.9442%
205.	Eared Grebe	0.8830%
206.	Northern Harrier	0.8768%
207.	American Wigeon	0.8234%

[Go to top](#)

208.	Blue-winged Teal	0.8109%
209.	Pinyon Jay	0.7999%
210.	Grasshopper Sparrow	0.7827%
211.	Western Screech-Owl	0.7670%
212.	Ring-billed Gull	0.7638%
213.	Brewer's Blackbird	0.7434%
214.	Common Black Hawk	0.7403%
215.	Stilt Sandpiper	0.7372%
216.	Indigo Bunting	0.7278%
217.	Black-capped Gnatcatcher	0.7246%
218.	Willet	0.7199%
219.	Dusky Flycatcher	0.7089%
220.	Cassin's Vireo	0.6995%
221.	Black Tern	0.6901%
222.	Bald Eagle	0.6901%
223.	Golden Eagle	0.6509%
224.	Whiskered Screech-Owl	0.6384%
225.	Western Grebe	0.6368%
226.	Northern Pygmy-Owl	0.6352%
227.	Black-chinned Sparrow	0.6242%
228.	Painted Bunting	0.6039%
229.	Cattle Egret	0.5913%
230.	White-eared Hummingbird	0.5850%
231.	Green-tailed Towhee	0.5803%
232.	Clark's Nutcracker	0.5505%
233.	Common Nighthawk	0.5490%

[Go to top](#)

234.	Wood Duck	0.5411%
235.	Red-necked Phalarope	0.5317%
236.	Forster's Tern	0.5301%
237.	Eastern Bluebird	0.5239%
238.	Redhead	0.5176%
239.	Semipalmated Sandpiper	0.5145%
240.	Northern Pintail	0.5129%
241.	Vesper Sparrow	0.5129%
242.	California Gull	0.5050%
243.	Least Bittern	0.4988%
244.	Elf Owl	0.4956%
245.	Plain-capped Starthroat	0.4909%
246.	Rose-throated Becard	0.4768%
247.	Berylline Hummingbird	0.4752%
248.	Rufous-capped Warbler	0.4737%
249.	Ruby-crowned Kinglet	0.4721%
250.	Barn Owl	0.4533%
251.	Mountain Bluebird	0.4454%
252.	Western Meadowlark	0.4439%
253.	Northern Goshawk	0.4392%
254.	Spotted Owl	0.4329%
255.	Clark's Grebe	0.4188%
256.	Lewis's Woodpecker	0.4062%
257.	Virginia Rail	0.3984%
258.	Townsend's Solitaire	0.3874%
259.	Ring-necked Duck	0.3827%

[Go to top](#)

260.	Brown Pelican	0.3749%
261.	Tricolored Heron	0.3733%
262.	Bendire's Thrasher	0.3733%
263.	Gadwall	0.3717%
264.	Mexican Whip-poor-will	0.3702%
265.	California Condor	0.3639%
266.	Savannah Sparrow	0.3607%
267.	Marsh Wren	0.3404%
268.	Prairie Falcon	0.3372%
269.	Mississippi Kite	0.3341%
270.	Williamson's Sapsucker	0.3137%
271.	Marbled Godwit	0.3106%
272.	Sharp-shinned Hawk	0.3027%
273.	Hammond's Flycatcher	0.2917%
274.	Downy Woodpecker	0.2902%
275.	American White Pelican	0.2839%
276.	Short-billed Dowitcher	0.2510%
277.	Tufted Flycatcher	0.2494%
278.	Pectoral Sandpiper	0.2463%
279.	Northern Waterthrush	0.2384%
280.	Gray Vireo	0.2259%
281.	White-tailed Kite	0.2180%
282.	Lesser Scaup	0.2039%
283.	Snowy Plover	0.1961%
284.	Wilson's Snipe	0.1882%
285.	Common Merganser	0.1804%
286.	Evening Grosbeak	0.1772%

[Go to top](#)

287.	Caspian Tern	0.1725%
288.	Cassin's Finch	0.1616%
289.	Golden-crowned Kinglet	0.1506%
290.	Buff-collared Nightjar	0.1427%
291.	Sanderling	0.1427%
292.	Short-tailed Hawk	0.1412%
293.	American Three-toed Woodpecker	0.1349%
294.	Reddish Egret	0.1255%
295.	Blue-footed Booby	0.1208%
296.	Green Kingfisher	0.1129%
297.	Ridgway's Rail	0.1067%
298.	Snow Goose	0.1035%
299.	Lincoln's Sparrow	0.1019%
300.	American Goldfinch	0.0988%
301.	Red Knot	0.0910%
302.	Least Grebe	0.0847%
303.	Red-naped Sapsucker	0.0847%
304.	Gray Catbird	0.0831%
305.	Aztec Thrush	0.0816%
306.	Sinaloa Wren	0.0800%
307.	American Dipper	0.0784%
308.	Roseate Spoonbill	0.0768%
309.	Canada Jay	0.0721%
310.	Canvasback	0.0706%
311.	Dickcissel	0.0706%
312.	Allen's Hummingbird	0.0674%

[Go to top](#)

313.	Flame-colored Tanager	0.0659%
314.	Black-bellied Plover	0.0643%
315.	Black-and-white Warbler	0.0627%
316.	Common Tern	0.0612%
317.	American Redstart	0.0596%
318.	Common Crane	0.0580%
319.	Sabine's Gull	0.0580%
320.	Sage Thrasher	0.0565%
321.	Dusky Grouse	0.0549%
322.	Red-shouldered Hawk	0.0518%
323.	White-eyed Vireo	0.0518%
324.	Brown Booby	0.0502%
325.	Cedar Waxwing	0.0502%
326.	Fulvous Whistling-Duck	0.0486%
327.	LeConte's Thrasher	0.0486%
328.	Greater White-fronted Goose	0.0470%
329.	Hooded Warbler	0.0470%
330.	Rose-breasted Grosbeak	0.0470%
331.	Franklin's Gull	0.0455%
332.	Whimbrel	0.0439%
333.	Groove-billed Ani	0.0424%
334.	Crested Caracara	0.0424%
335.	Purple Gallinule	0.0392%
336.	Vaux's Swift	0.0376%
337.	Flammulated Owl	0.0361%
338.	Louisiana Waterthrush	0.0361%

[Go to top](#)

339.	Yellow-green Vireo	0.0345%
340.	American Pipit	0.0345%
341.	Wood Stork	0.0314%
342.	Northern Parula	0.0314%
343.	Upland Sandpiper	0.0298%
344.	Greater Scaup	0.0282%
345.	Red-eyed Vireo	0.0282%
346.	Least Tern	0.0267%
347.	Ferruginous Hawk	0.0267%
348.	White-crowned Sparrow	0.0235%
349.	Ruddy Turnstone	0.0220%
350.	Red-breasted Merganser	0.0204%
351.	Yellow-throated Vireo	0.0204%
352.	Ross's Goose	0.0188%
353.	Black Rail	0.0188%
354.	Prothonotary Warbler	0.0188%
355.	Mute Swan	0.0172%
356.	Common Loon	0.0172%
357.	Sagebrush Sparrow	0.0172%
358.	Tennessee Warbler	0.0172%
359.	Swainson's Thrush	0.0157%
360.	Hooded Merganser	0.0141%
361.	Long-eared Owl	0.0141%
362.	Pacific Loon	0.0110%
363.	Northern Saw-whet Owl	0.0110%
364.	Eastern Kingbird	0.0110%
365.	Orchard Oriole	0.0110%

[Go to top](#)

366.	Slate-throated Redstart	0.0110%
367.	Ruddy Ground Dove	0.0078%
368.	Dunlin	0.0078%
369.	Laughing Gull	0.0078%
370.	Merlin	0.0078%
371.	Yellow-collared Lovebird	0.0078%
372.	Nanday Parakeet	0.0078%
373.	Clay-colored Sparrow	0.0078%
374.	Bufflehead	0.0063%
375.	Red-necked Grebe	0.0063%
376.	Red Phalarope	0.0063%
377.	American Bittern	0.0063%
378.	Monk Parakeet	0.0063%
379.	Buff-breasted Sandpiper	0.0047%
380.	Little Blue Heron	0.0047%
381.	Ferruginous Pygmy-Owl	0.0047%
382.	Eastern Phoebe	0.0047%
383.	Pacific Wren	0.0047%
384.	Bobolink	0.0047%
385.	Cackling Goose	0.0031%
386.	Chukar	0.0031%
387.	Black Swift	0.0031%
388.	Sandhill Crane	0.0031%
389.	Northern Jacana	0.0031%
390.	Bonaparte's Gull	0.0031%
391.	Herring Gull	0.0031%

[Go to top](#)

392.	Yellow-crowned Night-Heron	0.0031%
393.	Glossy Ibis	0.0031%
394.	Eared Quetzal	0.0031%
395.	Nutting's Flycatcher	0.0031%
396.	Pine Grosbeak	0.0031%
397.	Lawrence's Goldfinch	0.0031%
398.	Blue-winged Warbler	0.0031%
399.	Crescent-chested Warbler	0.0031%
400.	Mourning Warbler	0.0031%
401.	Kentucky Warbler	0.0031%
402.	Tropical Parula	0.0031%
403.	Common Goldeneye	0.0016%
404.	Northern Bobwhite	0.0016%
405.	Ring-necked Pheasant	0.0016%
406.	Black-billed Cuckoo	0.0016%
407.	Pacific Golden-Plover	0.0016%
408.	Mountain Plover	0.0016%
409.	Long-tailed Jaeger	0.0016%
410.	Elegant Tern	0.0016%
411.	Sooty Shearwater	0.0016%
412.	White Ibis	0.0016%
413.	Broad-winged Hawk	0.0016%
414.	Scissor-tailed Flycatcher	0.0016%
415.	Black-billed Magpie	0.0016%
416.	Brown-backed Solitaire	0.0016%
417.	Veery	0.0016%

[Go to top](#)

418.	Baird's Sparrow	0.0016%
419.	Baltimore Oriole	0.0016%
420.	Worm-eating Warbler	0.0016%
421.	Golden-winged Warbler	0.0016%
422.	Chestnut-sided Warbler	0.0016%
423.	Tundra Swan	0.0000%
424.	California Quail	0.0000%
425.	Chimney Swift	0.0000%
426.	American Golden-Plover	0.0000%
427.	Parasitic Jaeger	0.0000%
428.	Least Storm-Petrel	0.0000%
429.	Magnificent Frigatebird	0.0000%
430.	Short-eared Owl	0.0000%
431.	Red-headed Woodpecker	0.0000%
432.	Eastern Wood-Pewee	0.0000%
433.	California Scrub-Jay	0.0000%
434.	Streak-backed Oriole	0.0000%