

## Target Species

Based on 63,757 complete checklists

**434** species observed in Arizona, US (subnational1/US-AZ) in **Aug** that you need for your **Arizona Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>1.13%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0486%</b>
3. <b>Snow Goose</b>	<b>0.1035%</b>
4. <b>Ross's Goose</b>	<b>0.0188%</b>
5. <b>Greater White-fronted Goose</b>	<b>0.0470%</b>
6. <b>Cackling Goose</b>	<b>0.0031%</b>
7. <b>Canada Goose</b>	<b>2.42%</b>
8. <b>Mute Swan</b>	<b>0.0172%</b>
9. <b>Tundra Swan</b>	<b>0.0000%</b>
10. <b>Wood Duck</b>	<b>0.5411%</b>
11. <b>Blue-winged Teal</b>	<b>0.8109%</b>
12. <b>Cinnamon Teal</b>	<b>4.35%</b>
13. <b>Northern Shoveler</b>	<b>2.24%</b>
14. <b>Gadwall</b>	<b>0.3717%</b>
15. <b>American Wigeon</b>	<b>0.8234%</b>
16. <b>Mallard</b>	<b>5.28%</b>
17. <b>Mexican Duck</b>	<b>1.63%</b>
18. <b>Northern Pintail</b>	<b>0.5129%</b>
19. <b>Green-winged Teal</b>	<b>1.47%</b>
20. <b>Canvasback</b>	<b>0.0706%</b>
21. <b>Redhead</b>	<b>0.5176%</b>
22. <b>Ring-necked Duck</b>	<b>0.3827%</b>

23. <b>Greater Scaup</b>	<b>0.0282%</b>
24. <b>Lesser Scaup</b>	<b>0.2039%</b>
25. <b>Bufflehead</b>	<b>0.0063%</b>
26. <b>Common Goldeneye</b>	<b>0.0016%</b>
27. <b>Hooded Merganser</b>	<b>0.0141%</b>
28. <b>Common Merganser</b>	<b>0.1804%</b>
29. <b>Red-breasted Merganser</b>	<b>0.0204%</b>
30. <b>Ruddy Duck</b>	<b>3.58%</b>
31. <b>Northern Bobwhite</b>	<b>0.0016%</b>
32. <b>Scaled Quail</b>	<b>1.62%</b>
33. <b>California Quail</b>	<b>0.0000%</b>
34. <b>Gambel's Quail</b>	<b>15.18%</b>
35. <b>Montezuma Quail</b>	<b>1.65%</b>
36. <b>Chukar</b>	<b>0.0031%</b>
37. <b>Ring-necked Pheasant</b>	<b>0.0016%</b>
38. <b>Dusky Grouse</b>	<b>0.0549%</b>
39. <b>Wild Turkey</b>	<b>2.10%</b>
40. <b>Least Grebe</b>	<b>0.0847%</b>
41. <b>Pied-billed Grebe</b>	<b>5.03%</b>
42. <b>Red-necked Grebe</b>	<b>0.0063%</b>
43. <b>Eared Grebe</b>	<b>0.8830%</b>
44. <b>Western Grebe</b>	<b>0.6368%</b>
45. <b>Clark's Grebe</b>	<b>0.4188%</b>
46. <b>Rock Pigeon</b>	<b>10.01%</b>
47. <b>Band-tailed Pigeon</b>	<b>2.16%</b>
48. <b>Eurasian Collared-Dove</b>	<b>14.69%</b>
49. <b>Inca Dove</b>	<b>5.73%</b>

[Go to top](#)

50. <b>Common Ground Dove</b>	<b>3.71%</b>
51. <b>Ruddy Ground Dove</b>	<b>0.0078%</b>
52. <b>White-winged Dove</b>	<b>35.59%</b>
53. <b>Mourning Dove</b>	<b>43.81%</b>
54. <b>Groove-billed Ani</b>	<b>0.0424%</b>
55. <b>Greater Roadrunner</b>	<b>10.21%</b>
56. <b>Yellow-billed Cuckoo</b>	<b>4.48%</b>
57. <b>Black-billed Cuckoo</b>	<b>0.0016%</b>
58. <b>Lesser Nighthawk</b>	<b>3.16%</b>
59. <b>Common Nighthawk</b>	<b>0.5490%</b>
60. <b>Common Poorwill</b>	<b>1.25%</b>
61. <b>Buff-collared Nightjar</b>	<b>0.1427%</b>
62. <b>Mexican Whip-poor-will</b>	<b>0.3702%</b>
63. <b>Black Swift</b>	<b>0.0031%</b>
64. <b>Chimney Swift</b>	<b>0.0000%</b>
65. <b>Vaux's Swift</b>	<b>0.0376%</b>
66. <b>White-throated Swift</b>	<b>2.49%</b>
67. <b>Rivoli's Hummingbird</b>	<b>7.18%</b>
68. <b>Plain-capped Starthroat</b>	<b>0.4909%</b>
69. <b>Blue-throated Mountain-gem</b>	<b>3.19%</b>
70. <b>Lucifer Hummingbird</b>	<b>1.76%</b>
71. <b>Black-chinned Hummingbird</b>	<b>19.88%</b>
72. <b>Anna's Hummingbird</b>	<b>18.58%</b>
73. <b>Costa's Hummingbird</b>	<b>3.44%</b>
74. <b>Broad-tailed Hummingbird</b>	<b>11.65%</b>
75. <b>Rufous Hummingbird</b>	<b>13.08%</b>

[Go to top](#)

76.	<b>Allen's Hummingbird</b>	<b>0.0674%</b>
77.	<b>Calliope Hummingbird</b>	<b>1.90%</b>
78.	<b>Broad-billed Hummingbird</b>	<b>17.00%</b>
79.	<b>Berylline Hummingbird</b>	<b>0.4752%</b>
80.	<b>Violet-crowned Hummingbird</b>	<b>3.08%</b>
81.	<b>White-eared Hummingbird</b>	<b>0.5850%</b>
82.	<b>Ridgway's Rail</b>	<b>0.1067%</b>
83.	<b>Virginia Rail</b>	<b>0.3984%</b>
84.	<b>Sora</b>	<b>2.14%</b>
85.	<b>Common Gallinule</b>	<b>1.70%</b>
86.	<b>American Coot</b>	<b>9.85%</b>
87.	<b>Purple Gallinule</b>	<b>0.0392%</b>
88.	<b>Black Rail</b>	<b>0.0188%</b>
89.	<b>Sandhill Crane</b>	<b>0.0031%</b>
90.	<b>Common Crane</b>	<b>0.0580%</b>
91.	<b>Black-necked Stilt</b>	<b>5.62%</b>
92.	<b>American Avocet</b>	<b>3.34%</b>
93.	<b>Black-bellied Plover</b>	<b>0.0643%</b>
94.	<b>American Golden-Plover</b>	<b>0.0000%</b>
95.	<b>Pacific Golden-Plover</b>	<b>0.0016%</b>
96.	<b>Snowy Plover</b>	<b>0.1961%</b>
97.	<b>Semipalmated Plover</b>	<b>1.16%</b>
98.	<b>Killdeer</b>	<b>11.34%</b>
99.	<b>Mountain Plover</b>	<b>0.0016%</b>
100.	<b>Northern Jacana</b>	<b>0.0031%</b>
101.	<b>Upland Sandpiper</b>	<b>0.0298%</b>

[Go to top](#)

102.	<b>Whimbrel</b>	<b>0.0439%</b>
103.	<b>Long-billed Curlew</b>	<b>1.18%</b>
104.	<b>Marbled Godwit</b>	<b>0.3106%</b>
105.	<b>Ruddy Turnstone</b>	<b>0.0220%</b>
106.	<b>Red Knot</b>	<b>0.0910%</b>
107.	<b>Stilt Sandpiper</b>	<b>0.7372%</b>
108.	<b>Sanderling</b>	<b>0.1427%</b>
109.	<b>Dunlin</b>	<b>0.0078%</b>
110.	<b>Baird's Sandpiper</b>	<b>2.53%</b>
111.	<b>Least Sandpiper</b>	<b>5.53%</b>
112.	<b>Buff-breasted Sandpiper</b>	<b>0.0047%</b>
113.	<b>Pectoral Sandpiper</b>	<b>0.2463%</b>
114.	<b>Semipalmated Sandpiper</b>	<b>0.5145%</b>
115.	<b>Western Sandpiper</b>	<b>3.83%</b>
116.	<b>Short-billed Dowitcher</b>	<b>0.2510%</b>
117.	<b>Long-billed Dowitcher</b>	<b>2.94%</b>
118.	<b>Wilson's Snipe</b>	<b>0.1882%</b>
119.	<b>Wilson's Phalarope</b>	<b>4.34%</b>
120.	<b>Red-necked Phalarope</b>	<b>0.5317%</b>
121.	<b>Red Phalarope</b>	<b>0.0063%</b>
122.	<b>Spotted Sandpiper</b>	<b>5.75%</b>
123.	<b>Solitary Sandpiper</b>	<b>1.68%</b>
124.	<b>Greater Yellowlegs</b>	<b>3.18%</b>
125.	<b>Willet</b>	<b>0.7199%</b>
126.	<b>Lesser Yellowlegs</b>	<b>2.61%</b>
127.	<b>Parasitic Jaeger</b>	<b>0.0000%</b>
128.	<b>Long-tailed Jaeger</b>	<b>0.0016%</b>

[Go to top](#)

129.	<b>Sabine's Gull</b>	<b>0.0580%</b>
130.	<b>Bonaparte's Gull</b>	<b>0.0031%</b>
131.	<b>Laughing Gull</b>	<b>0.0078%</b>
132.	<b>Franklin's Gull</b>	<b>0.0455%</b>
133.	<b>Ring-billed Gull</b>	<b>0.7638%</b>
134.	<b>California Gull</b>	<b>0.5050%</b>
135.	<b>Herring Gull</b>	<b>0.0031%</b>
136.	<b>Least Tern</b>	<b>0.0267%</b>
137.	<b>Caspian Tern</b>	<b>0.1725%</b>
138.	<b>Black Tern</b>	<b>0.6901%</b>
139.	<b>Common Tern</b>	<b>0.0612%</b>
140.	<b>Forster's Tern</b>	<b>0.5301%</b>
141.	<b>Elegant Tern</b>	<b>0.0016%</b>
142.	<b>Pacific Loon</b>	<b>0.0110%</b>
143.	<b>Common Loon</b>	<b>0.0172%</b>
144.	<b>Least Storm-Petrel</b>	<b>0.0000%</b>
145.	<b>Sooty Shearwater</b>	<b>0.0016%</b>
146.	<b>Wood Stork</b>	<b>0.0314%</b>
147.	<b>Magnificent Frigatebird</b>	<b>0.0000%</b>
148.	<b>Blue-footed Booby</b>	<b>0.1208%</b>
149.	<b>Brown Booby</b>	<b>0.0502%</b>
150.	<b>Neotropic Cormorant</b>	<b>4.05%</b>
151.	<b>Double-crested Cormorant</b>	<b>3.12%</b>
152.	<b>American White Pelican</b>	<b>0.2839%</b>
153.	<b>Brown Pelican</b>	<b>0.3749%</b>
154.	<b>American Bittern</b>	<b>0.0063%</b>

[Go to top](#)

155. <b>Least Bittern</b>	<b>0.4988%</b>
156. <b>Great Blue Heron</b>	<b>10.22%</b>
157. <b>Great Egret</b>	<b>4.38%</b>
158. <b>Snowy Egret</b>	<b>3.67%</b>
159. <b>Little Blue Heron</b>	<b>0.0047%</b>
160. <b>Tricolored Heron</b>	<b>0.3733%</b>
161. <b>Reddish Egret</b>	<b>0.1255%</b>
162. <b>Cattle Egret</b>	<b>0.5913%</b>
163. <b>Green Heron</b>	<b>4.52%</b>
164. <b>Black-crowned Night-Heron</b>	<b>3.30%</b>
165. <b>Yellow-crowned Night-Heron</b>	<b>0.0031%</b>
166. <b>White Ibis</b>	<b>0.0016%</b>
167. <b>Glossy Ibis</b>	<b>0.0031%</b>
168. <b>White-faced Ibis</b>	<b>4.70%</b>
169. <b>Roseate Spoonbill</b>	<b>0.0768%</b>
170. <b>California Condor</b>	<b>0.3639%</b>
171. <b>Black Vulture</b>	<b>1.84%</b>
172. <b>Turkey Vulture</b>	<b>33.24%</b>
173. <b>Osprey</b>	<b>2.07%</b>
174. <b>White-tailed Kite</b>	<b>0.2180%</b>
175. <b>Golden Eagle</b>	<b>0.6509%</b>
176. <b>Mississippi Kite</b>	<b>0.3341%</b>
177. <b>Northern Harrier</b>	<b>0.8768%</b>
178. <b>Sharp-shinned Hawk</b>	<b>0.3027%</b>
179. <b>Cooper's Hawk</b>	<b>7.65%</b>
180. <b>Northern Goshawk</b>	<b>0.4392%</b>

[Go to top](#)

181.	<b>Bald Eagle</b>	<b>0.6901%</b>
182.	<b>Common Black Hawk</b>	<b>0.7403%</b>
183.	<b>Harris's Hawk</b>	<b>1.15%</b>
184.	<b>Gray Hawk</b>	<b>5.96%</b>
185.	<b>Red-shouldered Hawk</b>	<b>0.0518%</b>
186.	<b>Broad-winged Hawk</b>	<b>0.0016%</b>
187.	<b>Short-tailed Hawk</b>	<b>0.1412%</b>
188.	<b>Swainson's Hawk</b>	<b>5.10%</b>
189.	<b>Zone-tailed Hawk</b>	<b>3.06%</b>
190.	<b>Red-tailed Hawk</b>	<b>15.09%</b>
191.	<b>Ferruginous Hawk</b>	<b>0.0267%</b>
192.	<b>Barn Owl</b>	<b>0.4533%</b>
193.	<b>Flammulated Owl</b>	<b>0.0361%</b>
194.	<b>Whiskered Screech-Owl</b>	<b>0.6384%</b>
195.	<b>Western Screech-Owl</b>	<b>0.7670%</b>
196.	<b>Great Horned Owl</b>	<b>2.03%</b>
197.	<b>Northern Pygmy-Owl</b>	<b>0.6352%</b>
198.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0047%</b>
199.	<b>Elf Owl</b>	<b>0.4956%</b>
200.	<b>Burrowing Owl</b>	<b>0.9442%</b>
201.	<b>Spotted Owl</b>	<b>0.4329%</b>
202.	<b>Long-eared Owl</b>	<b>0.0141%</b>
203.	<b>Short-eared Owl</b>	<b>0.0000%</b>
204.	<b>Northern Saw-whet Owl</b>	<b>0.0110%</b>
205.	<b>Eared Quetzal</b>	<b>0.0031%</b>
206.	<b>Elegant Trogon</b>	<b>2.28%</b>
207.	<b>Belted Kingfisher</b>	<b>1.03%</b>

[Go to top](#)



208.	<b>Green Kingfisher</b>	<b>0.1129%</b>
209.	<b>Williamson's Sapsucker</b>	<b>0.3137%</b>
210.	<b>Red-naped Sapsucker</b>	<b>0.0847%</b>
211.	<b>Lewis's Woodpecker</b>	<b>0.4062%</b>
212.	<b>Red-headed Woodpecker</b>	<b>0.0000%</b>
213.	<b>Acorn Woodpecker</b>	<b>17.77%</b>
214.	<b>Gila Woodpecker</b>	<b>24.88%</b>
215.	<b>American Three-toed Woodpecker</b>	<b>0.1349%</b>
216.	<b>Downy Woodpecker</b>	<b>0.2902%</b>
217.	<b>Ladder-backed Woodpecker</b>	<b>13.81%</b>
218.	<b>Hairy Woodpecker</b>	<b>5.70%</b>
219.	<b>Arizona Woodpecker</b>	<b>4.70%</b>
220.	<b>Northern Flicker</b>	<b>11.80%</b>
221.	<b>Gilded Flicker</b>	<b>2.89%</b>
222.	<b>Crested Caracara</b>	<b>0.0424%</b>
223.	<b>American Kestrel</b>	<b>8.35%</b>
224.	<b>Merlin</b>	<b>0.0078%</b>
225.	<b>Peregrine Falcon</b>	<b>2.44%</b>
226.	<b>Prairie Falcon</b>	<b>0.3372%</b>
227.	<b>Rosy-faced Lovebird</b>	<b>1.36%</b>
228.	<b>Yellow-collared Lovebird</b>	<b>0.0078%</b>
229.	<b>Monk Parakeet</b>	<b>0.0063%</b>
230.	<b>Nanday Parakeet</b>	<b>0.0078%</b>
231.	<b>Rose-throated Becard</b>	<b>0.4768%</b>
232.	<b>Northern Beardless-Tyrannulet</b>	<b>1.87%</b>
233.	<b>Tufted Flycatcher</b>	<b>0.2494%</b>

[Go to top](#)

234. <b>Olive-sided Flycatcher</b>	<b>1.16%</b>
235. <b>Greater Pewee</b>	<b>1.68%</b>
236. <b>Western Wood-Pewee</b>	<b>12.80%</b>
237. <b>Eastern Wood-Pewee</b>	<b>0.0000%</b>
238. <b>Willow Flycatcher</b>	<b>1.49%</b>
239. <b>Hammond's Flycatcher</b>	<b>0.2917%</b>
240. <b>Gray Flycatcher</b>	<b>1.72%</b>
241. <b>Dusky Flycatcher</b>	<b>0.7089%</b>
242. <b>Pacific-slope Flycatcher</b>	<b>1.64%</b>
243. <b>Cordilleran Flycatcher</b>	<b>2.73%</b>
244. <b>Buff-breasted Flycatcher</b>	<b>1.07%</b>
245. <b>Black Phoebe</b>	<b>12.67%</b>
246. <b>Eastern Phoebe</b>	<b>0.0047%</b>
247. <b>Say's Phoebe</b>	<b>6.44%</b>
248. <b>Vermilion Flycatcher</b>	<b>11.84%</b>
249. <b>Dusky-capped Flycatcher</b>	<b>4.07%</b>
250. <b>Ash-throated Flycatcher</b>	<b>5.25%</b>
251. <b>Nutting's Flycatcher</b>	<b>0.0031%</b>
252. <b>Brown-crested Flycatcher</b>	<b>5.27%</b>
253. <b>Sulphur-bellied Flycatcher</b>	<b>4.98%</b>
254. <b>Tropical Kingbird</b>	<b>2.85%</b>
255. <b>Cassin's Kingbird</b>	<b>12.93%</b>
256. <b>Thick-billed Kingbird</b>	<b>1.51%</b>
257. <b>Western Kingbird</b>	<b>14.55%</b>
258. <b>Eastern Kingbird</b>	<b>0.0110%</b>
259. <b>Scissor-tailed Flycatcher</b>	<b>0.0016%</b>

[Go to top](#)

260.	<b>White-eyed Vireo</b>	<b>0.0518%</b>
261.	<b>Bell's Vireo</b>	<b>11.44%</b>
262.	<b>Gray Vireo</b>	<b>0.2259%</b>
263.	<b>Hutton's Vireo</b>	<b>5.95%</b>
264.	<b>Yellow-throated Vireo</b>	<b>0.0204%</b>
265.	<b>Cassin's Vireo</b>	<b>0.6995%</b>
266.	<b>Plumbeous Vireo</b>	<b>6.88%</b>
267.	<b>Warbling Vireo</b>	<b>6.57%</b>
268.	<b>Red-eyed Vireo</b>	<b>0.0282%</b>
269.	<b>Yellow-green Vireo</b>	<b>0.0345%</b>
270.	<b>Loggerhead Shrike</b>	<b>6.39%</b>
271.	<b>Canada Jay</b>	<b>0.0721%</b>
272.	<b>Pinyon Jay</b>	<b>0.7999%</b>
273.	<b>Steller's Jay</b>	<b>8.44%</b>
274.	<b>California Scrub-Jay</b>	<b>0.0000%</b>
275.	<b>Woodhouse's Scrub-Jay</b>	<b>4.91%</b>
276.	<b>Mexican Jay</b>	<b>12.66%</b>
277.	<b>Black-billed Magpie</b>	<b>0.0016%</b>
278.	<b>Clark's Nutcracker</b>	<b>0.5505%</b>
279.	<b>American Crow</b>	<b>2.17%</b>
280.	<b>Chihuahuan Raven</b>	<b>1.79%</b>
281.	<b>Common Raven</b>	<b>20.90%</b>
282.	<b>Mountain Chickadee</b>	<b>6.65%</b>
283.	<b>Mexican Chickadee</b>	<b>1.14%</b>
284.	<b>Bridled Titmouse</b>	<b>11.51%</b>
285.	<b>Juniper Titmouse</b>	<b>1.89%</b>
286.	<b>Verdin</b>	<b>21.86%</b>

[Go to top](#)

287.	<b>Horned Lark</b>	<b>1.41%</b>
288.	<b>Northern Rough-winged Swallow</b>	<b>4.76%</b>
289.	<b>Purple Martin</b>	<b>4.27%</b>
290.	<b>Tree Swallow</b>	<b>3.04%</b>
291.	<b>Violet-green Swallow</b>	<b>4.56%</b>
292.	<b>Bank Swallow</b>	<b>1.70%</b>
293.	<b>Barn Swallow</b>	<b>13.24%</b>
294.	<b>Cliff Swallow</b>	<b>4.92%</b>
295.	<b>Bushtit</b>	<b>4.21%</b>
296.	<b>Golden-crowned Kinglet</b>	<b>0.1506%</b>
297.	<b>Ruby-crowned Kinglet</b>	<b>0.4721%</b>
298.	<b>Red-breasted Nuthatch</b>	<b>2.57%</b>
299.	<b>White-breasted Nuthatch</b>	<b>20.59%</b>
300.	<b>Pygmy Nuthatch</b>	<b>7.96%</b>
301.	<b>Brown Creeper</b>	<b>5.49%</b>
302.	<b>Blue-gray Gnatcatcher</b>	<b>3.38%</b>
303.	<b>Black-tailed Gnatcatcher</b>	<b>6.86%</b>
304.	<b>Black-capped Gnatcatcher</b>	<b>0.7246%</b>
305.	<b>Rock Wren</b>	<b>3.61%</b>
306.	<b>Canyon Wren</b>	<b>10.63%</b>
307.	<b>House Wren</b>	<b>7.91%</b>
308.	<b>Pacific Wren</b>	<b>0.0047%</b>
309.	<b>Marsh Wren</b>	<b>0.3404%</b>
310.	<b>Bewick's Wren</b>	<b>13.82%</b>
311.	<b>Cactus Wren</b>	<b>13.43%</b>
312.	<b>Sinaloa Wren</b>	<b>0.0800%</b>

[Go to top](#)

313. American Dipper	0.0784%
314. European Starling	8.34%
315. Gray Catbird	0.0831%
316. Curve-billed Thrasher	19.18%
317. Bendire's Thrasher	0.3733%
318. LeConte's Thrasher	0.0486%
319. Crissal Thrasher	2.34%
320. Sage Thrasher	0.0565%
321. Northern Mockingbird	12.69%
322. Eastern Bluebird	0.5239%
323. Western Bluebird	5.69%
324. Mountain Bluebird	0.4454%
325. Townsend's Solitaire	0.3874%
326. Brown-backed Solitaire	0.0016%
327. Veery	0.0016%
328. Swainson's Thrush	0.0157%
329. Hermit Thrush	2.72%
330. Aztec Thrush	0.0816%
331. American Robin	7.46%
332. Cedar Waxwing	0.0502%
333. Phainopepla	10.96%
334. Olive Warbler	1.71%
335. House Sparrow	13.81%
336. American Pipit	0.0345%
337. Evening Grosbeak	0.1772%
338. Pine Grosbeak	0.0031%

[Go to top](#)

339.	<b>House Finch</b>	<b>35.53%</b>
340.	<b>Cassin's Finch</b>	<b>0.1616%</b>
341.	<b>Red Crossbill</b>	<b>1.10%</b>
342.	<b>Pine Siskin</b>	<b>2.07%</b>
343.	<b>Lesser Goldfinch</b>	<b>40.05%</b>
344.	<b>Lawrence's Goldfinch</b>	<b>0.0031%</b>
345.	<b>American Goldfinch</b>	<b>0.0988%</b>
346.	<b>Rufous-winged Sparrow</b>	<b>6.38%</b>
347.	<b>Botteri's Sparrow</b>	<b>4.87%</b>
348.	<b>Cassin's Sparrow</b>	<b>4.79%</b>
349.	<b>Grasshopper Sparrow</b>	<b>0.7827%</b>
350.	<b>Chipping Sparrow</b>	<b>6.07%</b>
351.	<b>Clay-colored Sparrow</b>	<b>0.0078%</b>
352.	<b>Black-chinned Sparrow</b>	<b>0.6242%</b>
353.	<b>Brewer's Sparrow</b>	<b>1.13%</b>
354.	<b>Black-throated Sparrow</b>	<b>10.80%</b>
355.	<b>Five-striped Sparrow</b>	<b>1.08%</b>
356.	<b>Lark Sparrow</b>	<b>10.86%</b>
357.	<b>Lark Bunting</b>	<b>1.87%</b>
358.	<b>Dark-eyed Junco</b>	<b>3.33%</b>
359.	<b>Yellow-eyed Junco</b>	<b>7.30%</b>
360.	<b>White-crowned Sparrow</b>	<b>0.0235%</b>
361.	<b>Sagebrush Sparrow</b>	<b>0.0172%</b>
362.	<b>Vesper Sparrow</b>	<b>0.5129%</b>
363.	<b>Savannah Sparrow</b>	<b>0.3607%</b>
364.	<b>Baird's Sparrow</b>	<b>0.0016%</b>
365.	<b>Song Sparrow</b>	<b>7.50%</b>

[Go to top](#)

366.	<b>Lincoln's Sparrow</b>	<b>0.1019%</b>
367.	<b>Canyon Towhee</b>	<b><u>10.21%</u></b>
368.	<b>Abert's Towhee</b>	<b><u>13.69%</u></b>
369.	<b>Rufous-crowned Sparrow</b>	<b><u>7.26%</u></b>
370.	<b>Green-tailed Towhee</b>	<b>0.5803%</b>
371.	<b>Spotted Towhee</b>	<b><u>9.51%</u></b>
372.	<b>Yellow-breasted Chat</b>	<b><u>7.61%</u></b>
373.	<b>Yellow-headed Blackbird</b>	<b><u>3.53%</u></b>
374.	<b>Bobolink</b>	<b>0.0047%</b>
375.	<b>Western Meadowlark</b>	<b>0.4439%</b>
376.	<b>Eastern Meadowlark</b>	<b><u>2.89%</u></b>
377.	<b>Orchard Oriole</b>	<b>0.0110%</b>
378.	<b>Hooded Oriole</b>	<b><u>6.01%</u></b>
379.	<b>Streak-backed Oriole</b>	<b>0.0000%</b>
380.	<b>Bullock's Oriole</b>	<b><u>4.23%</u></b>
381.	<b>Baltimore Oriole</b>	<b>0.0016%</b>
382.	<b>Scott's Oriole</b>	<b><u>1.83%</u></b>
383.	<b>Red-winged Blackbird</b>	<b><u>8.30%</u></b>
384.	<b>Bronzed Cowbird</b>	<b><u>1.34%</u></b>
385.	<b>Brown-headed Cowbird</b>	<b><u>8.14%</u></b>
386.	<b>Brewer's Blackbird</b>	<b>0.7434%</b>
387.	<b>Great-tailed Grackle</b>	<b><u>15.00%</u></b>
388.	<b>Worm-eating Warbler</b>	<b>0.0016%</b>
389.	<b>Louisiana Waterthrush</b>	<b>0.0361%</b>
390.	<b>Northern Waterthrush</b>	<b>0.2384%</b>
391.	<b>Golden-winged Warbler</b>	<b>0.0016%</b>

[Go to top](#)

392.	<b>Blue-winged Warbler</b>	<b>0.0031%</b>
393.	<b>Black-and-white Warbler</b>	<b>0.0627%</b>
394.	<b>Prothonotary Warbler</b>	<b>0.0188%</b>
395.	<b>Crescent-chested Warbler</b>	<b>0.0031%</b>
396.	<b>Tennessee Warbler</b>	<b>0.0172%</b>
397.	<b>Orange-crowned Warbler</b>	<b>3.78%</b>
398.	<b>Lucy's Warbler</b>	<b>5.20%</b>
399.	<b>Nashville Warbler</b>	<b>3.95%</b>
400.	<b>Virginia's Warbler</b>	<b>2.80%</b>
401.	<b>MacGillivray's Warbler</b>	<b>4.24%</b>
402.	<b>Mourning Warbler</b>	<b>0.0031%</b>
403.	<b>Kentucky Warbler</b>	<b>0.0031%</b>
404.	<b>Common Yellowthroat</b>	<b>7.88%</b>
405.	<b>Hooded Warbler</b>	<b>0.0470%</b>
406.	<b>American Redstart</b>	<b>0.0596%</b>
407.	<b>Northern Parula</b>	<b>0.0314%</b>
408.	<b>Tropical Parula</b>	<b>0.0031%</b>
409.	<b>Yellow Warbler</b>	<b>13.38%</b>
410.	<b>Chestnut-sided Warbler</b>	<b>0.0016%</b>
411.	<b>Yellow-rumped Warbler</b>	<b>2.87%</b>
412.	<b>Grace's Warbler</b>	<b>3.35%</b>
413.	<b>Black-throated Gray Warbler</b>	<b>7.27%</b>
414.	<b>Townsend's Warbler</b>	<b>2.45%</b>
415.	<b>Hermit Warbler</b>	<b>3.64%</b>
416.	<b>Rufous-capped Warbler</b>	<b>0.4737%</b>
417.	<b>Wilson's Warbler</b>	<b>8.65%</b>

[Go to top](#)



418.	<b>Red-faced Warbler</b>	<b>3.32%</b>
419.	<b>Painted Redstart</b>	<b>8.78%</b>
420.	<b>Slate-throated Redstart</b>	<b>0.0110%</b>
421.	<b>Hepatic Tanager</b>	<b>5.47%</b>
422.	<b>Summer Tanager</b>	<b>8.57%</b>
423.	<b>Western Tanager</b>	<b>11.80%</b>
424.	<b>Flame-colored Tanager</b>	<b>0.0659%</b>
425.	<b>Northern Cardinal</b>	<b>13.36%</b>
426.	<b>Pyrrhuloxia</b>	<b>4.31%</b>
427.	<b>Rose-breasted Grosbeak</b>	<b>0.0470%</b>
428.	<b>Black-headed Grosbeak</b>	<b>18.87%</b>
429.	<b>Blue Grosbeak</b>	<b>17.61%</b>
430.	<b>Lazuli Bunting</b>	<b>10.65%</b>
431.	<b>Indigo Bunting</b>	<b>0.7278%</b>
432.	<b>Varied Bunting</b>	<b>5.02%</b>
433.	<b>Painted Bunting</b>	<b>0.6039%</b>
434.	<b>Dickcissel</b>	<b>0.0706%</b>