

Target Species

Based on 54,510 complete checklists

438 species observed in Arizona, US (subnational1/US-AZ) in **Dec** that you need for your **Arizona Life List**

1. House Finch	45.78% frequency
2. Mourning Dove	42.94%
3. Gila Woodpecker	40.95%
4. White-crowned Sparrow	38.04%
5. Verdin	36.92%
6. Yellow-rumped Warbler	35.62%
7. Ruby-crowned Kinglet	34.19%
8. Common Raven	29.79%
9. Red-tailed Hawk	29.04%
10. American Coot	27.75%
11. Anna's Hummingbird	25.76%
12. Say's Phoebe	24.26%
13. Abert's Towhee	23.71%
14. Great-tailed Grackle	22.87%
15. Black Phoebe	22.73%
16. Lesser Goldfinch	22.05%
17. Curve-billed Thrasher	21.89%
18. Northern Flicker	20.64%
19. American Kestrel	20.07%
20. Ladder-backed Woodpecker	19.66%
21. House Sparrow	19.28%
22. Northern Mockingbird	18.92%

23. Gambel's Quail	<u>18.39%</u>
24. American Wigeon	<u>17.54%</u>
25. European Starling	<u>17.15%</u>
26. Rock Pigeon	<u>16.97%</u>
27. Northern Shoveler	<u>16.74%</u>
28. Ruddy Duck	<u>16.74%</u>
29. Phainopepla	<u>16.71%</u>
30. Ring-necked Duck	<u>16.12%</u>
31. Pied-billed Grebe	<u>16.11%</u>
32. Dark-eyed Junco	<u>15.04%</u>
33. Cactus Wren	<u>14.94%</u>
34. Great Blue Heron	<u>14.91%</u>
35. Eurasian Collared-Dove	<u>14.69%</u>
36. Bewick's Wren	<u>14.29%</u>
37. Song Sparrow	<u>13.65%</u>
38. Red-winged Blackbird	<u>13.56%</u>
39. Mallard	<u>13.40%</u>
40. Cooper's Hawk	<u>13.29%</u>
41. Black-tailed Gnatcatcher	<u>13.07%</u>
42. Northern Cardinal	<u>13.07%</u>
43. Northern Harrier	<u>12.96%</u>
44. Killdeer	<u>12.69%</u>
45. Vermilion Flycatcher	<u>12.64%</u>
46. Chipping Sparrow	<u>11.81%</u>
47. Great Egret	<u>11.75%</u>
48. Orange-crowned Warbler	<u>11.44%</u>
49. Green-winged Teal	<u>10.76%</u>

[Go to top](#)

50.	Lincoln's Sparrow	10.52%
51.	Loggerhead Shrike	10.20%
52.	White-breasted Nuthatch	9.99%
53.	Gadwall	9.89%
54.	Black-throated Sparrow	9.75%
55.	Western Bluebird	8.81%
56.	Spotted Towhee	8.74%
57.	Pyrrhuloxia	8.74%
58.	Canyon Towhee	8.45%
59.	Hermit Thrush	8.23%
60.	Rock Wren	8.18%
61.	Bridled Titmouse	8.17%
62.	Bufflehead	8.01%
63.	Northern Pintail	7.96%
64.	Canada Goose	7.33%
65.	Lesser Scaup	7.31%
66.	Greater Roadrunner	7.21%
67.	Belted Kingfisher	7.13%
68.	Double-crested Cormorant	7.07%
69.	Marsh Wren	6.81%
70.	House Wren	6.81%
71.	Neotropic Cormorant	6.61%
72.	Least Sandpiper	6.45%
73.	Red-naped Sapsucker	6.42%
74.	Acorn Woodpecker	6.42%
75.	American Robin	6.30%

[Go to top](#)

76. American Pipit	6.03%
77. Brewer's Blackbird	5.96%
78. Canvasback	5.92%
79. Eared Grebe	5.90%
80. Black-crowned Night-Heron	5.53%
81. Western Meadowlark	5.47%
82. Costa's Hummingbird	5.34%
83. Brewer's Sparrow	5.33%
84. Inca Dove	5.27%
85. Blue-gray Gnatcatcher	5.24%
86. Mexican Jay	5.22%
87. Green-tailed Towhee	5.15%
88. Vesper Sparrow	5.14%
89. Snowy Egret	5.13%
90. Savannah Sparrow	5.10%
91. White-winged Dove	5.04%
92. Lark Sparrow	4.99%
93. Green Heron	4.91%
94. Cinnamon Teal	4.85%
95. Canyon Wren	4.77%
96. Rufous-winged Sparrow	4.61%
97. Woodhouse's Scrub-Jay	4.53%
98. Sharp-shinned Hawk	4.53%
99. Redhead	4.46%
100. Gilded Flicker	4.17%
101. Turkey Vulture	4.12%

[Go to top](#)

102.	Black-necked Stilt	4.07%
103.	Common Merganser	4.03%
104.	Spotted Sandpiper	3.96%
105.	Ring-billed Gull	3.89%
106.	Osprey	3.83%
107.	Sora	3.81%
108.	Pine Siskin	3.56%
109.	Common Gallinule	3.56%
110.	Mountain Chickadee	3.55%
111.	Gray Flycatcher	3.46%
112.	Hutton's Vireo	3.44%
113.	Yellow-headed Blackbird	3.40%
114.	Common Yellowthroat	3.39%
115.	Rufous-crowned Sparrow	3.38%
116.	Crissal Thrasher	3.36%
117.	Broad-billed Hummingbird	3.35%
118.	Western Grebe	3.30%
119.	Wilson's Snipe	3.20%
120.	Harris's Hawk	3.16%
121.	Horned Lark	3.15%
122.	Long-billed Dowitcher	3.09%
123.	Northern Rough-winged Swallow	3.07%
124.	Common Goldeneye	3.04%
125.	Greater Yellowlegs	3.03%
126.	Peregrine Falcon	2.74%
127.	Great Horned Owl	2.68%
128.	Pygmy Nuthatch	2.67%

[Go to top](#)

129.	Black-throated Gray Warbler	2.60%
130.	Hairy Woodpecker	2.59%
131.	Bald Eagle	2.58%
132.	Steller's Jay	2.47%
133.	Snow Goose	2.41%
134.	Hooded Merganser	2.40%
135.	Bushtit	2.39%
136.	Brown Creeper	2.23%
137.	Rosy-faced Lovebird	2.16%
138.	Prairie Falcon	2.08%
139.	Juniper Titmouse	2.07%
140.	Townsend's Solitaire	2.05%
141.	Arizona Woodpecker	1.99%
142.	American White Pelican	1.97%
143.	Yellow-eyed Junco	1.96%
144.	Chihuahuan Raven	1.92%
145.	Mexican Duck	1.81%
146.	Merlin	1.78%
147.	Virginia Rail	1.74%
148.	Hammond's Flycatcher	1.74%
149.	Lark Bunting	1.74%
150.	Brown-headed Cowbird	1.73%
151.	Eastern Meadowlark	1.68%
152.	American Avocet	1.68%
153.	Plumbeous Vireo	1.68%
154.	Sandhill Crane	1.67%

[Go to top](#)

155.	Cedar Waxwing	1.65%
156.	American Crow	1.64%
157.	Ferruginous Hawk	1.64%
158.	Ash-throated Flycatcher	1.55%
159.	Black-chinned Sparrow	1.45%
160.	Black Vulture	1.39%
161.	Cassin's Finch	1.38%
162.	Painted Redstart	1.32%
163.	Tree Swallow	1.30%
164.	Wild Turkey	1.23%
165.	Lawrence's Goldfinch	1.22%
166.	Wood Duck	1.17%
167.	Mountain Bluebird	1.17%
168.	Blue-winged Teal	1.15%
169.	Red-breasted Nuthatch	1.15%
170.	American Goldfinch	1.08%
171.	Common Ground Dove	1.07%
172.	Clark's Grebe	1.06%
173.	Golden Eagle	1.05%
174.	White-faced Ibis	1.05%
175.	Rivoli's Hummingbird	1.03%
176.	White-throated Sparrow	1.01%
177.	Hepatic Tanager	0.9833%
178.	Cassin's Vireo	0.9576%
179.	Burrowing Owl	0.9466%
180.	White-throated Swift	0.9411%

[Go to top](#)

181.	Greater Scaup	0.9283%
182.	Bendire's Thrasher	0.9154%
183.	Crested Caracara	0.8402%
184.	Common Loon	0.7870%
185.	Townsend's Warbler	0.7632%
186.	Ross's Goose	0.7485%
187.	Sagebrush Sparrow	0.7466%
188.	Cassin's Kingbird	0.7173%
189.	Lewis's Woodpecker	0.7136%
190.	Dusky Flycatcher	0.7136%
191.	California Gull	0.6843%
192.	Scaled Quail	0.6733%
193.	Olive Warbler	0.6604%
194.	Swamp Sparrow	0.6513%
195.	Western Screech-Owl	0.6274%
196.	Horned Grebe	0.6127%
197.	Red Crossbill	0.6109%
198.	Lazuli Bunting	0.6109%
199.	Sage Thrasher	0.5889%
200.	Black-and-white Warbler	0.5705%
201.	Montezuma Quail	0.5595%
202.	Greater White-fronted Goose	0.5522%
203.	Cattle Egret	0.5082%
204.	Northern Parula	0.4861%
205.	Yellow Warbler	0.4788%
206.	Black-capped Gnatcatcher	0.4770%
207.	Williamson's Sapsucker	0.4660%

[Go to top](#)

208.	Fox Sparrow	0.4623%
209.	Red-breasted Merganser	0.4586%
210.	Golden-crowned Kinglet	0.4513%
211.	Grasshopper Sparrow	0.4495%
212.	Rufous-backed Robin	0.4476%
213.	Chestnut-collared Longspur	0.4476%
214.	Bronzed Cowbird	0.4440%
215.	Barn Swallow	0.4421%
216.	Brown Pelican	0.4348%
217.	Eastern Bluebird	0.4329%
218.	Mountain Plover	0.4201%
219.	Least Bittern	0.3981%
220.	White-tailed Kite	0.3981%
221.	Long-billed Curlew	0.3834%
222.	Wilson's Warbler	0.3816%
223.	Barrow's Goldeneye	0.3706%
224.	Elegant Trogon	0.3706%
225.	Blue-throated Mountain-gem	0.3687%
226.	Chestnut-sided Warbler	0.3651%
227.	Herring Gull	0.3614%
228.	Dunlin	0.3577%
229.	Tundra Swan	0.3431%
230.	Pinyon Jay	0.3357%
231.	Barn Owl	0.3320%
232.	Ruddy Ground Dove	0.3302%
233.	Summer Tanager	0.3247%

[Go to top](#)

234.	Eastern Phoebe	0.3210%
235.	Yellow-bellied Sapsucker	0.2917%
236.	Violet-crowned Hummingbird	0.2844%
237.	Rufous-capped Warbler	0.2678%
238.	Red-shouldered Hawk	0.2642%
239.	Greater Pewee	0.2623%
240.	Rough-legged Hawk	0.2532%
241.	Pacific Loon	0.2477%
242.	Long-tailed Duck	0.2422%
243.	Western Sandpiper	0.2422%
244.	Cackling Goose	0.2403%
245.	Bonaparte's Gull	0.2367%
246.	Eurasian Wigeon	0.2312%
247.	LeConte's Thrasher	0.2275%
248.	Louisiana Waterthrush	0.2238%
249.	Evening Grosbeak	0.2146%
250.	Red-breasted Sapsucker	0.2128%
251.	American Redstart	0.2073%
252.	Winter Wren	0.2036%
253.	Northern Beardless-Tyrannulet	0.1945%
254.	Downy Woodpecker	0.1890%
255.	Black Scoter	0.1871%
256.	Northern Pygmy-Owl	0.1871%
257.	Cassin's Sparrow	0.1853%
258.	Zone-tailed Hawk	0.1779%
259.	Green Kingfisher	0.1725%

[Go to top](#)

260.	Lesser Yellowlegs	0.1614%
261.	Surf Scoter	0.1541%
262.	Baird's Sparrow	0.1523%
263.	Streak-backed Oriole	0.1504%
264.	Long-eared Owl	0.1486%
265.	Golden-crowned Sparrow	0.1486%
266.	Clark's Nutcracker	0.1449%
267.	Solitary Sandpiper	0.1413%
268.	American Bittern	0.1394%
269.	White-winged Scoter	0.1357%
270.	Rufous Hummingbird	0.1357%
271.	American Dipper	0.1321%
272.	California Condor	0.1303%
273.	Broad-tailed Hummingbird	0.1266%
274.	Pacific Wren	0.1229%
275.	Black-bellied Whistling-Duck	0.1211%
276.	Baikal Teal	0.1192%
277.	Nutting's Flycatcher	0.1192%
278.	Brown Thrasher	0.1174%
279.	McCown's Longspur	0.1156%
280.	Baltimore Oriole	0.1156%
281.	Ridgway's Rail	0.1137%
282.	Reddish Egret	0.1137%
283.	Bell's Sparrow	0.1137%
284.	Magnolia Warbler	0.1119%
285.	Gray Catbird	0.1101%
286.	Whiskered Screech-Owl	0.1046%

[Go to top](#)

287.	Varied Thrush	0.1046%
288.	Rusty Blackbird	0.1009%
289.	Black-legged Kittiwake	0.0991%
290.	Mexican Chickadee	0.0954%
291.	Yellow-throated Warbler	0.0954%
292.	Clay-colored Sparrow	0.0936%
293.	Harris's Sparrow	0.0936%
294.	Least Grebe	0.0917%
295.	Black Rosy-Finch	0.0899%
296.	Band-tailed Pigeon	0.0881%
297.	Palm Warbler	0.0881%
298.	Red-throated Loon	0.0862%
299.	Short-eared Owl	0.0844%
300.	Gray Hawk	0.0825%
301.	Gray Vireo	0.0807%
302.	Sprague's Pipit	0.0789%
303.	Pine Warbler	0.0789%
304.	Red-necked Grebe	0.0752%
305.	Black-throated Green Warbler	0.0697%
306.	Spotted Owl	0.0660%
307.	Gray-crowned Rosy-Finch	0.0660%
308.	Scott's Oriole	0.0660%
309.	Rose-breasted Grosbeak	0.0605%
310.	Pacific-slope Flycatcher	0.0550%
311.	Cave Swallow	0.0550%
312.	Sinaloa Wren	0.0550%

[Go to top](#)

313.	Purple Finch	0.0550%
314.	Northern Goshawk	0.0532%
315.	Lesser Black-backed Gull	0.0514%
316.	Ferruginous Pygmy-Owl	0.0514%
317.	Violet-green Swallow	0.0495%
318.	Botteri's Sparrow	0.0495%
319.	Mute Swan	0.0477%
320.	Forster's Tern	0.0422%
321.	Hooded Warbler	0.0404%
322.	Prairie Warbler	0.0404%
323.	Blue Grosbeak	0.0385%
324.	Couch's Kingbird	0.0367%
325.	Fulvous Whistling-Duck	0.0349%
326.	Mew Gull	0.0349%
327.	Lapland Longspur	0.0349%
328.	Western Tanager	0.0349%
329.	Bell's Vireo	0.0330%
330.	Orchard Oriole	0.0330%
331.	Nashville Warbler	0.0330%
332.	Iceland Gull	0.0293%
333.	Common Black Hawk	0.0293%
334.	Northern Jacana	0.0275%
335.	Northern Saw-whet Owl	0.0275%
336.	Rose-throated Becard	0.0275%
337.	Warbling Vireo	0.0275%
338.	Bank Swallow	0.0275%

[Go to top](#)

339.	Blackpoll Warbler	0.0275%
340.	Trumpeter Swan	0.0257%
341.	White-eared Hummingbird	0.0257%
342.	American Three-toed Woodpecker	0.0257%
343.	Caspian Tern	0.0238%
344.	Five-striped Sparrow	0.0238%
345.	Hooded Oriole	0.0220%
346.	Bullock's Oriole	0.0220%
347.	Tennessee Warbler	0.0220%
348.	Black-throated Blue Warbler	0.0220%
349.	Ring-necked Pheasant	0.0202%
350.	Brown Booby	0.0202%
351.	Ovenbird	0.0202%
352.	Blue-footed Booby	0.0183%
353.	Lucy's Warbler	0.0183%
354.	Glaucous Gull	0.0165%
355.	Black-headed Grosbeak	0.0165%
356.	Common Poorwill	0.0147%
357.	Black Rail	0.0147%
358.	White Ibis	0.0147%
359.	Nanday Parakeet	0.0147%
360.	Northern Shrike	0.0147%
361.	Pine Grosbeak	0.0147%
362.	Sedge Wren	0.0128%
363.	Blackburnian Warbler	0.0128%
364.	Red Phalarope	0.0110%
365.	White-eyed Vireo	0.0110%

[Go to top](#)

366.	Worm-eating Warbler	0.0110%
367.	Lesser Nighthawk	0.0092%
368.	Red-necked Phalarope	0.0092%
369.	Monk Parakeet	0.0092%
370.	Canada Jay	0.0092%
371.	Black-billed Magpie	0.0092%
372.	Carolina Wren	0.0092%
373.	MacGillivray's Warbler	0.0092%
374.	Hermit Warbler	0.0092%
375.	Indigo Bunting	0.0092%
376.	Tufted Duck	0.0073%
377.	Calliope Hummingbird	0.0073%
378.	Pomarine Jaeger	0.0073%
379.	Short-tailed Hawk	0.0073%
380.	Field Sparrow	0.0073%
381.	Golden-winged Warbler	0.0073%
382.	Kentucky Warbler	0.0073%
383.	Painted Bunting	0.0073%
384.	Egyptian Goose	0.0055%
385.	Groove-billed Ani	0.0055%
386.	Flammulated Owl	0.0055%
387.	Red-headed Woodpecker	0.0055%
388.	Tropical Kingbird	0.0055%
389.	Thick-billed Kingbird	0.0055%
390.	Western Kingbird	0.0055%
391.	Blue-headed Vireo	0.0055%

[Go to top](#)

392.	Heermann's Gull	0.0037%
393.	Roseate Spoonbill	0.0037%
394.	Eared Quetzal	0.0037%
395.	Ringed Kingfisher	0.0037%
396.	Yellow-collared Lovebird	0.0037%
397.	Black-capped Chickadee	0.0037%
398.	Wood Thrush	0.0037%
399.	LeConte's Sparrow	0.0037%
400.	Yellow-breasted Chat	0.0037%
401.	Common Grackle	0.0037%
402.	Crescent-chested Warbler	0.0037%
403.	Virginia's Warbler	0.0037%
404.	Dickcissel	0.0037%
405.	Harlequin Duck	0.0018%
406.	Black-chinned Hummingbird	0.0018%
407.	Black-bellied Plover	0.0018%
408.	Semipalmated Plover	0.0018%
409.	Marbled Godwit	0.0018%
410.	Pectoral Sandpiper	0.0018%
411.	Willet	0.0018%
412.	Olive-sided Flycatcher	0.0018%
413.	Brown-crested Flycatcher	0.0018%
414.	Blue Jay	0.0018%
415.	White-winged Crossbill	0.0018%
416.	American Tree Sparrow	0.0018%
417.	Northern Waterthrush	0.0018%

[Go to top](#)

418.	Cape May Warbler	0.0018%
419.	Bay-breasted Warbler	0.0018%
420.	Varied Bunting	0.0018%
421.	Brant	0.0000%
422.	Elegant Quail	0.0000%
423.	Chukar	0.0000%
424.	Ruff	0.0000%
425.	Wilson's Phalarope	0.0000%
426.	Ivory Gull	0.0000%
427.	Laughing Gull	0.0000%
428.	Franklin's Gull	0.0000%
429.	Western Gull	0.0000%
430.	Yellow-billed Loon	0.0000%
431.	Tricolored Heron	0.0000%
432.	Yellow-bellied Flycatcher	0.0000%
433.	Least Flycatcher	0.0000%
434.	Dusky-capped Flycatcher	0.0000%
435.	Great Kiskadee	0.0000%
436.	Blue Mockingbird	0.0000%
437.	Eastern Towhee	0.0000%
438.	Scarlet Tanager	0.0000%