

Target Species

Based on 82,927 complete checklists

433 species observed in Arizona, US (subnational1/US-AZ) in **Jan** that you need for your **Arizona Life List**

1. House Finch	43.71% frequency
2. Mourning Dove	40.23%
3. Gila Woodpecker	38.31%
4. White-crowned Sparrow	33.96%
5. Verdin	32.88%
6. Yellow-rumped Warbler	31.88%
7. Ruby-crowned Kinglet	29.97%
8. Red-tailed Hawk	28.41%
9. American Coot	27.91%
10. Common Raven	27.05%
11. Anna's Hummingbird	26.42%
12. Lesser Goldfinch	22.72%
13. Abert's Towhee	22.33%
14. Great-tailed Grackle	21.93%
15. Say's Phoebe	21.90%
16. Curve-billed Thrasher	21.48%
17. Black Phoebe	20.62%
18. House Sparrow	19.36%
19. Ladder-backed Woodpecker	18.31%
20. Ruddy Duck	17.99%
21. Northern Shoveler	17.78%
22. Northern Mockingbird	17.77%

23. American Kestrel	<u>17.02%</u>
24. Northern Flicker	<u>16.69%</u>
25. European Starling	<u>16.39%</u>
26. Eurasian Collared-Dove	<u>16.16%</u>
27. Pied-billed Grebe	<u>15.94%</u>
28. Gambel's Quail	<u>15.92%</u>
29. Rock Pigeon	<u>15.77%</u>
30. Ring-necked Duck	<u>15.76%</u>
31. Phainopepla	<u>15.23%</u>
32. American Wigeon	<u>15.17%</u>
33. Cactus Wren	<u>14.81%</u>
34. Bewick's Wren	<u>13.47%</u>
35. Song Sparrow	<u>13.42%</u>
36. Dark-eyed Junco	<u>13.38%</u>
37. Red-winged Blackbird	<u>13.28%</u>
38. Great Blue Heron	<u>13.25%</u>
39. Mallard	<u>12.85%</u>
40. Northern Cardinal	<u>12.82%</u>
41. Killdeer	<u>12.67%</u>
42. Northern Harrier	<u>12.33%</u>
43. Green-winged Teal	<u>11.36%</u>
44. Chipping Sparrow	<u>11.03%</u>
45. Cooper's Hawk	<u>10.97%</u>
46. Black-tailed Gnatcatcher	<u>10.91%</u>
47. Great Egret	<u>10.87%</u>
48. Vermilion Flycatcher	<u>10.35%</u>
49. White-breasted Nuthatch	<u>10.12%</u>

[Go to top](#)

50. Orange-crowned Warbler	9.83%
51. Gadwall	9.53%
52. Loggerhead Shrike	9.38%
53. Bridled Titmouse	9.30%
54. Lincoln's Sparrow	9.01%
55. Black-throated Sparrow	8.59%
56. Pyrrhuloxia	8.56%
57. Neotropic Cormorant	8.10%
58. Canada Goose	8.07%
59. Western Bluebird	7.76%
60. Double-crested Cormorant	7.74%
61. Northern Pintail	7.72%
62. Hermit Thrush	7.71%
63. Bufflehead	7.30%
64. Spotted Towhee	7.18%
65. Canyon Towhee	7.09%
66. Lesser Scaup	7.05%
67. Common Merganser	6.98%
68. Greater Roadrunner	6.91%
69. Acorn Woodpecker	6.46%
70. American Robin	6.23%
71. Marsh Wren	6.18%
72. Canvasback	6.14%
73. White-winged Dove	5.87%
74. Rock Wren	5.74%
75. Mexican Jay	5.73%

[Go to top](#)

76. Belted Kingfisher	5.65%
77. Cinnamon Teal	5.62%
78. Least Sandpiper	5.57%
79. Costa's Hummingbird	5.37%
80. Western Meadowlark	5.36%
81. Brewer's Blackbird	5.24%
82. Black-crowned Night-Heron	5.15%
83. Inca Dove	5.13%
84. Snowy Egret	5.01%
85. Vesper Sparrow	4.99%
86. Red-naped Sapsucker	4.96%
87. Brewer's Sparrow	4.94%
88. House Wren	4.83%
89. Savannah Sparrow	4.74%
90. American Pipit	4.63%
91. Blue-gray Gnatcatcher	4.52%
92. Green-tailed Towhee	4.50%
93. Pine Siskin	4.34%
94. Eared Grebe	4.29%
95. Lark Sparrow	4.25%
96. Rufous-winged Sparrow	4.24%
97. Green Heron	4.18%
98. Turkey Vulture	4.06%
99. Redhead	3.99%
100. Canyon Wren	3.93%
101. Northern Rough-winged Swallow	3.65%

[Go to top](#)

102.	Black-necked Stilt	3.62%
103.	Woodhouse's Scrub-Jay	3.59%
104.	Gilded Flicker	3.55%
105.	Common Yellowthroat	3.47%
106.	Horned Lark	3.39%
107.	Common Goldeneye	3.36%
108.	Gray Flycatcher	3.35%
109.	Sharp-shinned Hawk	3.35%
110.	Osprey	3.26%
111.	Yellow-headed Blackbird	3.21%
112.	Sora	3.19%
113.	Ring-billed Gull	3.13%
114.	Spotted Sandpiper	3.12%
115.	Common Gallinule	3.12%
116.	Crissal Thrasher	3.06%
117.	Broad-billed Hummingbird	2.93%
118.	Long-billed Dowitcher	2.92%
119.	Harris's Hawk	2.79%
120.	Greater Yellowlegs	2.73%
121.	Great Horned Owl	2.72%
122.	Wilson's Snipe	2.70%
123.	Bald Eagle	2.69%
124.	Snow Goose	2.65%
125.	Hutton's Vireo	2.65%
126.	Rufous-crowned Sparrow	2.60%
127.	Mountain Chickadee	2.39%
128.	Sandhill Crane	2.28%

[Go to top](#)

129.	Brown Creeper	2.20%
130.	Arizona Woodpecker	2.20%
131.	Hooded Merganser	2.19%
132.	Western Grebe	2.19%
133.	Chihuahuan Raven	2.17%
134.	Yellow-eyed Junco	2.16%
135.	Peregrine Falcon	2.15%
136.	Rosy-faced Lovebird	2.05%
137.	Pygmy Nuthatch	1.95%
138.	Lark Bunting	1.94%
139.	Steller's Jay	1.85%
140.	Ferruginous Hawk	1.82%
141.	Prairie Falcon	1.80%
142.	Hairy Woodpecker	1.77%
143.	Brown-headed Cowbird	1.76%
144.	Eastern Meadowlark	1.73%
145.	Black-throated Gray Warbler	1.73%
146.	Hammond's Flycatcher	1.72%
147.	Townsend's Solitaire	1.70%
148.	Bushtit	1.69%
149.	Mexican Duck	1.68%
150.	American Avocet	1.64%
151.	Merlin	1.48%
152.	Juniper Titmouse	1.48%
153.	Black Vulture	1.46%
154.	Painted Redstart	1.41%

[Go to top](#)

155.	American Crow	1.41%
156.	Hepatic Tanager	1.38%
157.	Wild Turkey	1.38%
158.	Cedar Waxwing	1.37%
159.	American White Pelican	1.35%
160.	Virginia Rail	1.33%
161.	Tree Swallow	1.31%
162.	Ash-throated Flycatcher	1.21%
163.	Black-chinned Sparrow	1.18%
164.	Wood Duck	1.16%
165.	Plumbeous Vireo	1.15%
166.	White-throated Swift	1.12%
167.	Bendire's Thrasher	1.09%
168.	Mountain Bluebird	1.07%
169.	Blue-winged Teal	1.04%
170.	Rivoli's Hummingbird	1.03%
171.	Burrowing Owl	1.03%
172.	Cassin's Finch	1.02%
173.	White-faced Ibis	1.01%
174.	White-throated Sparrow	1.01%
175.	Lawrence's Goldfinch	0.9538%
176.	Clark's Grebe	0.9237%
177.	Sage Thrasher	0.9056%
178.	Golden Eagle	0.8851%
179.	Lazuli Bunting	0.8682%
180.	Common Ground Dove	0.8393%

[Go to top](#)

181.	American Goldfinch	0.8091%
182.	Sagebrush Sparrow	0.8043%
183.	Greater Scaup	0.8031%
184.	Crested Caracara	0.7874%
185.	Greater White-fronted Goose	0.7645%
186.	Common Loon	0.7380%
187.	Cassin's Kingbird	0.7332%
188.	Western Screech-Owl	0.7272%
189.	Ross's Goose	0.7078%
190.	Lewis's Woodpecker	0.7018%
191.	Cattle Egret	0.6681%
192.	Townsend's Warbler	0.6644%
193.	Dusky Flycatcher	0.6476%
194.	Red-breasted Nuthatch	0.6403%
195.	Rufous-backed Robin	0.6198%
196.	Swamp Sparrow	0.6126%
197.	Chestnut-collared Longspur	0.5921%
198.	Violet-crowned Hummingbird	0.5800%
199.	Elegant Trogon	0.5595%
200.	Blue-throated Mountain-gem	0.5487%
201.	Horned Grebe	0.5463%
202.	Cassin's Vireo	0.5426%
203.	Scaled Quail	0.5161%
204.	Northern Parula	0.5101%
205.	Black-and-white Warbler	0.4896%
206.	Mountain Plover	0.4836%
207.	Black-capped Gnatcatcher	0.4727%

[Go to top](#)

208.	Long-billed Curlew	0.4558%
209.	Red-breasted Merganser	0.4522%
210.	Grasshopper Sparrow	0.4377%
211.	LeConte's Thrasher	0.4365%
212.	Bronzed Cowbird	0.4353%
213.	Yellow Warbler	0.4148%
214.	Brown Pelican	0.4100%
215.	Olive Warbler	0.4088%
216.	Williamson's Sapsucker	0.4052%
217.	Fox Sparrow	0.3931%
218.	Tundra Swan	0.3774%
219.	Montezuma Quail	0.3750%
220.	Barrow's Goldeneye	0.3738%
221.	Ruddy Ground Dove	0.3642%
222.	Eurasian Wigeon	0.3630%
223.	Red Crossbill	0.3630%
224.	Least Bittern	0.3593%
225.	White-throated Thrush	0.3557%
226.	Barn Owl	0.3509%
227.	California Gull	0.3340%
228.	White-tailed Kite	0.3256%
229.	Pacific Loon	0.3196%
230.	Northern Beardless-Tyrannulet	0.3196%
231.	Eastern Bluebird	0.3159%
232.	Rufous-capped Warbler	0.3003%
233.	Dunlin	0.2991%

[Go to top](#)

234.	Eastern Phoebe	0.2882%
235.	Wilson's Warbler	0.2834%
236.	Summer Tanager	0.2774%
237.	Herring Gull	0.2737%
238.	Cackling Goose	0.2689%
239.	Golden-crowned Kinglet	0.2605%
240.	Louisiana Waterthrush	0.2351%
241.	Yellow-bellied Sapsucker	0.2315%
242.	Greater Pewee	0.2303%
243.	White-winged Scoter	0.2255%
244.	Streak-backed Oriole	0.2243%
245.	Pinyon Jay	0.2147%
246.	Baird's Sparrow	0.2098%
247.	Barn Swallow	0.2086%
248.	Sinaloa Wren	0.2002%
249.	McCown's Longspur	0.1905%
250.	Western Sandpiper	0.1821%
251.	American Bittern	0.1809%
252.	Red-shouldered Hawk	0.1809%
253.	Chestnut-sided Warbler	0.1773%
254.	Red-breasted Sapsucker	0.1724%
255.	Lesser Yellowlegs	0.1712%
256.	Evening Grosbeak	0.1700%
257.	American Redstart	0.1700%
258.	Rose-throated Becard	0.1628%
259.	Winter Wren	0.1628%

[Go to top](#)

260.	Cassin's Sparrow	0.1580%
261.	Golden-crowned Sparrow	0.1495%
262.	Green Kingfisher	0.1459%
263.	Rough-legged Hawk	0.1399%
264.	Downy Woodpecker	0.1387%
265.	Palm Warbler	0.1387%
266.	Brown Thrasher	0.1363%
267.	Harris's Sparrow	0.1363%
268.	Solitary Sandpiper	0.1351%
269.	Nutting's Flycatcher	0.1351%
270.	California Condor	0.1338%
271.	Zone-tailed Hawk	0.1278%
272.	Bell's Sparrow	0.1242%
273.	Trumpeter Swan	0.1218%
274.	Ridgway's Rail	0.1218%
275.	Northern Pygmy-Owl	0.1194%
276.	Long-tailed Duck	0.1158%
277.	Long-eared Owl	0.1133%
278.	Yellow-throated Warbler	0.1085%
279.	Black Scoter	0.1049%
280.	Least Grebe	0.1025%
281.	Red-throated Loon	0.1001%
282.	American Dipper	0.0928%
283.	Black-bellied Whistling-Duck	0.0904%
284.	Sprague's Pipit	0.0892%
285.	Pacific Wren	0.0868%
286.	Whiskered Screech-Owl	0.0856%

[Go to top](#)

287.	Clay-colored Sparrow	0.0844%
288.	Lapland Longspur	0.0832%
289.	Mute Swan	0.0808%
290.	Gray Catbird	0.0808%
291.	Varied Thrush	0.0796%
292.	Clark's Nutcracker	0.0760%
293.	Mexican Chickadee	0.0736%
294.	Blue Grosbeak	0.0736%
295.	Short-eared Owl	0.0711%
296.	Surf Scoter	0.0675%
297.	Rufous Hummingbird	0.0639%
298.	Ovenbird	0.0639%
299.	Violet-green Swallow	0.0627%
300.	Scott's Oriole	0.0627%
301.	Purple Finch	0.0567%
302.	Red-necked Grebe	0.0555%
303.	Rusty Blackbird	0.0555%
304.	Yellow-billed Loon	0.0543%
305.	Caspian Tern	0.0531%
306.	Bonaparte's Gull	0.0507%
307.	Botteri's Sparrow	0.0494%
308.	Black-legged Kittiwake	0.0470%
309.	Common Black Hawk	0.0434%
310.	Forster's Tern	0.0422%
311.	Black Rosy-Finch	0.0422%
312.	Pine Warbler	0.0422%

[Go to top](#)

313.	Bell's Vireo	0.0410%
314.	Iceland Gull	0.0386%
315.	Gray Hawk	0.0374%
316.	Spotted Owl	0.0374%
317.	Prairie Warbler	0.0374%
318.	Northern Goshawk	0.0362%
319.	Northern Saw-whet Owl	0.0362%
320.	Smith's Longspur	0.0362%
321.	Gray-crowned Rosy-Finch	0.0350%
322.	Broad-tailed Hummingbird	0.0338%
323.	Pacific-slope Flycatcher	0.0338%
324.	Bank Swallow	0.0338%
325.	Reddish Egret	0.0326%
326.	Western Tanager	0.0326%
327.	Bullock's Oriole	0.0314%
328.	Blue-footed Booby	0.0302%
329.	Band-tailed Pigeon	0.0289%
330.	Northern Waterthrush	0.0289%
331.	Monk Parakeet	0.0277%
332.	Baltimore Oriole	0.0277%
333.	Black-throated Blue Warbler	0.0277%
334.	Black Rail	0.0241%
335.	Mew Gull	0.0241%
336.	Black-throated Green Warbler	0.0241%
337.	Heermann's Gull	0.0229%
338.	Nanday Parakeet	0.0229%

[Go to top](#)

339.	Worm-eating Warbler	0.0217%
340.	Short-tailed Hawk	0.0193%
341.	Pine Grosbeak	0.0193%
342.	Common Poorwill	0.0181%
343.	Crescent-chested Warbler	0.0181%
344.	Gray Vireo	0.0169%
345.	Magnolia Warbler	0.0157%
346.	Northern Jacana	0.0145%
347.	Brown Booby	0.0145%
348.	Yellow-collared Lovebird	0.0145%
349.	Blackburnian Warbler	0.0145%
350.	Egyptian Goose	0.0121%
351.	Ferruginous Pygmy-Owl	0.0121%
352.	Northern Shrike	0.0121%
353.	Aztec Thrush	0.0121%
354.	Glaucous Gull	0.0109%
355.	American Three-toed Woodpecker	0.0109%
356.	Five-striped Sparrow	0.0109%
357.	Orchard Oriole	0.0109%
358.	Hooded Oriole	0.0109%
359.	Hooded Warbler	0.0109%
360.	Ring-necked Pheasant	0.0097%
361.	Semipalmated Plover	0.0097%
362.	Couch's Kingbird	0.0097%
363.	Yellow-breasted Chat	0.0097%
364.	Lesser Nighthawk	0.0084%
365.	Red Phalarope	0.0084%

[Go to top](#)

366.	Cliff Swallow	0.0084%
367.	Nashville Warbler	0.0084%
368.	Dickcissel	0.0084%
369.	Eared Quetzal	0.0072%
370.	Red-headed Woodpecker	0.0072%
371.	Western Kingbird	0.0072%
372.	Fulvous Whistling-Duck	0.0060%
373.	Laughing Gull	0.0060%
374.	Franklin's Gull	0.0060%
375.	White Ibis	0.0060%
376.	Dusky-capped Flycatcher	0.0060%
377.	Black-capped Chickadee	0.0060%
378.	MacGillivray's Warbler	0.0060%
379.	Black-headed Grosbeak	0.0060%
380.	Brant	0.0048%
381.	Yellow-bellied Flycatcher	0.0048%
382.	Cave Swallow	0.0048%
383.	Sedge Wren	0.0048%
384.	Little Blue Heron	0.0036%
385.	White-eyed Vireo	0.0036%
386.	LeConte's Sparrow	0.0036%
387.	Rose-breasted Grosbeak	0.0036%
388.	Indigo Bunting	0.0036%
389.	Ruby-throated Hummingbird	0.0024%
390.	Marbled Godwit	0.0024%
391.	Willet	0.0024%

[Go to top](#)

392.	Broad-winged Hawk	0.0024%
393.	Least Flycatcher	0.0024%
394.	Tropical Kingbird	0.0024%
395.	Carolina Wren	0.0024%
396.	Kentucky Warbler	0.0024%
397.	Cape May Warbler	0.0024%
398.	Painted Bunting	0.0024%
399.	Tufted Duck	0.0012%
400.	Northern Bobwhite	0.0012%
401.	Elegant Quail	0.0012%
402.	Black-chinned Hummingbird	0.0012%
403.	Snowy Plover	0.0012%
404.	Whimbrel	0.0012%
405.	Ruff	0.0012%
406.	Red-necked Phalarope	0.0012%
407.	Lesser Black-backed Gull	0.0012%
408.	Glaucous-winged Gull	0.0012%
409.	Glossy Ibis	0.0012%
410.	Roseate Spoonbill	0.0012%
411.	Swainson's Hawk	0.0012%
412.	Olive-sided Flycatcher	0.0012%
413.	Buff-breasted Flycatcher	0.0012%
414.	Thick-billed Kingbird	0.0012%
415.	Canada Jay	0.0012%
416.	Blue Mockingbird	0.0012%
417.	European Goldfinch	0.0012%

[Go to top](#)

418.	American Tree Sparrow	0.0012%
419.	Eastern Towhee	0.0012%
420.	Common Grackle	0.0012%
421.	Tennessee Warbler	0.0012%
422.	Grace's Warbler	0.0012%
423.	Hermit Warbler	0.0012%
424.	Red-faced Warbler	0.0012%
425.	Sanderling	0.0000%
426.	Wilson's Phalarope	0.0000%
427.	Magnificent Frigatebird	0.0000%
428.	Ringed Kingfisher	0.0000%
429.	Blue Jay	0.0000%
430.	Black-billed Magpie	0.0000%
431.	Wood Thrush	0.0000%
432.	Field Sparrow	0.0000%
433.	Golden-winged Warbler	0.0000%