

## Target Species

Based on 59,875 complete checklists

**433** species observed in Arizona, US (subnational1/US-AZ) in **Jul** that you need for your **Arizona Life List**

1. Mourning Dove	<b>46.23%</b> frequency
2. White-winged Dove	<b>43.33%</b>
3. House Finch	<b>41.79%</b>
4. Lesser Goldfinch	<b>33.87%</b>
5. Turkey Vulture	<b>30.32%</b>
6. Gila Woodpecker	<b>26.44%</b>
7. Verdin	<b>25.46%</b>
8. Common Raven	<b>23.04%</b>
9. Curve-billed Thrasher	<b>19.78%</b>
10. Brown-headed Cowbird	<b>19.64%</b>
11. Gambel's Quail	<b>19.49%</b>
12. Black-chinned Hummingbird	<b>19.36%</b>
13. Northern Mockingbird	<b>18.99%</b>
14. White-breasted Nuthatch	<b>18.88%</b>
15. Great-tailed Grackle	<b>18.16%</b>
16. House Sparrow	<b>17.34%</b>
17. Blue Grosbeak	<b>17.03%</b>
18. Broad-billed Hummingbird	<b>16.97%</b>
19. Black-headed Grosbeak	<b>16.88%</b>
20. Anna's Hummingbird	<b>16.49%</b>
21. Northern Cardinal	<b>15.96%</b>
22. Ash-throated Flycatcher	<b>15.75%</b>

[Go to top](#)

23. Eurasian Collared-Dove	<u>15.34%</u>
24. Abert's Towhee	<u>15.34%</u>
25. Brown-crested Flycatcher	<u>15.32%</u>
26. Cactus Wren	<u>15.09%</u>
27. Acorn Woodpecker	<u>15.04%</u>
28. Cassin's Kingbird	<u>15.00%</u>
29. Bewick's Wren	<u>14.68%</u>
30. Ladder-backed Woodpecker	<u>14.37%</u>
31. Bell's Vireo	<u>14.04%</u>
32. Western Kingbird	<u>13.95%</u>
33. Red-tailed Hawk	<u>13.73%</u>
34. Western Wood-Pewee	<u>12.56%</u>
35. Vermilion Flycatcher	<u>12.36%</u>
36. Northern Flicker	<u>12.18%</u>
37. American Robin	<u>12.05%</u>
38. Black Phoebe	<u>11.98%</u>
39. Phainopepla	<u>11.86%</u>
40. Black-throated Sparrow	<u>11.50%</u>
41. Barn Swallow	<u>11.45%</u>
42. Spotted Towhee	<u>11.37%</u>
43. Lucy's Warbler	<u>11.30%</u>
44. Mexican Jay	<u>11.27%</u>
45. Bridled Titmouse	<u>10.98%</u>
46. Broad-tailed Hummingbird	<u>10.87%</u>
47. Red-winged Blackbird	<u>10.62%</u>
48. Summer Tanager	<u>10.41%</u>
49. Rock Pigeon	<u>10.30%</u>

[Go to top](#)

50.	<b>Great Blue Heron</b>	<b>10.24%</b>
51.	<b>Canyon Wren</b>	<b>10.22%</b>
52.	<b>Killdeer</b>	<b>9.98%</b>
53.	<b>Canyon Towhee</b>	<b>9.77%</b>
54.	<b>Common Yellowthroat</b>	<b>9.77%</b>
55.	<b>Greater Roadrunner</b>	<b>9.57%</b>
56.	<b>Yellow Warbler</b>	<b>9.52%</b>
57.	<b>Yellow-breasted Chat</b>	<b>9.51%</b>
58.	<b>Western Tanager</b>	<b>9.45%</b>
59.	<b>American Coot</b>	<b>9.27%</b>
60.	<b>Cooper's Hawk</b>	<b>9.11%</b>
61.	<b>House Wren</b>	<b>9.02%</b>
62.	<b>Black-tailed Gnatcatcher</b>	<b>8.98%</b>
63.	<b>Hooded Oriole</b>	<b>8.89%</b>
64.	<b>Violet-green Swallow</b>	<b>8.80%</b>
65.	<b>Song Sparrow</b>	<b>8.73%</b>
66.	<b>Steller's Jay</b>	<b>8.66%</b>
67.	<b>Rufous Hummingbird</b>	<b>8.54%</b>
68.	<b>Say's Phoebe</b>	<b>8.42%</b>
69.	<b>European Starling</b>	<b>8.34%</b>
70.	<b>Pygmy Nuthatch</b>	<b>8.17%</b>
71.	<b>Dusky-capped Flycatcher</b>	<b>8.09%</b>
72.	<b>Plumbeous Vireo</b>	<b>7.37%</b>
73.	<b>Mountain Chickadee</b>	<b>7.00%</b>
74.	<b>American Kestrel</b>	<b>7.00%</b>
75.	<b>Cliff Swallow</b>	<b>6.82%</b>

[Go to top](#)

76. <b>Cordilleran Flycatcher</b>	<b>6.76%</b>
77. <b>Western Bluebird</b>	<b>6.60%</b>
78. <b>Painted Redstart</b>	<b>6.59%</b>
79. <b>Rufous-crowned Sparrow</b>	<b>6.56%</b>
80. <b>Bullock's Oriole</b>	<b>6.30%</b>
81. <b>Rufous-winged Sparrow</b>	<b>6.28%</b>
82. <b>Pyrrhuloxia</b>	<b>6.14%</b>
83. <b>Hairy Woodpecker</b>	<b>6.09%</b>
84. <b>Rivoli's Hummingbird</b>	<b>5.82%</b>
85. <b>Mallard</b>	<b>5.80%</b>
86. <b>Hermit Thrush</b>	<b>5.80%</b>
87. <b>Hepatic Tanager</b>	<b>5.79%</b>
88. <b>Yellow-eyed Junco</b>	<b>5.77%</b>
89. <b>Gray Hawk</b>	<b>5.43%</b>
90. <b>Inca Dove</b>	<b>5.17%</b>
91. <b>Dark-eyed Junco</b>	<b>5.14%</b>
92. <b>Lark Sparrow</b>	<b>4.98%</b>
93. <b>Hutton's Vireo</b>	<b>4.95%</b>
94. <b>Yellow-billed Cuckoo</b>	<b>4.88%</b>
95. <b>Lesser Nighthawk</b>	<b>4.79%</b>
96. <b>Northern Rough-winged Swallow</b>	<b>4.78%</b>
97. <b>Brown Creeper</b>	<b>4.76%</b>
98. <b>Varied Bunting</b>	<b>4.75%</b>
99. <b>Bushtit</b>	<b>4.69%</b>
100. <b>Purple Martin</b>	<b>4.67%</b>
101. <b>Bronzed Cowbird</b>	<b>4.64%</b>

[Go to top](#)

102.	<b>Black-necked Stilt</b>	<b>4.59%</b>
103.	<b>Sulphur-bellied Flycatcher</b>	<b>4.49%</b>
104.	<b>Green Heron</b>	<b>4.47%</b>
105.	<b>Costa's Hummingbird</b>	<b>4.45%</b>
106.	<b>Neotropic Cormorant</b>	<b>4.43%</b>
107.	<b>Arizona Woodpecker</b>	<b>4.42%</b>
108.	<b>Loggerhead Shrike</b>	<b>4.41%</b>
109.	<b>Black-throated Gray Warbler</b>	<b>4.26%</b>
110.	<b>Woodhouse's Scrub-Jay</b>	<b>4.21%</b>
111.	<b>Pied-billed Grebe</b>	<b>4.02%</b>
112.	<b>Scott's Oriole</b>	<b>3.90%</b>
113.	<b>Chipping Sparrow</b>	<b>3.89%</b>
114.	<b>Swainson's Hawk</b>	<b>3.86%</b>
115.	<b>Ruddy Duck</b>	<b>3.86%</b>
116.	<b>Rock Wren</b>	<b>3.81%</b>
117.	<b>Spotted Sandpiper</b>	<b>3.68%</b>
118.	<b>Least Sandpiper</b>	<b>3.68%</b>
119.	<b>Blue-gray Gnatcatcher</b>	<b>3.59%</b>
120.	<b>Black-crowned Night-Heron</b>	<b>3.58%</b>
121.	<b>White-throated Swift</b>	<b>3.56%</b>
122.	<b>Common Ground Dove</b>	<b>3.55%</b>
123.	<b>Botteri's Sparrow</b>	<b>3.50%</b>
124.	<b>Great Egret</b>	<b>3.44%</b>
125.	<b>American Crow</b>	<b>3.40%</b>
126.	<b>Gilded Flicker</b>	<b>3.27%</b>
127.	<b>Grace's Warbler</b>	<b>3.10%</b>
128.	<b>Red-faced Warbler</b>	<b>3.07%</b>

[Go to top](#)

129.	<b>Yellow-headed Blackbird</b>	<b>3.05%</b>
130.	<b>Cassin's Sparrow</b>	<b>3.00%</b>
131.	<b>Double-crested Cormorant</b>	<b>2.99%</b>
132.	<b>Snowy Egret</b>	<b>2.99%</b>
133.	<b>Cinnamon Teal</b>	<b>2.96%</b>
134.	<b>Canada Goose</b>	<b>2.90%</b>
135.	<b>Warbling Vireo</b>	<b>2.81%</b>
136.	<b>Eastern Meadowlark</b>	<b>2.79%</b>
137.	<b>Tropical Kingbird</b>	<b>2.77%</b>
138.	<b>Zone-tailed Hawk</b>	<b>2.76%</b>
139.	<b>Pine Siskin</b>	<b>2.66%</b>
140.	<b>Band-tailed Pigeon</b>	<b>2.64%</b>
141.	<b>Elegant Trogon</b>	<b>2.63%</b>
142.	<b>Yellow-rumped Warbler</b>	<b>2.61%</b>
143.	<b>Crissal Thrasher</b>	<b>2.58%</b>
144.	<b>Blue-throated Mountain-gem</b>	<b>2.49%</b>
145.	<b>Northern Beardless-Tyrannulet</b>	<b>2.47%</b>
146.	<b>Violet-crowned Hummingbird</b>	<b>2.44%</b>
147.	<b>White-faced Ibis</b>	<b>2.31%</b>
148.	<b>Red-breasted Nuthatch</b>	<b>2.27%</b>
149.	<b>Virginia's Warbler</b>	<b>2.24%</b>
150.	<b>Wild Turkey</b>	<b>2.22%</b>
151.	<b>Lazuli Bunting</b>	<b>2.22%</b>
152.	<b>Greater Yellowlegs</b>	<b>2.14%</b>
153.	<b>American Avocet</b>	<b>2.13%</b>
154.	<b>Wilson's Phalarope</b>	<b>2.11%</b>

[Go to top](#)

155.	<b>Tree Swallow</b>	<b>2.07%</b>
156.	<b>Great Horned Owl</b>	<b>2.06%</b>
157.	<b>Greater Pewee</b>	<b>2.03%</b>
158.	<b>Western Sandpiper</b>	<b>1.98%</b>
159.	<b>Osprey</b>	<b>1.98%</b>
160.	<b>Common Gallinule</b>	<b>1.95%</b>
161.	<b>Juniper Titmouse</b>	<b>1.92%</b>
162.	<b>Montezuma Quail</b>	<b>1.83%</b>
163.	<b>Peregrine Falcon</b>	<b>1.83%</b>
164.	<b>Scaled Quail</b>	<b>1.80%</b>
165.	<b>Chihuahuan Raven</b>	<b>1.77%</b>
166.	<b>Common Poorwill</b>	<b>1.70%</b>
167.	<b>Horned Lark</b>	<b>1.61%</b>
168.	<b>Long-billed Dowitcher</b>	<b>1.60%</b>
169.	<b>Olive Warbler</b>	<b>1.52%</b>
170.	<b>Black Vulture</b>	<b>1.48%</b>
171.	<b>Rosy-faced Lovebird</b>	<b>1.46%</b>
172.	<b>Brewer's Blackbird</b>	<b>1.42%</b>
173.	<b>Thick-billed Kingbird</b>	<b>1.42%</b>
174.	<b>Mexican Duck</b>	<b>1.40%</b>
175.	<b>Red Crossbill</b>	<b>1.32%</b>
176.	<b>Black-bellied Whistling-Duck</b>	<b>1.20%</b>
177.	<b>Buff-breasted Flycatcher</b>	<b>1.12%</b>
178.	<b>Common Black Hawk</b>	<b>1.10%</b>
179.	<b>Indigo Bunting</b>	<b>1.10%</b>
180.	<b>Lesser Yellowlegs</b>	<b>1.09%</b>

[Go to top](#)

181.	<b>Harris's Hawk</b>	<b>1.09%</b>
182.	<b>Baird's Sandpiper</b>	<b>1.06%</b>
183.	<b>Western Meadowlark</b>	<b>1.01%</b>
184.	<b>Elf Owl</b>	<b>1.00%</b>
185.	<b>Lucifer Hummingbird</b>	<b>1.00%</b>
186.	<b>American Wigeon</b>	<b>0.9904%</b>
187.	<b>Whiskered Screech-Owl</b>	<b>0.9687%</b>
188.	<b>Burrowing Owl</b>	<b>0.9503%</b>
189.	<b>Western Screech-Owl</b>	<b>0.9370%</b>
190.	<b>Long-billed Curlew</b>	<b>0.9353%</b>
191.	<b>Mexican Chickadee</b>	<b>0.9353%</b>
192.	<b>Mexican Whip-poor-will</b>	<b>0.8902%</b>
193.	<b>Five-striped Sparrow</b>	<b>0.8752%</b>
194.	<b>Common Nighthawk</b>	<b>0.8702%</b>
195.	<b>Mountain Bluebird</b>	<b>0.8150%</b>
196.	<b>Vesper Sparrow</b>	<b>0.8084%</b>
197.	<b>Northern Shoveler</b>	<b>0.8050%</b>
198.	<b>Black-chinned Sparrow</b>	<b>0.7900%</b>
199.	<b>Calliope Hummingbird</b>	<b>0.7850%</b>
200.	<b>Eared Grebe</b>	<b>0.7833%</b>
201.	<b>Bald Eagle</b>	<b>0.7215%</b>
202.	<b>Sora</b>	<b>0.6898%</b>
203.	<b>Clark's Nutcracker</b>	<b>0.6831%</b>
204.	<b>Redhead</b>	<b>0.6514%</b>
205.	<b>Green-tailed Towhee</b>	<b>0.6363%</b>
206.	<b>Gray Flycatcher</b>	<b>0.6347%</b>
207.	<b>Golden Eagle</b>	<b>0.6313%</b>

[Go to top](#)



208.	<b>Least Bittern</b>	<b>0.5979%</b>
209.	<b>Western Grebe</b>	<b>0.5879%</b>
210.	<b>Wood Duck</b>	<b>0.5762%</b>
211.	<b>Gadwall</b>	<b>0.5745%</b>
212.	<b>Black-capped Gnatcatcher</b>	<b>0.5645%</b>
213.	<b>Spotted Owl</b>	<b>0.5562%</b>
214.	<b>Plain-capped Starthroat</b>	<b>0.5361%</b>
215.	<b>Ring-necked Duck</b>	<b>0.5311%</b>
216.	<b>Williamson's Sapsucker</b>	<b>0.5294%</b>
217.	<b>Solitary Sandpiper</b>	<b>0.5278%</b>
218.	<b>Ruby-crowned Kinglet</b>	<b>0.5178%</b>
219.	<b>Northern Pygmy-Owl</b>	<b>0.5161%</b>
220.	<b>Cattle Egret</b>	<b>0.5094%</b>
221.	<b>Blue-winged Teal</b>	<b>0.4944%</b>
222.	<b>White-eared Hummingbird</b>	<b>0.4893%</b>
223.	<b>Eastern Bluebird</b>	<b>0.4877%</b>
224.	<b>Townsend's Solitaire</b>	<b>0.4860%</b>
225.	<b>Rose-throated Becard</b>	<b>0.4843%</b>
226.	<b>Grasshopper Sparrow</b>	<b>0.4827%</b>
227.	<b>Pinyon Jay</b>	<b>0.4726%</b>
228.	<b>Barn Owl</b>	<b>0.4710%</b>
229.	<b>Virginia Rail</b>	<b>0.4626%</b>
230.	<b>Willow Flycatcher</b>	<b>0.4593%</b>
231.	<b>Bank Swallow</b>	<b>0.4426%</b>
232.	<b>Ring-billed Gull</b>	<b>0.4359%</b>
233.	<b>Stilt Sandpiper</b>	<b>0.4159%</b>

[Go to top](#)

234.	<b>Lewis's Woodpecker</b>	<b>0.4092%</b>
235.	<b>Willet</b>	<b>0.4075%</b>
236.	<b>Bendire's Thrasher</b>	<b>0.4075%</b>
237.	<b>Downy Woodpecker</b>	<b>0.4058%</b>
238.	<b>California Condor</b>	<b>0.3992%</b>
239.	<b>Gray Vireo</b>	<b>0.3908%</b>
240.	<b>Northern Goshawk</b>	<b>0.3891%</b>
241.	<b>Olive-sided Flycatcher</b>	<b>0.3591%</b>
242.	<b>Clark's Grebe</b>	<b>0.3507%</b>
243.	<b>Belted Kingfisher</b>	<b>0.3324%</b>
244.	<b>Rufous-capped Warbler</b>	<b>0.3290%</b>
245.	<b>Buff-collared Nightjar</b>	<b>0.3223%</b>
246.	<b>Red-naped Sapsucker</b>	<b>0.3207%</b>
247.	<b>Brown Pelican</b>	<b>0.3190%</b>
248.	<b>Prairie Falcon</b>	<b>0.3190%</b>
249.	<b>Golden-crowned Kinglet</b>	<b>0.3106%</b>
250.	<b>Berylline Hummingbird</b>	<b>0.3073%</b>
251.	<b>California Gull</b>	<b>0.3073%</b>
252.	<b>Orange-crowned Warbler</b>	<b>0.2973%</b>
253.	<b>Mississippi Kite</b>	<b>0.2873%</b>
254.	<b>Flame-colored Tanager</b>	<b>0.2739%</b>
255.	<b>Marbled Godwit</b>	<b>0.2706%</b>
256.	<b>Cassin's Finch</b>	<b>0.2689%</b>
257.	<b>American Three-toed Woodpecker</b>	<b>0.2572%</b>
258.	<b>Semipalmated Plover</b>	<b>0.2555%</b>
259.	<b>Hermit Warbler</b>	<b>0.2489%</b>

[Go to top](#)

260.	<b>MacGillivray's Warbler</b>	<b>0.2472%</b>
261.	<b>Painted Bunting</b>	<b>0.2455%</b>
262.	<b>Dusky Flycatcher</b>	<b>0.2088%</b>
263.	<b>Tufted Flycatcher</b>	<b>0.2071%</b>
264.	<b>Marsh Wren</b>	<b>0.2071%</b>
265.	<b>Common Merganser</b>	<b>0.2038%</b>
266.	<b>Pacific-slope Flycatcher</b>	<b>0.1954%</b>
267.	<b>American White Pelican</b>	<b>0.1887%</b>
268.	<b>Green-winged Teal</b>	<b>0.1821%</b>
269.	<b>Lesser Scaup</b>	<b>0.1821%</b>
270.	<b>Black Tern</b>	<b>0.1821%</b>
271.	<b>Gray Catbird</b>	<b>0.1821%</b>
272.	<b>Northern Harrier</b>	<b>0.1804%</b>
273.	<b>Sharp-shinned Hawk</b>	<b>0.1787%</b>
274.	<b>Northern Pintail</b>	<b>0.1770%</b>
275.	<b>Snowy Plover</b>	<b>0.1603%</b>
276.	<b>Allen's Hummingbird</b>	<b>0.1570%</b>
277.	<b>American Dipper</b>	<b>0.1537%</b>
278.	<b>Forster's Tern</b>	<b>0.1470%</b>
279.	<b>Ridgway's Rail</b>	<b>0.1453%</b>
280.	<b>Semipalmated Sandpiper</b>	<b>0.1420%</b>
281.	<b>Caspian Tern</b>	<b>0.1353%</b>
282.	<b>Snow Goose</b>	<b>0.1269%</b>
283.	<b>Lincoln's Sparrow</b>	<b>0.1169%</b>
284.	<b>Flammulated Owl</b>	<b>0.1102%</b>
285.	<b>Purple Gallinule</b>	<b>0.1069%</b>
286.	<b>White-tailed Kite</b>	<b>0.1036%</b>

[Go to top](#)

287.	<b>Evening Grosbeak</b>	<b>0.1019%</b>
288.	<b>Lark Bunting</b>	<b>0.0985%</b>
289.	<b>Tricolored Heron</b>	<b>0.0952%</b>
290.	<b>Common Crane</b>	<b>0.0919%</b>
291.	<b>Canada Jay</b>	<b>0.0919%</b>
292.	<b>Savannah Sparrow</b>	<b>0.0902%</b>
293.	<b>Least Grebe</b>	<b>0.0869%</b>
294.	<b>Fulvous Whistling-Duck</b>	<b>0.0835%</b>
295.	<b>Red-shouldered Hawk</b>	<b>0.0835%</b>
296.	<b>Dusky Grouse</b>	<b>0.0818%</b>
297.	<b>Hudsonian Godwit</b>	<b>0.0768%</b>
298.	<b>Short-tailed Hawk</b>	<b>0.0752%</b>
299.	<b>Slate-throated Redstart</b>	<b>0.0752%</b>
300.	<b>Green Kingfisher</b>	<b>0.0685%</b>
301.	<b>Crested Caracara</b>	<b>0.0685%</b>
302.	<b>Yellow-green Vireo</b>	<b>0.0685%</b>
303.	<b>Brewer's Sparrow</b>	<b>0.0685%</b>
304.	<b>Canvasback</b>	<b>0.0668%</b>
305.	<b>LeConte's Thrasher</b>	<b>0.0651%</b>
306.	<b>Streak-backed Oriole</b>	<b>0.0651%</b>
307.	<b>Franklin's Gull</b>	<b>0.0585%</b>
308.	<b>Yellow-throated Vireo</b>	<b>0.0585%</b>
309.	<b>Red-necked Phalarope</b>	<b>0.0568%</b>
310.	<b>American Goldfinch</b>	<b>0.0518%</b>
311.	<b>Townsend's Warbler</b>	<b>0.0501%</b>
312.	<b>Hooded Warbler</b>	<b>0.0484%</b>

[Go to top](#)

313.	<b>Short-billed Dowitcher</b>	<b>0.0468%</b>
314.	<b>Wilson's Warbler</b>	<b>0.0434%</b>
315.	<b>Sage Thrasher</b>	<b>0.0401%</b>
316.	<b>White-eyed Vireo</b>	<b>0.0384%</b>
317.	<b>Royal Tern</b>	<b>0.0351%</b>
318.	<b>Nashville Warbler</b>	<b>0.0351%</b>
319.	<b>Whimbrel</b>	<b>0.0334%</b>
320.	<b>Red Knot</b>	<b>0.0334%</b>
321.	<b>Rose-breasted Grosbeak</b>	<b>0.0317%</b>
322.	<b>Groove-billed Ani</b>	<b>0.0301%</b>
323.	<b>Greater Scaup</b>	<b>0.0284%</b>
324.	<b>Black Rail</b>	<b>0.0284%</b>
325.	<b>Northern Saw-whet Owl</b>	<b>0.0284%</b>
326.	<b>American Pipit</b>	<b>0.0284%</b>
327.	<b>Mute Swan</b>	<b>0.0267%</b>
328.	<b>Black-bellied Plover</b>	<b>0.0267%</b>
329.	<b>Wilson's Snipe</b>	<b>0.0267%</b>
330.	<b>Black Skimmer</b>	<b>0.0267%</b>
331.	<b>Swainson's Thrush</b>	<b>0.0267%</b>
332.	<b>Northern Parula</b>	<b>0.0267%</b>
333.	<b>Long-eared Owl</b>	<b>0.0250%</b>
334.	<b>American Redstart</b>	<b>0.0250%</b>
335.	<b>Pine Flycatcher</b>	<b>0.0234%</b>
336.	<b>Scissor-tailed Flycatcher</b>	<b>0.0234%</b>
337.	<b>Aztec Thrush</b>	<b>0.0234%</b>
338.	<b>White-crowned Sparrow</b>	<b>0.0234%</b>

[Go to top](#)

339.	<b>Tropical Parula</b>	<b>0.0234%</b>
340.	<b>Ferruginous Hawk</b>	<b>0.0217%</b>
341.	<b>Sanderling</b>	<b>0.0200%</b>
342.	<b>Pectoral Sandpiper</b>	<b>0.0200%</b>
343.	<b>Lawrence's Goldfinch</b>	<b>0.0200%</b>
344.	<b>Common Loon</b>	<b>0.0184%</b>
345.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0184%</b>
346.	<b>Black-and-white Warbler</b>	<b>0.0184%</b>
347.	<b>Ross's Goose</b>	<b>0.0167%</b>
348.	<b>Bufflehead</b>	<b>0.0167%</b>
349.	<b>Brown-backed Solitaire</b>	<b>0.0150%</b>
350.	<b>Reddish Egret</b>	<b>0.0134%</b>
351.	<b>Sagebrush Sparrow</b>	<b>0.0134%</b>
352.	<b>Sandhill Crane</b>	<b>0.0117%</b>
353.	<b>Ruddy Turnstone</b>	<b>0.0117%</b>
354.	<b>Cassin's Vireo</b>	<b>0.0117%</b>
355.	<b>Red-eyed Vireo</b>	<b>0.0117%</b>
356.	<b>Sinaloa Wren</b>	<b>0.0117%</b>
357.	<b>Ruby-throated Hummingbird</b>	<b>0.0100%</b>
358.	<b>Pacific Golden-Plover</b>	<b>0.0100%</b>
359.	<b>Bonaparte's Gull</b>	<b>0.0100%</b>
360.	<b>Laughing Gull</b>	<b>0.0100%</b>
361.	<b>Eared Quetzal</b>	<b>0.0100%</b>
362.	<b>Yellow-collared Lovebird</b>	<b>0.0100%</b>
363.	<b>Monk Parakeet</b>	<b>0.0100%</b>
364.	<b>Nutting's Flycatcher</b>	<b>0.0100%</b>
365.	<b>Scarlet Tanager</b>	<b>0.0100%</b>

[Go to top](#)

366.	<b>Red-breasted Merganser</b>	<b>0.0083%</b>
367.	<b>Ruddy Ground Dove</b>	<b>0.0083%</b>
368.	<b>Common Tern</b>	<b>0.0083%</b>
369.	<b>Pacific Wren</b>	<b>0.0083%</b>
370.	<b>Pine Grosbeak</b>	<b>0.0083%</b>
371.	<b>Greater White-fronted Goose</b>	<b>0.0067%</b>
372.	<b>Hooded Merganser</b>	<b>0.0067%</b>
373.	<b>Ring-necked Pheasant</b>	<b>0.0067%</b>
374.	<b>White Ibis</b>	<b>0.0067%</b>
375.	<b>Glossy Ibis</b>	<b>0.0067%</b>
376.	<b>Ovenbird</b>	<b>0.0067%</b>
377.	<b>Louisiana Waterthrush</b>	<b>0.0067%</b>
378.	<b>Elegant Tern</b>	<b>0.0050%</b>
379.	<b>Little Blue Heron</b>	<b>0.0050%</b>
380.	<b>Roseate Spoonbill</b>	<b>0.0050%</b>
381.	<b>Crescent-chested Warbler</b>	<b>0.0050%</b>
382.	<b>California Quail</b>	<b>0.0033%</b>
383.	<b>Upland Sandpiper</b>	<b>0.0033%</b>
384.	<b>Magnificent Frigatebird</b>	<b>0.0033%</b>
385.	<b>Merlin</b>	<b>0.0033%</b>
386.	<b>Nanday Parakeet</b>	<b>0.0033%</b>
387.	<b>Hammond's Flycatcher</b>	<b>0.0033%</b>
388.	<b>Eastern Kingbird</b>	<b>0.0033%</b>
389.	<b>Rufous-backed Robin</b>	<b>0.0033%</b>
390.	<b>Baltimore Oriole</b>	<b>0.0033%</b>
391.	<b>Chestnut-sided Warbler</b>	<b>0.0033%</b>

[Go to top](#)

392.	<b>Yellow-throated Warbler</b>	<b>0.0033%</b>
393.	<b>Yellow Grosbeak</b>	<b>0.0033%</b>
394.	<b>Surf Scoter</b>	<b>0.0017%</b>
395.	<b>Chukar</b>	<b>0.0017%</b>
396.	<b>Horned Grebe</b>	<b>0.0017%</b>
397.	<b>Black Swift</b>	<b>0.0017%</b>
398.	<b>Mountain Plover</b>	<b>0.0017%</b>
399.	<b>Northern Jacana</b>	<b>0.0017%</b>
400.	<b>Dunlin</b>	<b>0.0017%</b>
401.	<b>White-rumped Sandpiper</b>	<b>0.0017%</b>
402.	<b>Sabine's Gull</b>	<b>0.0017%</b>
403.	<b>Least Tern</b>	<b>0.0017%</b>
404.	<b>Yellow-billed Loon</b>	<b>0.0017%</b>
405.	<b>American Bittern</b>	<b>0.0017%</b>
406.	<b>Red-breasted Sapsucker</b>	<b>0.0017%</b>
407.	<b>Eastern Wood-Pewee</b>	<b>0.0017%</b>
408.	<b>Black-billed Magpie</b>	<b>0.0017%</b>
409.	<b>Brown Thrasher</b>	<b>0.0017%</b>
410.	<b>Veery</b>	<b>0.0017%</b>
411.	<b>Cedar Waxwing</b>	<b>0.0017%</b>
412.	<b>Chestnut-collared Longspur</b>	<b>0.0017%</b>
413.	<b>Bobolink</b>	<b>0.0017%</b>
414.	<b>Prothonotary Warbler</b>	<b>0.0017%</b>
415.	<b>Kentucky Warbler</b>	<b>0.0017%</b>
416.	<b>Blackburnian Warbler</b>	<b>0.0017%</b>
417.	<b>Palm Warbler</b>	<b>0.0017%</b>

[Go to top](#)



418.	<b>Fan-tailed Warbler</b>	<b>0.0017%</b>
419.	<b>Cackling Goose</b>	<b>0.0000%</b>
420.	<b>Northern Bobwhite</b>	<b>0.0000%</b>
421.	<b>Chimney Swift</b>	<b>0.0000%</b>
422.	<b>Cinnamon Hummingbird</b>	<b>0.0000%</b>
423.	<b>American Golden-Plover</b>	<b>0.0000%</b>
424.	<b>Western Gull</b>	<b>0.0000%</b>
425.	<b>Wood Stork</b>	<b>0.0000%</b>
426.	<b>Broad-winged Hawk</b>	<b>0.0000%</b>
427.	<b>Red-headed Woodpecker</b>	<b>0.0000%</b>
428.	<b>Thick-billed Parrot</b>	<b>0.0000%</b>
429.	<b>Cave Swallow</b>	<b>0.0000%</b>
430.	<b>Carolina Wren</b>	<b>0.0000%</b>
431.	<b>Wood Thrush</b>	<b>0.0000%</b>
432.	<b>White-throated Sparrow</b>	<b>0.0000%</b>
433.	<b>Blackpoll Warbler</b>	<b>0.0000%</b>