eBird

Target Species

Based on 51,843 complete checklists

435 species observed in <u>Arizona, US (subnational1/US-AZ)</u> in **Jun** that you need for your **Arizona Life List**

| List | |
|---------------------------------|--------------------------|
| 1. Black-bellied Whistling-Duck | 0.8217% frequency |
| 2. Fulvous Whistling-Duck | 0.0000% |
| з. Snow Goose | 0.0945% |
| 4. Ross's Goose | 0.0000% |
| 5. Greater White-fronted Goose | 0.0077% |
| 6. Cackling Goose | 0.0096% |
| 7. Canada Goose | 2 .81% |
| 8. Mute Swan | 0.0405% |
| 9. Wood Duck | 0.6327% |
| 10. Blue-winged Teal | 0.7002% |
| 11. Cinnamon Teal | 2.67% |
| 12. Northern Shoveler | 1.07% |
| 13. Gadwall | 0.9664% |
| 14. American Wigeon | 1.18% |
| 15. Mallard | 7.95% |
| 16. Mexican Duck | 1.44% |
| 17. Northern Pintail | 0.2488% |
| 18. Green-winged Teal | 0.4822% |
| 19. Canvasback | 0.0598% |
| 20. Redhead | 1.00% |
| 21. Ring-necked Duck | 0.5902% |
| 22. Greater Scaup | 0.0096% Go to top |
| | |

| | 0.07070/ |
|----------------------------|-----------------|
| 23. Lesser Scaup | 0.2797% |
| 24. Surf Scoter | 0.0019% |
| 25. White-winged Scoter | 0.0000% |
| 26. Bufflehead | 0.0540% |
| 27. Common Goldeneye | 0.0270% |
| 28. Hooded Merganser | 0.0096% |
| 29. Common Merganser | 0.2450% |
| 30. Red-breasted Merganser | 0.0193% |
| 31. Ruddy Duck | <u>3.</u> 87% |
| 32. Scaled Quail | 1.51% |
| 33. California Quail | 0.0212% |
| 34. Gambel's Quail | 22.54% |
| 35. Montezuma Quail | 1.49% |
| 36. Chukar | 0.0058% |
| 37. Ring-necked Pheasant | 0.0096% |
| 38. Dusky Grouse | 0.0791% |
| 39. Wild Turkey | <u>3</u> .31% |
| 40. Least Grebe | 0.0772% |
| 41. Pied-billed Grebe | <u>3</u> .38% |
| 42. Eared Grebe | 0.9857% |
| 43. Western Grebe | 0.7349% |
| 44. Clark's Grebe | 0.4533% |
| 45. Rock Pigeon | 10.26% |
| 46. Band-tailed Pigeon | 2.87% |
| 47. Eurasian Collared-Dove | 16.58% |
| 48. Inca Dove | 5.04% |
| 49. Common Ground Dove | 3.19% Go to top |
| | |

| 50. Ruddy Ground Dove | 0.0000% |
|--------------------------------|---------|
| 51. White-winged Dove | 40.35% |
| 52. Mourning Dove | 45.66% |
| 53. Groove-billed Ani | 0.0251% |
| 54. Greater Roadrunner | 7.63% |
| 55. Yellow-billed Cuckoo | 2.30% |
| 56. Lesser Nighthawk | 5.50% |
| 57. Common Nighthawk | 0.9972% |
| 58. Common Poorwill | 1.95% |
| 59. Buff-collared Nightjar | 0.4051% |
| 60. Mexican Whip-poor-will | 1.61% |
| 61. White-throated Swift | 7.00% |
| 62. Rivoli's Hummingbird | 5.70% |
| 63. Plain-capped Starthroat | 0.0675% |
| 64. Blue-throated Mountain-gem | 2.38% |
| 65. Lucifer Hummingbird | 0.7253% |
| 66. Ruby-throated Hummingbird | 0.0077% |
| 67. Black-chinned Hummingbird | 20.44% |
| 68. Anna's Hummingbird | 16.30% |
| 69. Costa's Hummingbird | 4.24% |
| 70. Broad-tailed Hummingbird | 10.96% |
| 71. Rufous Hummingbird | 0.2643% |
| 72. Allen's Hummingbird | 0.0019% |
| 73. Calliope Hummingbird | 0.0039% |
| 74. Broad-billed Hummingbird | 13.70% |
| 75. Berylline Hummingbird | 0.4841% |

| 76. Violet-crowned Hummingbird | 1.05% |
|--------------------------------|-------------------|
| 77. White-eared Hummingbird | 0.4456% |
| 78. Ridgway's Rail | 0.2334% |
| 79. Virginia Rail | 0.5632% |
| 80. Sora | 0.3896% |
| 81. Common Gallinule | <u>1</u> .88% |
| 82. American Coot | 9.59% |
| 83. Purple Gallinule | 0.0000% |
| 84. Black Rail | 0.0733% |
| 85. Sandhill Crane | 0.0232% |
| 86. Common Crane | 0.1601% |
| 87. Black-necked Stilt | <u>3</u> .56% |
| 88. American Avocet | 1 .85% |
| 89. Black-bellied Plover | 0.0019% |
| 90. American Golden-Plover | 0.0019% |
| 91. Pacific Golden-Plover | 0.0058% |
| 92. Snowy Plover | 0.0405% |
| 93. Semipalmated Plover | 0.0019% |
| 94. Killdeer | 9.65% |
| 95. Northern Jacana | 0.0058% |
| 96. Whimbrel | 0.0039% |
| 97. Long-billed Curlew | 0.5420% |
| 98. Marbled Godwit | 0.1138% |
| 99. Black Turnstone | 0.0096% |
| 100. Stilt Sandpiper | 0.0019% |
| 101. Baird's Sandpiper | 0.0251% Go to top |

| too Least Candinas | 0.07529/ |
|-----------------------------|-------------------|
| 102. Least Sandpiper | 0.0752% |
| 103. White-rumped Sandpiper | 0.0366% |
| 104. Semipalmated Sandpiper | 0.0039% |
| 105. Western Sandpiper | 0.0405% |
| 106. Long-billed Dowitcher | 0.0289% |
| 107. Wilson's Snipe | 0.0212% |
| 108. Wilson's Phalarope | 0.7600% |
| 109. Red-necked Phalarope | 0.0058% |
| 110. Red Phalarope | 0.0096% |
| 111. Spotted Sandpiper | 1.02% |
| 112. Solitary Sandpiper | 0.0039% |
| 113. Greater Yellowlegs | 0.3472% |
| 114. Willet | 0.1042% |
| 115. Lesser Yellowlegs | 0.0521% |
| 116. Sabine's Gull | 0.0000% |
| 117. Bonaparte's Gull | 0.0328% |
| 118. Laughing Gull | 0.0193% |
| 119. Franklin's Gull | 0.1389% |
| 120. Heermann's Gull | 0.0212% |
| 121. Ring-billed Gull | 0.3086% |
| 122. California Gull | 0.3511% |
| 123. Herring Gull | 0.0019% |
| 124. Least Tern | 0.0907% |
| 125. Caspian Tern | 0.2180% |
| 126. Black Tern | 0.0386% |
| 127. Common Tern | 0.0000% |
| 128. Arctic Tern | 0.0000% Go to top |
| | |

| 129. Forster's Tern | 0.0984% |
|---------------------------------|---------------|
| 130. Elegant Tern | 0.0752% |
| 131. Red-throated Loon | 0.0000% |
| 132. Common Loon | 0.0232% |
| 133. Yellow-billed Loon | 0.0019% |
| 134. Sooty Shearwater | 0.0000% |
| 135. Magnificent Frigatebird | 0.0000% |
| 136. Neotropic Cormorant | <u>4.</u> 66% |
| 137. Double-crested Cormorant | 2.89% |
| 138. American White Pelican | 0.2488% |
| 139. Brown Pelican | 0.1331% |
| 140. American Bittern | 0.0000% |
| 141. Least Bittern | 0.7484% |
| 142. Great Blue Heron | 9.75% |
| 143. Great Egret | 3.27% |
| 144. Snowy Egret | 2.61% |
| 145. Little Blue Heron | 0.0540% |
| 146. Tricolored Heron | 0.0000% |
| 147. Reddish Egret | 0.0019% |
| 148. Cattle Egret | 0.5266% |
| 149. Green Heron | <u>4</u> .07% |
| 150. Black-crowned Night-Heron | <u>4.</u> 07% |
| 151. Yellow-crowned Night-Heron | 0.0039% |
| 152. White Ibis | 0.0019% |
| 153. Glossy Ibis | 0.0232% |
| 154. White-faced Ibis | 2.04% |

| 155. Roseate Spoonbill | 0.0000% |
|----------------------------|-----------------|
| 156. California Condor | 0.5980% |
| 157. Black Vulture | 1.26% |
| 158. Turkey Vulture | 30.57% |
| 159. Osprey | <u>1</u> .98% |
| 160. White-tailed Kite | 0.0636% |
| 161. Golden Eagle | 0.4591% |
| 162. Mississippi Kite | 0.2565% |
| 163. Northern Harrier | 0.0617% |
| 164. Sharp-shinned Hawk | 0.1775% |
| 165. Cooper's Hawk | 8.08% |
| 166. Northern Goshawk | 0.3819% |
| 167. Bald Eagle | 0.8680% |
| 168. Common Black Hawk | 1.35% |
| 169. Harris's Hawk | 0.9124% |
| 170. Gray Hawk | <u>4.</u> 59% |
| 171. Red-shouldered Hawk | 0.0752% |
| 172. Short-tailed Hawk | 0.0386% |
| 173. Swainson's Hawk | 2.70% |
| 174. Zone-tailed Hawk | 2.64% |
| 175. Red-tailed Hawk | 13.27% |
| 176. Ferruginous Hawk | 0.0270% |
| 177. Barn Owl | 0.4687% |
| 178. Flammulated Owl | 0.3568% |
| 179. Whiskered Screech-Owl | 1.22% |
| 180. Western Screech-Owl | 1.07% Go to top |

| tot. Overt Henned Over | 2 170/ |
|-------------------------------------|---------------------|
| 181. Great Horned Owl | 2.17% |
| 182. Northern Pygmy-Owl | 0.8314% |
| 183. Ferruginous Pygmy-Owl | 0.0270% |
| 184. Elf Owl | 1.34% |
| 185. Burrowing Owl | 0.8931% |
| 186. Spotted Owl | 0.5787% |
| 187. Long-eared Owl | 0.0463% |
| 188. Northern Saw-whet Owl | 0.0636% |
| 189. Eared Quetzal | 0.1659% |
| 190. Elegant Trogon | 3.02% |
| 191. Belted Kingfisher | 0.1832% |
| 192. Green Kingfisher | 0.1080% |
| 193. Williamson's Sapsucker | 0.9259% |
| 194. Red-naped Sapsucker | 0.5440% |
| 195. Lewis's Woodpecker | 0.4880% |
| 196. Red-headed Woodpecker | 0.0424% |
| 197. Acorn Woodpecker | 15.56% |
| 198. Gila Woodpecker | 25.75% |
| 199. American Three-toed Woodpecker | 0.2373% |
| 200. Downy Woodpecker | 0.5652% |
| 201. Ladder-backed Woodpecker | <u>13.66</u> % |
| 202. Hairy Woodpecker | <mark>7.5</mark> 1% |
| 203. Arizona Woodpecker | <u>4.</u> 27% |
| 204. Northern Flicker | 13.90% |
| 205. Gilded Flicker | <u>3</u> .06% |
| 206. Crested Caracara | 0.0849% |
| 207. American Kestrel | 6.44% |
| | |

| 208. Peregrine Falcon | 1.48% |
|------------------------------------|---------------|
| | • |
| 209. Prairie Falcon | 0.4359% |
| 210. Rosy-faced Lovebird | 1.71% |
| 211. Yellow-collared Lovebird | 0.0019% |
| 212. Monk Parakeet | 0.0174% |
| 213. Thick-billed Parrot | 0.0019% |
| 214. Nanday Parakeet | 0.0039% |
| 215. Gray-collared Becard | 0.0000% |
| 216. Rose-throated Becard | 0.5092% |
| 217. Northern Beardless-Tyrannulet | 2.08% |
| 218. Tufted Flycatcher | 0.2295% |
| 219. Olive-sided Flycatcher | 0.5690% |
| 220. Greater Pewee | 2.27% |
| 221. Western Wood-Pewee | 14.75% |
| 222. Eastern Wood-Pewee | 0.0058% |
| 223. Yellow-bellied Flycatcher | 0.0000% |
| 224. Willow Flycatcher | 0.8641% |
| 225. Hammond's Flycatcher | 0.0116% |
| 226. Gray Flycatcher | 0.7831% |
| 227. Dusky Flycatcher | 0.3491% |
| 228. Pine Flycatcher | 0.2045% |
| 229. Pacific-slope Flycatcher | 0.4321% |
| 230. Cordilleran Flycatcher | <u>8.4</u> 1% |
| 231. Buff-breasted Flycatcher | 1.08% |
| 232. Black Phoebe | 9.63% |
| 233. Eastern Phoebe | 0.0019% |

| 234. Say's Phoebe | 12.23% |
|---------------------------------|---------------------|
| 235. Vermilion Flycatcher | 12.80% |
| 236. Dusky-capped Flycatcher | 8.19% |
| 237. Ash-throated Flycatcher | 17.95% |
| 238. Nutting's Flycatcher | 0.0328% |
| 239. Brown-crested Flycatcher | 13.21% |
| 240. Sulphur-bellied Flycatcher | <u>3.</u> 51% |
| 241. Tropical Kingbird | 2.22% |
| 242. Cassin's Kingbird | 12.40% |
| 243. Thick-billed Kingbird | 0.9355% |
| 244. Western Kingbird | 11.09% |
| 245. Eastern Kingbird | 0.0058% |
| 246. Scissor-tailed Flycatcher | 0.0887% |
| 247. White-eyed Vireo | 0.0039% |
| 248. Bell's Vireo | 12.99% |
| 249. Gray Vireo | 0.7831% |
| 250. Hutton's Vireo | <u>4.</u> 84% |
| 251. Yellow-throated Vireo | 0.1370% |
| 252. Cassin's Vireo | 0.0559% |
| 253. Plumbeous Vireo | 10.80% |
| 254. Warbling Vireo | <mark>4.</mark> 55% |
| 255. Red-eyed Vireo | 0.0174% |
| 256. Yellow-green Vireo | 0.0077% |
| 257. Loggerhead Shrike | 2.55% |
| 258. Canada Jay | 0.1022% |
| 259. Black-throated Magpie-Jay | 0.0019% Go to top |

| 260. Pinyon Jay | 0.8371% |
|------------------------------------|-----------------|
| 261. Steller's Jay | 9.74% |
| 262. Woodhouse's Scrub-Jay | <u>4.</u> 49% |
| 263. Mexican Jay | 10.16% |
| 264. Black-billed Magpie | 0.0096% |
| 265. Clark's Nutcracker | 0.9471% |
| 266. American Crow | 3.64% |
| 267. Chihuahuan Raven | 1.47% |
| 268. Common Raven | 27.34% |
| 269. Black-capped Chickadee | 0.0039% |
| 270. Mountain Chickadee | 7.19% |
| 271. Mexican Chickadee | 0.8140% |
| 272. Bridled Titmouse | 10.15% |
| 273. Juniper Titmouse | 2.33% |
| 274. Verdin | 24.20% |
| 275. Horned Lark | 2.41% |
| 276. Northern Rough-winged Swallow | 9.05% |
| 277. Purple Martin | 3.55% |
| 278. Tree Swallow | 0.8236% |
| 279. Violet-green Swallow | 12.74% |
| 280. Bank Swallow | 0.0212% |
| 281. Barn Swallow | 10.91% |
| 282. Cliff Swallow | 8.41% |
| 283. Cave Swallow | 0.0019% |
| 284. Bushtit | 5.95% |
| 285. Golden-crowned Kinglet | 0.3761% |
| 286. Ruby-crowned Kinglet | 1.31% Go to top |
| | |

| 287. Red-breasted Nuthatch | 2.31% |
|-------------------------------|------------------|
| | - |
| 288. White-breasted Nuthatch | 18.12% |
| 289. Pygmy Nuthatch | <u>7.9</u> 0% |
| 290. Brown Creeper | <u>4.</u> 36% |
| 291. Blue-gray Gnatcatcher | <u>4.</u> 67% |
| 292. Black-tailed Gnatcatcher | 7.75% |
| 293. Black-capped Gnatcatcher | 0.3491% |
| 294. Rock Wren | <u>3.</u> 56% |
| 295. Canyon Wren | 7.33% |
| 296. House Wren | 12.18% |
| 297. Pacific Wren | 0.0116% |
| 298. Marsh Wren | 0.3086% |
| 299. Carolina Wren | 0.0019% |
| 300. Bewick's Wren | 15.12% |
| 301. Cactus Wren | <u>13.70</u> % |
| 302. Sinaloa Wren | 0.0058% |
| 303. American Dipper | 0.1755% |
| 304. European Starling | 9.91% |
| 305. Gray Catbird | 0.2160% |
| 306. Curve-billed Thrasher | 17.97% |
| 307. Brown Thrasher | 0.0096% |
| 308. Bendire's Thrasher | 0.4475% |
| 309. LeConte's Thrasher | 0.0579% |
| 310. Crissal Thrasher | 1.93% |
| 311. Sage Thrasher | 0.0733% |
| 312. Northern Mockingbird | 20.30% Go to top |

| 313. Eastern Bluebird | 0.3819% |
|---------------------------|-------------------|
| 314. Western Bluebird | 8.06% |
| 315. Mountain Bluebird | 1.16% |
| 316. Townsend's Solitaire | 0.5189% |
| 317. Varied Thrush | 0.0000% |
| 318. Swainson's Thrush | 0.2334% |
| 319. Hermit Thrush | 8.19% |
| 320. Wood Thrush | 0.0039% |
| 321. Aztec Thrush | 0.0193% |
| 322. American Robin | 17.27% |
| 323. Rufous-backed Robin | 0.0019% |
| 324. Cedar Waxwing | 0.1370% |
| 325. Phainopepla | 13.16% |
| 326. Olive Warbler | 1.89% |
| 327. House Sparrow | 21.41% |
| 328. American Pipit | 0.0386% |
| 329. Evening Grosbeak | 0.1350% |
| 330. Pine Grosbeak | 0.0039% |
| 331. House Finch | 44.44% |
| 332. Purple Finch | 0.0000% |
| 333. Cassin's Finch | 0.4687% |
| 334. Red Crossbill | 1.31% |
| 335. Pine Siskin | 2 .96% |
| 336. Lesser Goldfinch | 27.38% |
| 337. Lawrence's Goldfinch | 0.0289% |
| 338. American Goldfinch | 0.0752% Go to top |

| 339. Rufous-winged Sparrow | 3.95 % |
|------------------------------|-----------------|
| 340. Botteri's Sparrow | <u>1</u> .81% |
| 341. Cassin's Sparrow | 0.2411% |
| 342. Grasshopper Sparrow | 0.1910% |
| 343. Chipping Sparrow | 5. 31% |
| 344. Clay-colored Sparrow | 0.0019% |
| 345. Black-chinned Sparrow | 1.15% |
| 346. Brewer's Sparrow | 0.0694% |
| 347. Black-throated Sparrow | 9.76% |
| 348. Five-striped Sparrow | 0.4977% |
| 349. Lark Sparrow | 2.63% |
| 350. Lark Bunting | 0.0058% |
| 351. Dark-eyed Junco | 6.40% |
| 352. Yellow-eyed Junco | <u>6.2</u> 6% |
| 353. White-crowned Sparrow | 0.1215% |
| 354. Sagebrush Sparrow | 0.1003% |
| 355. Vesper Sparrow | 0.8294% |
| 356. Savannah Sparrow | 0.0714% |
| 357. Song Sparrow | 9.49% |
| 358. Lincoln's Sparrow | 0.1389% |
| 359. Canyon Towhee | 8.3 3% |
| 360. Abert's Towhee | 16.00% |
| з61. Rufous-crowned Sparrow | <u>5.</u> 10% |
| з62. Green-tailed Towhee | 0.8526% |
| 363. Spotted Towhee | 12.94% |
| 364. Yellow-breasted Chat | 9.74% |
| 365. Yellow-headed Blackbird | 2.19% Go to top |
| | |

| 366. Bobolink | 0.0019% |
|-------------------------------|---------------|
| 367. Western Meadowlark | 1.87% |
| 368. Eastern Meadowlark | 1.88% |
| 369. Orchard Oriole | 0.0232% |
| 370. Hooded Oriole | 7.85% |
| 371. Streak-backed Oriole | 0.1350% |
| 372. Bullock's Oriole | 6.49% |
| 373. Baltimore Oriole | 0.0096% |
| 374. Scott's Oriole | <u>4.</u> 66% |
| 375. Red-winged Blackbird | 12.51% |
| 376. Bronzed Cowbird | 5.25% |
| 377. Brown-headed Cowbird | 21.33% |
| 378. Brewer's Blackbird | 2.49% |
| 379. Common Grackle | 0.0000% |
| 380. Great-tailed Grackle | 20.90% |
| 381. Ovenbird | 0.0289% |
| 382. Worm-eating Warbler | 0.0039% |
| 383. Northern Waterthrush | 0.0193% |
| 384. Golden-winged Warbler | 0.0019% |
| 385. Blue-winged Warbler | 0.0000% |
| 386. Black-and-white Warbler | 0.0212% |
| 387. Prothonotary Warbler | 0.0019% |
| 388. Swainson's Warbler | 0.0000% |
| 389. Crescent-chested Warbler | 0.0791% |
| 390. Orange-crowned Warbler | 0.5247% |
| 391. Lucy's Warbler | 16.93% |

| 392. Nashville Warbler | 0.0096% |
|-----------------------------------|-----------------|
| 393. Virginia's Warbler | <u>3</u> .01% |
| 394. MacGillivray's Warbler | 0.4764% |
| 395. Mourning Warbler | 0.0039% |
| з96. Kentucky Warbler | 0.0135% |
| 397. Common Yellowthroat | 9.13% |
| 398. Hooded Warbler | 0.1755% |
| 399. American Redstart | 0.0559% |
| 400. Northern Parula | 0.0733% |
| 401. Tropical Parula | 0.0945% |
| 402. Magnolia Warbler | 0.0019% |
| 403. Yellow Warbler | 11.97% |
| 404. Chestnut-sided Warbler | 0.0251% |
| 405. Black-throated Blue Warbler | 0.0000% |
| 406. Yellow-rumped Warbler | 4.42% |
| 407. Yellow-throated Warbler | 0.0096% |
| 408. Grace's Warbler | <u>6.1</u> 7% |
| 409. Black-throated Gray Warbler | <u>5.</u> 51% |
| 410. Townsend's Warbler | 0.0656% |
| 411. Hermit Warbler | 0.0077% |
| 412. Black-throated Green Warbler | 0.0019% |
| 413. Fan-tailed Warbler | 0.0058% |
| 414. Rufous-capped Warbler | 0.2199% |
| 415. Canada Warbler | 0.0058% |
| 416. Wilson's Warbler | 0.4147% |
| 417. Red-faced Warbler | 4.77% Go to top |

| 418. Painted Redstart | 7.89% |
|------------------------------|---------------|
| 419. Slate-throated Redstart | 0.1987% |
| 420. Hepatic Tanager | <u>6.4</u> 6% |
| 421. Summer Tanager | 10.57% |
| 422. Scarlet Tanager | 0.0174% |
| 423. Western Tanager | 9.78% |
| 424. Flame-colored Tanager | 0.2893% |
| 425. Northern Cardinal | 14.26% |
| 426. Pyrrhuloxia | <u>5.</u> 10% |
| 427. Yellow Grosbeak | 0.0309% |
| 428. Rose-breasted Grosbeak | 0.1003% |
| 429. Black-headed Grosbeak | 14.79% |
| 430. Blue Grosbeak | 14.58% |
| 431. Lazuli Bunting | 0.6462% |
| 432. Indigo Bunting | 1.08% |
| 433. Varied Bunting | <u>4.</u> 50% |
| 434. Painted Bunting | 0.0289% |
| 435. Dickcissel | 0.0000% |