

## Target Species

Based on 87,690 complete checklists

**433** species observed in Arizona, US (subnational1/US-AZ) in **Mar** that you need for your **Arizona Life List**

1. <b>House Finch</b>	<b>49.18%</b> frequency
2. <b>Mourning Dove</b>	<b>47.31%</b>
3. <b>Gila Woodpecker</b>	<b>39.23%</b>
4. <b>Lesser Goldfinch</b>	<b>37.90%</b>
5. <b>Verdin</b>	<b>35.13%</b>
6. <b>Yellow-rumped Warbler</b>	<b>31.81%</b>
7. <b>White-crowned Sparrow</b>	<b>31.44%</b>
8. <b>Common Raven</b>	<b>30.07%</b>
9. <b>Anna's Hummingbird</b>	<b>28.07%</b>
10. <b>Gambel's Quail</b>	<b>26.31%</b>
11. <b>Ruby-crowned Kinglet</b>	<b>24.74%</b>
12. <b>Curve-billed Thrasher</b>	<b>24.17%</b>
13. <b>Great-tailed Grackle</b>	<b>23.01%</b>
14. <b>House Sparrow</b>	<b>22.69%</b>
15. <b>Red-tailed Hawk</b>	<b>22.51%</b>
16. <b>Turkey Vulture</b>	<b>22.22%</b>
17. <b>Abert's Towhee</b>	<b>21.76%</b>
18. <b>American Coot</b>	<b>21.40%</b>
19. <b>Ladder-backed Woodpecker</b>	<b>19.49%</b>
20. <b>Cactus Wren</b>	<b>19.38%</b>
21. <b>Northern Cardinal</b>	<b>19.28%</b>
22. <b>Vermilion Flycatcher</b>	<b>19.20%</b>

23. Eurasian Collared-Dove	<b><u>18.83%</u></b>
24. Northern Mockingbird	<b><u>18.75%</u></b>
25. Bewick's Wren	<b><u>18.04%</u></b>
26. Phainopepla	<b><u>17.30%</u></b>
27. Say's Phoebe	<b><u>16.94%</u></b>
28. Black Phoebe	<b><u>16.87%</u></b>
29. European Starling	<b><u>16.42%</u></b>
30. Red-winged Blackbird	<b><u>15.56%</u></b>
31. Song Sparrow	<b><u>15.18%</u></b>
32. White-winged Dove	<b><u>14.93%</u></b>
33. Cooper's Hawk	<b><u>14.58%</u></b>
34. Chipping Sparrow	<b><u>14.35%</u></b>
35. Northern Flicker	<b><u>14.16%</u></b>
36. Broad-billed Hummingbird	<b><u>13.61%</u></b>
37. White-breasted Nuthatch	<b><u>13.52%</u></b>
38. Northern Rough-winged Swallow	<b><u>13.33%</u></b>
39. Lincoln's Sparrow	<b><u>12.77%</u></b>
40. Ruddy Duck	<b><u>12.64%</u></b>
41. Dark-eyed Junco	<b><u>12.62%</u></b>
42. Lucy's Warbler	<b><u>12.35%</u></b>
43. Rock Pigeon	<b><u>12.28%</u></b>
44. Northern Shoveler	<b><u>12.23%</u></b>
45. Killdeer	<b><u>11.83%</u></b>
46. Bridled Titmouse	<b><u>11.82%</u></b>
47. Pied-billed Grebe	<b><u>11.36%</u></b>
48. Cinnamon Teal	<b><u>11.22%</u></b>
49. Black-throated Sparrow	<b><u>11.18%</u></b>

[Go to top](#)

50. <b>Mallard</b>	<b>10.83%</b>
51. <b>Ring-necked Duck</b>	<b>10.51%</b>
52. <b>Great Blue Heron</b>	<b>10.49%</b>
53. <b>Black-tailed Gnatcatcher</b>	<b>10.31%</b>
54. <b>Pyrrhuloxia</b>	<b>10.19%</b>
55. <b>American Wigeon</b>	<b>10.06%</b>
56. <b>American Kestrel</b>	<b>9.79%</b>
57. <b>Acorn Woodpecker</b>	<b>9.16%</b>
58. <b>Canyon Towhee</b>	<b>9.07%</b>
59. <b>Costa's Hummingbird</b>	<b>8.90%</b>
60. <b>Pine Siskin</b>	<b>8.82%</b>
61. <b>American Robin</b>	<b>8.54%</b>
62. <b>Green-winged Teal</b>	<b>8.31%</b>
63. <b>Neotropic Cormorant</b>	<b>8.29%</b>
64. <b>Greater Roadrunner</b>	<b>8.12%</b>
65. <b>Spotted Towhee</b>	<b>8.11%</b>
66. <b>Orange-crowned Warbler</b>	<b>7.81%</b>
67. <b>Mexican Jay</b>	<b>7.72%</b>
68. <b>Black-chinned Hummingbird</b>	<b>7.63%</b>
69. <b>Great Egret</b>	<b>7.27%</b>
70. <b>Gadwall</b>	<b>7.18%</b>
71. <b>Bell's Vireo</b>	<b>6.88%</b>
72. <b>Ash-throated Flycatcher</b>	<b>6.85%</b>
73. <b>Double-crested Cormorant</b>	<b>6.76%</b>
74. <b>Canyon Wren</b>	<b>6.48%</b>
75. <b>Rufous-winged Sparrow</b>	<b>6.40%</b>

[Go to top](#)

76.	<b>Inca Dove</b>	<b>6.26%</b>
77.	<b>Marsh Wren</b>	<b>5.84%</b>
78.	<b>Western Bluebird</b>	<b>5.62%</b>
79.	<b>Yellow Warbler</b>	<b>5.38%</b>
80.	<b>Brewer's Sparrow</b>	<b>5.35%</b>
81.	<b>Bufflehead</b>	<b>5.35%</b>
82.	<b>Rock Wren</b>	<b>5.32%</b>
83.	<b>Hermit Thrush</b>	<b>5.30%</b>
84.	<b>Northern Harrier</b>	<b>5.16%</b>
85.	<b>Lesser Scaup</b>	<b>5.14%</b>
86.	<b>Canada Goose</b>	<b>5.02%</b>
87.	<b>Green-tailed Towhee</b>	<b>4.87%</b>
88.	<b>Violet-green Swallow</b>	<b>4.63%</b>
89.	<b>Painted Redstart</b>	<b>4.56%</b>
90.	<b>Common Yellowthroat</b>	<b>4.44%</b>
91.	<b>Gilded Flicker</b>	<b>4.42%</b>
92.	<b>Vesper Sparrow</b>	<b>4.37%</b>
93.	<b>Hutton's Vireo</b>	<b>4.35%</b>
94.	<b>Blue-gray Gnatcatcher</b>	<b>4.28%</b>
95.	<b>House Wren</b>	<b>4.24%</b>
96.	<b>Least Sandpiper</b>	<b>4.06%</b>
97.	<b>Woodhouse's Scrub-Jay</b>	<b>3.92%</b>
98.	<b>Loggerhead Shrike</b>	<b>3.85%</b>
99.	<b>Snowy Egret</b>	<b>3.81%</b>
100.	<b>Cliff Swallow</b>	<b>3.77%</b>
101.	<b>Bushtit</b>	<b>3.77%</b>

[Go to top](#)

102.	<b>Tree Swallow</b>	<b>3.73%</b>
103.	<b>Black-necked Stilt</b>	<b>3.50%</b>
104.	<b>Pygmy Nuthatch</b>	<b>3.50%</b>
105.	<b>Steller's Jay</b>	<b>3.46%</b>
106.	<b>Common Gallinule</b>	<b>3.42%</b>
107.	<b>Brewer's Blackbird</b>	<b>3.32%</b>
108.	<b>Great Horned Owl</b>	<b>3.27%</b>
109.	<b>Mountain Chickadee</b>	<b>3.26%</b>
110.	<b>Rufous-crowned Sparrow</b>	<b>3.20%</b>
111.	<b>Black-crowned Night-Heron</b>	<b>3.19%</b>
112.	<b>Yellow-eyed Junco</b>	<b>3.17%</b>
113.	<b>Green Heron</b>	<b>3.15%</b>
114.	<b>Gray Hawk</b>	<b>3.15%</b>
115.	<b>Lark Sparrow</b>	<b>3.13%</b>
116.	<b>Belted Kingfisher</b>	<b>3.12%</b>
117.	<b>Common Merganser</b>	<b>3.10%</b>
118.	<b>Western Meadowlark</b>	<b>3.09%</b>
119.	<b>Black-throated Gray Warbler</b>	<b>3.04%</b>
120.	<b>Osprey</b>	<b>3.00%</b>
121.	<b>Savannah Sparrow</b>	<b>2.93%</b>
122.	<b>Rufous Hummingbird</b>	<b>2.89%</b>
123.	<b>Brown-headed Cowbird</b>	<b>2.88%</b>
124.	<b>Black Vulture</b>	<b>2.87%</b>
125.	<b>Sora</b>	<b>2.85%</b>
126.	<b>White-throated Swift</b>	<b>2.84%</b>
127.	<b>Arizona Woodpecker</b>	<b>2.77%</b>
128.	<b>Rivoli's Hummingbird</b>	<b>2.74%</b>

[Go to top](#)

129.	<b>Common Black Hawk</b>	<b>2.74%</b>
130.	<b>Yellow-headed Blackbird</b>	<b>2.73%</b>
131.	<b>Long-billed Dowitcher</b>	<b>2.67%</b>
132.	<b>Eared Grebe</b>	<b>2.63%</b>
133.	<b>American Avocet</b>	<b>2.62%</b>
134.	<b>Sharp-shinned Hawk</b>	<b>2.61%</b>
135.	<b>Hairy Woodpecker</b>	<b>2.58%</b>
136.	<b>Redhead</b>	<b>2.42%</b>
137.	<b>Harris's Hawk</b>	<b>2.39%</b>
138.	<b>Wild Turkey</b>	<b>2.39%</b>
139.	<b>Gray Flycatcher</b>	<b>2.33%</b>
140.	<b>Broad-tailed Hummingbird</b>	<b>2.32%</b>
141.	<b>Mexican Duck</b>	<b>2.26%</b>
142.	<b>Hooded Oriole</b>	<b>2.25%</b>
143.	<b>Barn Swallow</b>	<b>2.21%</b>
144.	<b>Blue-winged Teal</b>	<b>2.18%</b>
145.	<b>Ring-billed Gull</b>	<b>2.17%</b>
146.	<b>Zone-tailed Hawk</b>	<b>2.16%</b>
147.	<b>Brown Creeper</b>	<b>2.13%</b>
148.	<b>American Crow</b>	<b>2.10%</b>
149.	<b>Cassin's Kingbird</b>	<b>2.06%</b>
150.	<b>Bald Eagle</b>	<b>2.05%</b>
151.	<b>Wilson's Warbler</b>	<b>2.02%</b>
152.	<b>Crissal Thrasher</b>	<b>2.02%</b>
153.	<b>Greater Yellowlegs</b>	<b>1.98%</b>
154.	<b>Spotted Sandpiper</b>	<b>1.92%</b>

[Go to top](#)

155.	<b>Canvasback</b>	<b>1.92%</b>
156.	<b>Plumbeous Vireo</b>	<b>1.90%</b>
157.	<b>Red-naped Sapsucker</b>	<b>1.87%</b>
158.	<b>Chihuahuan Raven</b>	<b>1.86%</b>
159.	<b>Horned Lark</b>	<b>1.83%</b>
160.	<b>Wilson's Snipe</b>	<b>1.83%</b>
161.	<b>Northern Pintail</b>	<b>1.80%</b>
162.	<b>Northern Beardless-Tyrannulet</b>	<b>1.79%</b>
163.	<b>Cassin's Finch</b>	<b>1.79%</b>
164.	<b>Scott's Oriole</b>	<b>1.75%</b>
165.	<b>Violet-crowned Hummingbird</b>	<b>1.74%</b>
166.	<b>Juniper Titmouse</b>	<b>1.70%</b>
167.	<b>American Pipit</b>	<b>1.68%</b>
168.	<b>Hammond's Flycatcher</b>	<b>1.68%</b>
169.	<b>Cassin's Vireo</b>	<b>1.59%</b>
170.	<b>Peregrine Falcon</b>	<b>1.57%</b>
171.	<b>Rosy-faced Lovebird</b>	<b>1.55%</b>
172.	<b>Townsend's Solitaire</b>	<b>1.50%</b>
173.	<b>Cedar Waxwing</b>	<b>1.44%</b>
174.	<b>Lazuli Bunting</b>	<b>1.43%</b>
175.	<b>Hepatic Tanager</b>	<b>1.41%</b>
176.	<b>Western Kingbird</b>	<b>1.40%</b>
177.	<b>Western Grebe</b>	<b>1.40%</b>
178.	<b>Common Goldeneye</b>	<b>1.37%</b>
179.	<b>Black-chinned Sparrow</b>	<b>1.30%</b>
180.	<b>Eastern Meadowlark</b>	<b>1.18%</b>

[Go to top](#)

181.	<b>Virginia Rail</b>	<b>1.13%</b>
182.	<b>Lark Bunting</b>	<b>1.04%</b>
183.	<b>White-faced Ibis</b>	<b>0.9887%</b>
184.	<b>Bullock's Oriole</b>	<b>0.9716%</b>
185.	<b>Western Screech-Owl</b>	<b>0.9568%</b>
186.	<b>American White Pelican</b>	<b>0.9283%</b>
187.	<b>Bendire's Thrasher</b>	<b>0.9066%</b>
188.	<b>Golden Eagle</b>	<b>0.8747%</b>
189.	<b>American Goldfinch</b>	<b>0.8610%</b>
190.	<b>Sage Thrasher</b>	<b>0.8427%</b>
191.	<b>Townsend's Warbler</b>	<b>0.8336%</b>
192.	<b>Red-breasted Nuthatch</b>	<b>0.8108%</b>
193.	<b>Olive Warbler</b>	<b>0.8028%</b>
194.	<b>Swainson's Hawk</b>	<b>0.7983%</b>
195.	<b>Common Poorwill</b>	<b>0.7743%</b>
196.	<b>Hooded Merganser</b>	<b>0.7401%</b>
197.	<b>Burrowing Owl</b>	<b>0.7298%</b>
198.	<b>Clark's Grebe</b>	<b>0.7287%</b>
199.	<b>Sandhill Crane</b>	<b>0.7207%</b>
200.	<b>Elegant Trogon</b>	<b>0.6911%</b>
201.	<b>Elf Owl</b>	<b>0.6899%</b>
202.	<b>Common Ground Dove</b>	<b>0.6819%</b>
203.	<b>Wood Duck</b>	<b>0.6808%</b>
204.	<b>Snow Goose</b>	<b>0.6774%</b>
205.	<b>White-throated Sparrow</b>	<b>0.6694%</b>
206.	<b>Dusky Flycatcher</b>	<b>0.6660%</b>
207.	<b>Merlin</b>	<b>0.6455%</b>

[Go to top](#)



208.	<b>Lawrence's Goldfinch</b>	<b>0.6398%</b>
209.	<b>Prairie Falcon</b>	<b>0.6090%</b>
210.	<b>Black-capped Gnatcatcher</b>	<b>0.6010%</b>
211.	<b>Red Crossbill</b>	<b>0.5827%</b>
212.	<b>Warbling Vireo</b>	<b>0.5314%</b>
213.	<b>Scaled Quail</b>	<b>0.5291%</b>
214.	<b>Mountain Bluebird</b>	<b>0.5280%</b>
215.	<b>Blue-throated Mountain-gem</b>	<b>0.4778%</b>
216.	<b>Bronzed Cowbird</b>	<b>0.4254%</b>
217.	<b>Lewis's Woodpecker</b>	<b>0.4197%</b>
218.	<b>Evening Grosbeak</b>	<b>0.4140%</b>
219.	<b>Black-and-white Warbler</b>	<b>0.3866%</b>
220.	<b>Montezuma Quail</b>	<b>0.3798%</b>
221.	<b>Whiskered Screech-Owl</b>	<b>0.3729%</b>
222.	<b>California Gull</b>	<b>0.3649%</b>
223.	<b>Lesser Yellowlegs</b>	<b>0.3535%</b>
224.	<b>Cassin's Sparrow</b>	<b>0.3512%</b>
225.	<b>Swamp Sparrow</b>	<b>0.3455%</b>
226.	<b>Williamson's Sapsucker</b>	<b>0.3421%</b>
227.	<b>Long-billed Curlew</b>	<b>0.3239%</b>
228.	<b>Crested Caracara</b>	<b>0.3239%</b>
229.	<b>Least Bittern</b>	<b>0.3193%</b>
230.	<b>Barn Owl</b>	<b>0.3102%</b>
231.	<b>Pinyon Jay</b>	<b>0.3079%</b>
232.	<b>Ferruginous Hawk</b>	<b>0.3068%</b>
233.	<b>Greater Scaup</b>	<b>0.3045%</b>

[Go to top](#)

234.	<b>Common Loon</b>	<b>0.2942%</b>
235.	<b>Cattle Egret</b>	<b>0.2942%</b>
236.	<b>California Condor</b>	<b>0.2908%</b>
237.	<b>Northern Pygmy-Owl</b>	<b>0.2897%</b>
238.	<b>Rufous-backed Robin</b>	<b>0.2771%</b>
239.	<b>Pacific-slope Flycatcher</b>	<b>0.2737%</b>
240.	<b>Fox Sparrow</b>	<b>0.2703%</b>
241.	<b>LeConte's Thrasher</b>	<b>0.2452%</b>
242.	<b>Rufous-capped Warbler</b>	<b>0.2326%</b>
243.	<b>Ridgway's Rail</b>	<b>0.2281%</b>
244.	<b>Sinaloa Wren</b>	<b>0.2167%</b>
245.	<b>Buff-breasted Flycatcher</b>	<b>0.2110%</b>
246.	<b>Greater White-fronted Goose</b>	<b>0.2007%</b>
247.	<b>Grace's Warbler</b>	<b>0.1950%</b>
248.	<b>Grasshopper Sparrow</b>	<b>0.1916%</b>
249.	<b>Downy Woodpecker</b>	<b>0.1836%</b>
250.	<b>Chestnut-collared Longspur</b>	<b>0.1825%</b>
251.	<b>Red-breasted Merganser</b>	<b>0.1790%</b>
252.	<b>Nashville Warbler</b>	<b>0.1790%</b>
253.	<b>Dusky-capped Flycatcher</b>	<b>0.1768%</b>
254.	<b>Eastern Bluebird</b>	<b>0.1756%</b>
255.	<b>Golden-crowned Kinglet</b>	<b>0.1722%</b>
256.	<b>American Bittern</b>	<b>0.1688%</b>
257.	<b>Tufted Flycatcher</b>	<b>0.1688%</b>
258.	<b>Summer Tanager</b>	<b>0.1654%</b>
259.	<b>Dunlin</b>	<b>0.1631%</b>

[Go to top](#)

260.	<b>Brown Pelican</b>	<b>0.1574%</b>
261.	<b>Greater Pewee</b>	<b>0.1574%</b>
262.	<b>Louisiana Waterthrush</b>	<b>0.1562%</b>
263.	<b>Lucifer Hummingbird</b>	<b>0.1528%</b>
264.	<b>Blue Grosbeak</b>	<b>0.1528%</b>
265.	<b>Ross's Goose</b>	<b>0.1505%</b>
266.	<b>Mexican Chickadee</b>	<b>0.1494%</b>
267.	<b>Red-shouldered Hawk</b>	<b>0.1448%</b>
268.	<b>Calliope Hummingbird</b>	<b>0.1426%</b>
269.	<b>Bonaparte's Gull</b>	<b>0.1426%</b>
270.	<b>Western Sandpiper</b>	<b>0.1391%</b>
271.	<b>White-tailed Kite</b>	<b>0.1311%</b>
272.	<b>Franklin's Gull</b>	<b>0.1300%</b>
273.	<b>Golden-crowned Sparrow</b>	<b>0.1243%</b>
274.	<b>Spotted Owl</b>	<b>0.1220%</b>
275.	<b>Sagebrush Sparrow</b>	<b>0.1220%</b>
276.	<b>Black Rail</b>	<b>0.1197%</b>
277.	<b>Horned Grebe</b>	<b>0.1118%</b>
278.	<b>Band-tailed Pigeon</b>	<b>0.1118%</b>
279.	<b>Ruddy Ground Dove</b>	<b>0.1106%</b>
280.	<b>Northern Parula</b>	<b>0.1061%</b>
281.	<b>Lesser Nighthawk</b>	<b>0.1026%</b>
282.	<b>Solitary Sandpiper</b>	<b>0.1015%</b>
283.	<b>Streak-backed Oriole</b>	<b>0.1003%</b>
284.	<b>Black-bellied Whistling-Duck</b>	<b>0.0958%</b>
285.	<b>Rose-throated Becard</b>	<b>0.0958%</b>
286.	<b>Harris's Sparrow</b>	<b>0.0958%</b>

[Go to top](#)

287.	<b>Yellow-bellied Sapsucker</b>	<b>0.0947%</b>
288.	<b>Baltimore Oriole</b>	<b>0.0878%</b>
289.	<b>Eastern Phoebe</b>	<b>0.0867%</b>
290.	<b>Eurasian Wigeon</b>	<b>0.0833%</b>
291.	<b>Long-eared Owl</b>	<b>0.0833%</b>
292.	<b>Green Kingfisher</b>	<b>0.0833%</b>
293.	<b>Pacific Wren</b>	<b>0.0833%</b>
294.	<b>Least Grebe</b>	<b>0.0821%</b>
295.	<b>Virginia's Warbler</b>	<b>0.0821%</b>
296.	<b>Northern Goshawk</b>	<b>0.0776%</b>
297.	<b>Wilson's Phalarope</b>	<b>0.0764%</b>
298.	<b>Black-headed Grosbeak</b>	<b>0.0753%</b>
299.	<b>Pacific Loon</b>	<b>0.0730%</b>
300.	<b>Rough-legged Hawk</b>	<b>0.0707%</b>
301.	<b>Clark's Nutcracker</b>	<b>0.0696%</b>
302.	<b>Gray Vireo</b>	<b>0.0650%</b>
303.	<b>American Dipper</b>	<b>0.0639%</b>
304.	<b>Botteri's Sparrow</b>	<b>0.0627%</b>
305.	<b>Winter Wren</b>	<b>0.0616%</b>
306.	<b>Red-necked Grebe</b>	<b>0.0604%</b>
307.	<b>Northern Saw-whet Owl</b>	<b>0.0593%</b>
308.	<b>White Wagtail</b>	<b>0.0570%</b>
309.	<b>Mountain Plover</b>	<b>0.0536%</b>
310.	<b>Brown Thrasher</b>	<b>0.0513%</b>
311.	<b>Carolina Wren</b>	<b>0.0456%</b>
312.	<b>Flame-colored Tanager</b>	<b>0.0445%</b>

[Go to top](#)

313.	<b>Black-bellied Plover</b>	<b>0.0433%</b>
314.	<b>McCown's Longspur</b>	<b>0.0433%</b>
315.	<b>Short-tailed Hawk</b>	<b>0.0399%</b>
316.	<b>White-winged Scoter</b>	<b>0.0388%</b>
317.	<b>Barrow's Goldeneye</b>	<b>0.0376%</b>
318.	<b>Caspian Tern</b>	<b>0.0376%</b>
319.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0365%</b>
320.	<b>Gray Catbird</b>	<b>0.0353%</b>
321.	<b>Clay-colored Sparrow</b>	<b>0.0342%</b>
322.	<b>Western Tanager</b>	<b>0.0342%</b>
323.	<b>American Redstart</b>	<b>0.0331%</b>
324.	<b>Blue Mockingbird</b>	<b>0.0308%</b>
325.	<b>Slate-throated Redstart</b>	<b>0.0297%</b>
326.	<b>Red-throated Loon</b>	<b>0.0285%</b>
327.	<b>Nutting's Flycatcher</b>	<b>0.0285%</b>
328.	<b>Bank Swallow</b>	<b>0.0285%</b>
329.	<b>Nanday Parakeet</b>	<b>0.0274%</b>
330.	<b>Prairie Warbler</b>	<b>0.0274%</b>
331.	<b>Lapland Longspur</b>	<b>0.0262%</b>
332.	<b>Yellow-collared Lovebird</b>	<b>0.0251%</b>
333.	<b>Baird's Sparrow</b>	<b>0.0251%</b>
334.	<b>Mute Swan</b>	<b>0.0239%</b>
335.	<b>Monk Parakeet</b>	<b>0.0239%</b>
336.	<b>Tennessee Warbler</b>	<b>0.0239%</b>
337.	<b>MacGillivray's Warbler</b>	<b>0.0239%</b>
338.	<b>Herring Gull</b>	<b>0.0228%</b>

[Go to top](#)

339.	<b>Red-necked Phalarope</b>	<b>0.0217%</b>
340.	<b>Long-tailed Duck</b>	<b>0.0205%</b>
341.	<b>Ring-necked Pheasant</b>	<b>0.0194%</b>
342.	<b>Heermann's Gull</b>	<b>0.0194%</b>
343.	<b>Red-breasted Sapsucker</b>	<b>0.0182%</b>
344.	<b>Palm Warbler</b>	<b>0.0182%</b>
345.	<b>Chestnut-sided Warbler</b>	<b>0.0171%</b>
346.	<b>Hermit Warbler</b>	<b>0.0171%</b>
347.	<b>Tundra Swan</b>	<b>0.0160%</b>
348.	<b>Purple Finch</b>	<b>0.0160%</b>
349.	<b>Black-throated Green Warbler</b>	<b>0.0160%</b>
350.	<b>Northern Jacana</b>	<b>0.0148%</b>
351.	<b>American Three-toed Woodpecker</b>	<b>0.0148%</b>
352.	<b>Indigo Bunting</b>	<b>0.0137%</b>
353.	<b>Red Phalarope</b>	<b>0.0125%</b>
354.	<b>Varied Thrush</b>	<b>0.0125%</b>
355.	<b>Orchard Oriole</b>	<b>0.0125%</b>
356.	<b>Yellow-throated Warbler</b>	<b>0.0125%</b>
357.	<b>Cackling Goose</b>	<b>0.0114%</b>
358.	<b>Surf Scoter</b>	<b>0.0114%</b>
359.	<b>Marbled Godwit</b>	<b>0.0114%</b>
360.	<b>Five-striped Sparrow</b>	<b>0.0114%</b>
361.	<b>Rusty Blackbird</b>	<b>0.0114%</b>
362.	<b>Flammulated Owl</b>	<b>0.0103%</b>
363.	<b>Bell's Sparrow</b>	<b>0.0103%</b>
364.	<b>Whimbrel</b>	<b>0.0091%</b>
365.	<b>Sanderling</b>	<b>0.0091%</b>

[Go to top](#)

366.	<b>Forster's Tern</b>	<b>0.0091%</b>
367.	<b>Elegant Tern</b>	<b>0.0091%</b>
368.	<b>Sprague's Pipit</b>	<b>0.0091%</b>
369.	<b>Black-throated Blue Warbler</b>	<b>0.0091%</b>
370.	<b>Rose-breasted Grosbeak</b>	<b>0.0091%</b>
371.	<b>Black Scoter</b>	<b>0.0080%</b>
372.	<b>Willet</b>	<b>0.0080%</b>
373.	<b>Mew Gull</b>	<b>0.0080%</b>
374.	<b>Yellow-billed Loon</b>	<b>0.0080%</b>
375.	<b>Short-eared Owl</b>	<b>0.0080%</b>
376.	<b>Tropical Kingbird</b>	<b>0.0080%</b>
377.	<b>Semipalmated Plover</b>	<b>0.0068%</b>
378.	<b>Laughing Gull</b>	<b>0.0068%</b>
379.	<b>Brown-crested Flycatcher</b>	<b>0.0068%</b>
380.	<b>Yellow-breasted Chat</b>	<b>0.0068%</b>
381.	<b>Broad-winged Hawk</b>	<b>0.0057%</b>
382.	<b>Northern Shrike</b>	<b>0.0057%</b>
383.	<b>Garganey</b>	<b>0.0046%</b>
384.	<b>Mexican Whip-poor-will</b>	<b>0.0046%</b>
385.	<b>White Ibis</b>	<b>0.0046%</b>
386.	<b>Hooded Warbler</b>	<b>0.0046%</b>
387.	<b>Allen's Hummingbird</b>	<b>0.0034%</b>
388.	<b>American Golden-Plover</b>	<b>0.0034%</b>
389.	<b>Baird's Sandpiper</b>	<b>0.0034%</b>
390.	<b>Black-legged Kittiwake</b>	<b>0.0034%</b>
391.	<b>Thick-billed Kingbird</b>	<b>0.0034%</b>

[Go to top](#)

392.	<b>Northern Waterthrush</b>	<b>0.0034%</b>
393.	<b>Fulvous Whistling-Duck</b>	<b>0.0023%</b>
394.	<b>Tufted Duck</b>	<b>0.0023%</b>
395.	<b>Stilt Sandpiper</b>	<b>0.0023%</b>
396.	<b>White-eyed Vireo</b>	<b>0.0023%</b>
397.	<b>Sedge Wren</b>	<b>0.0023%</b>
398.	<b>Gray-crowned Rosy-Finch</b>	<b>0.0023%</b>
399.	<b>Black Rosy-Finch</b>	<b>0.0023%</b>
400.	<b>Worm-eating Warbler</b>	<b>0.0023%</b>
401.	<b>Egyptian Goose</b>	<b>0.0011%</b>
402.	<b>Chukar</b>	<b>0.0011%</b>
403.	<b>Buff-collared Nightjar</b>	<b>0.0011%</b>
404.	<b>Vaux's Swift</b>	<b>0.0011%</b>
405.	<b>White-eared Hummingbird</b>	<b>0.0011%</b>
406.	<b>Snowy Plover</b>	<b>0.0011%</b>
407.	<b>Pectoral Sandpiper</b>	<b>0.0011%</b>
408.	<b>Lesser Black-backed Gull</b>	<b>0.0011%</b>
409.	<b>Tricolored Heron</b>	<b>0.0011%</b>
410.	<b>Roseate Spoonbill</b>	<b>0.0011%</b>
411.	<b>Eared Quetzal</b>	<b>0.0011%</b>
412.	<b>Ringed Kingfisher</b>	<b>0.0011%</b>
413.	<b>Great Kiskadee</b>	<b>0.0011%</b>
414.	<b>Scissor-tailed Flycatcher</b>	<b>0.0011%</b>
415.	<b>Canada Jay</b>	<b>0.0011%</b>
416.	<b>Black-billed Magpie</b>	<b>0.0011%</b>
417.	<b>Black-capped Chickadee</b>	<b>0.0011%</b>

[Go to top](#)



418.	<b>Purple Martin</b>	<b>0.0011%</b>
419.	<b>Cave Swallow</b>	<b>0.0011%</b>
420.	<b>Scaly-breasted Munia</b>	<b>0.0011%</b>
421.	<b>Pine Grosbeak</b>	<b>0.0011%</b>
422.	<b>Common Redpoll</b>	<b>0.0011%</b>
423.	<b>Common Grackle</b>	<b>0.0011%</b>
424.	<b>Ovenbird</b>	<b>0.0011%</b>
425.	<b>Dickcissel</b>	<b>0.0011%</b>
426.	<b>Trumpeter Swan</b>	<b>0.0000%</b>
427.	<b>Elegant Quail</b>	<b>0.0000%</b>
428.	<b>Ruby-throated Hummingbird</b>	<b>0.0000%</b>
429.	<b>Magnificent Frigatebird</b>	<b>0.0000%</b>
430.	<b>Red-headed Woodpecker</b>	<b>0.0000%</b>
431.	<b>Blue-winged Warbler</b>	<b>0.0000%</b>
432.	<b>Cape May Warbler</b>	<b>0.0000%</b>
433.	<b>Pine Warbler</b>	<b>0.0000%</b>