

Target Species

Based on 48,353 complete checklists

442 species observed in Arizona, US (subnational1/US-AZ) in **Nov** that you need for your **Arizona Life List**

1. House Finch	46.64% frequency
2. Mourning Dove	42.70%
3. White-crowned Sparrow	39.02%
4. Gila Woodpecker	38.95%
5. Yellow-rumped Warbler	37.71%
6. Verdin	36.68%
7. Ruby-crowned Kinglet	32.52%
8. American Coot	30.91%
9. Common Raven	30.46%
10. Anna's Hummingbird	26.88%
11. Great-tailed Grackle	26.33%
12. Red-tailed Hawk	26.15%
13. Say's Phoebe	23.87%
14. Black Phoebe	23.76%
15. Curve-billed Thrasher	23.34%
16. Northern Flicker	22.90%
17. Abert's Towhee	22.82%
18. Lesser Goldfinch	21.70%
19. American Wigeon	20.58%
20. House Sparrow	19.64%
21. Gambel's Quail	18.89%
22. American Kestrel	18.39%

23. European Starling	<u>18.24%</u>
24. Northern Mockingbird	<u>18.14%</u>
25. Rock Pigeon	<u>17.79%</u>
26. Pied-billed Grebe	<u>17.76%</u>
27. Ruddy Duck	<u>17.43%</u>
28. Dark-eyed Junco	<u>16.46%</u>
29. Ladder-backed Woodpecker	<u>16.27%</u>
30. Great Blue Heron	<u>16.20%</u>
31. Ring-necked Duck	<u>15.47%</u>
32. Northern Shoveler	<u>15.18%</u>
33. Killdeer	<u>14.97%</u>
34. Cactus Wren	<u>14.74%</u>
35. Red-winged Blackbird	<u>14.27%</u>
36. Eurasian Collared-Dove	<u>14.26%</u>
37. Phainopepla	<u>14.02%</u>
38. Cooper's Hawk	<u>13.62%</u>
39. Mallard	<u>13.53%</u>
40. Great Egret	<u>13.44%</u>
41. Song Sparrow	<u>13.33%</u>
42. Bewick's Wren	<u>13.00%</u>
43. Vermilion Flycatcher	<u>12.67%</u>
44. Northern Harrier	<u>12.29%</u>
45. Black-tailed Gnatcatcher	<u>11.01%</u>
46. Chipping Sparrow	<u>10.99%</u>
47. Orange-crowned Warbler	<u>10.63%</u>
48. White-breasted Nuthatch	<u>10.43%</u>
49. Northern Cardinal	<u>10.39%</u>

[Go to top](#)

50.	Green-winged Teal	10.37%
51.	Lincoln's Sparrow	9.97%
52.	Gadwall	9.92%
53.	Rock Wren	8.68%
54.	Western Bluebird	8.45%
55.	Loggerhead Shrike	8.38%
56.	Northern Pintail	8.34%
57.	Black-throated Sparrow	8.14%
58.	American Robin	8.10%
59.	Belted Kingfisher	8.05%
60.	Bufflehead	7.92%
61.	Red-naped Sapsucker	7.75%
62.	Spotted Towhee	7.66%
63.	Double-crested Cormorant	7.66%
64.	Marsh Wren	7.65%
65.	Eared Grebe	7.48%
66.	House Wren	7.42%
67.	Least Sandpiper	7.37%
68.	Bridled Titmouse	7.24%
69.	Lesser Scaup	7.21%
70.	Greater Roadrunner	7.12%
71.	Pyrrhuloxia	7.09%
72.	Western Grebe	6.90%
73.	Canyon Towhee	6.88%
74.	American Pipit	6.87%
75.	Hermit Thrush	6.84%

[Go to top](#)

76.	Acorn Woodpecker	6.57%
77.	Neotropic Cormorant	6.36%
78.	Inca Dove	6.09%
79.	Canada Goose	5.98%
80.	Snowy Egret	5.95%
81.	Green Heron	5.78%
82.	Brewer's Blackbird	5.77%
83.	Black-crowned Night-Heron	5.32%
84.	Brewer's Sparrow	5.32%
85.	Blue-gray Gnatcatcher	5.05%
86.	Costa's Hummingbird	5.05%
87.	Savannah Sparrow	5.04%
88.	Western Meadowlark	4.90%
89.	Cinnamon Teal	4.89%
90.	Redhead	4.85%
91.	Ring-billed Gull	4.85%
92.	Woodhouse's Scrub-Jay	4.83%
93.	Canvasback	4.77%
94.	Canyon Wren	4.73%
95.	Mexican Jay	4.69%
96.	Vesper Sparrow	4.50%
97.	Osprey	4.47%
98.	White-winged Dove	4.46%
99.	Black-necked Stilt	4.46%
100.	Sora	4.44%
101.	Lark Sparrow	4.41%

[Go to top](#)

102.	Mountain Chickadee	4.39%
103.	Sharp-shinned Hawk	4.39%
104.	Rufous-winged Sparrow	4.34%
105.	Spotted Sandpiper	4.28%
106.	Green-tailed Towhee	4.28%
107.	Turkey Vulture	4.12%
108.	Long-billed Dowitcher	4.00%
109.	Greater Yellowlegs	3.86%
110.	Broad-billed Hummingbird	3.84%
111.	Gilded Flicker	3.84%
112.	Steller's Jay	3.81%
113.	Yellow-headed Blackbird	3.74%
114.	Pine Siskin	3.65%
115.	Pygmy Nuthatch	3.61%
116.	Horned Lark	3.53%
117.	Common Gallinule	3.52%
118.	Hutton's Vireo	3.24%
119.	Common Yellowthroat	3.13%
120.	Hairy Woodpecker	3.11%
121.	Harris's Hawk	2.98%
122.	Northern Rough-winged Swallow	2.97%
123.	Wilson's Snipe	2.88%
124.	Crissal Thrasher	2.76%
125.	Black-throated Gray Warbler	2.71%
126.	Peregrine Falcon	2.70%
127.	Brown Creeper	2.63%
128.	Rufous-crowned Sparrow	2.53%

[Go to top](#)

129.	American Crow	2.40%
130.	Cassin's Kingbird	2.38%
131.	American Avocet	2.38%
132.	Rosy-faced Lovebird	2.35%
133.	Bald Eagle	2.33%
134.	Bushtit	2.33%
135.	Townsend's Solitaire	2.32%
136.	Great Horned Owl	2.26%
137.	Gray Flycatcher	2.22%
138.	Snow Goose	2.17%
139.	American White Pelican	2.16%
140.	Cedar Waxwing	2.14%
141.	Plumbeous Vireo	2.02%
142.	Chihuahuan Raven	2.02%
143.	Merlin	2.01%
144.	Juniper Titmouse	2.00%
145.	Yellow-eyed Junco	1.99%
146.	Brown-headed Cowbird	1.94%
147.	Prairie Falcon	1.94%
148.	Hooded Merganser	1.93%
149.	Cassin's Finch	1.82%
150.	Virginia Rail	1.78%
151.	Red-breasted Nuthatch	1.77%
152.	Arizona Woodpecker	1.76%
153.	Mexican Duck	1.70%
154.	Sandhill Crane	1.68%

[Go to top](#)

155.	Common Goldeneye	1.66%
156.	Blue-winged Teal	1.64%
157.	Eastern Meadowlark	1.57%
158.	Clark's Grebe	1.46%
159.	Common Merganser	1.45%
160.	Lark Bunting	1.41%
161.	Lawrence's Goldfinch	1.39%
162.	Cassin's Vireo	1.30%
163.	Wood Duck	1.30%
164.	Red-breasted Merganser	1.22%
165.	Hammond's Flycatcher	1.22%
166.	Wild Turkey	1.16%
167.	Tree Swallow	1.15%
168.	Townsend's Warbler	1.14%
169.	Common Loon	1.14%
170.	Ash-throated Flycatcher	1.12%
171.	Mountain Bluebird	1.10%
172.	Ferruginous Hawk	1.10%
173.	American Goldfinch	1.10%
174.	White-faced Ibis	1.08%
175.	Rivoli's Hummingbird	1.07%
176.	Painted Redstart	1.06%
177.	Black Vulture	1.01%
178.	Red Crossbill	1.01%
179.	Common Ground Dove	0.9224%
180.	White-throated Sparrow	0.8789%

[Go to top](#)

181.	Bonaparte's Gull	0.8624%
182.	California Gull	0.8500%
183.	Greater White-fronted Goose	0.8335%
184.	Black-chinned Sparrow	0.8024%
185.	Hepatic Tanager	0.7756%
186.	Burrowing Owl	0.7611%
187.	Barn Swallow	0.7383%
188.	Chestnut-collared Longspur	0.6453%
189.	Scaled Quail	0.6370%
190.	Golden-crowned Kinglet	0.6225%
191.	Bendire's Thrasher	0.6184%
192.	Bronzed Cowbird	0.6142%
193.	Crested Caracara	0.6122%
194.	Golden Eagle	0.6039%
195.	Lewis's Woodpecker	0.6018%
196.	Williamson's Sapsucker	0.5998%
197.	Dunlin	0.5956%
198.	Brown Pelican	0.5956%
199.	Lazuli Bunting	0.5853%
200.	Black-and-white Warbler	0.5667%
201.	Olive Warbler	0.5439%
202.	Grasshopper Sparrow	0.5336%
203.	Sagebrush Sparrow	0.5315%
204.	Cattle Egret	0.5294%
205.	Horned Grebe	0.5067%
206.	Greater Scaup	0.4902%
207.	Rufous-backed Robin	0.4902%

[Go to top](#)

208.	Ross's Goose	0.4881%
209.	White-throated Swift	0.4819%
210.	Northern Parula	0.4653%
211.	Evening Grosbeak	0.4633%
212.	Western Sandpiper	0.4529%
213.	Sage Thrasher	0.4529%
214.	Western Screech-Owl	0.4509%
215.	Pinyon Jay	0.4446%
216.	Yellow Warbler	0.4364%
217.	Dusky Flycatcher	0.4240%
218.	Fox Sparrow	0.4219%
219.	Surf Scoter	0.4157%
220.	Lesser Yellowlegs	0.4033%
221.	Montezuma Quail	0.4012%
222.	Swamp Sparrow	0.3992%
223.	Ruddy Ground Dove	0.3929%
224.	Violet-crowned Hummingbird	0.3785%
225.	Blue-throated Mountain-gem	0.3764%
226.	Summer Tanager	0.3743%
227.	White-tailed Kite	0.3454%
228.	Long-billed Curlew	0.3412%
229.	Herring Gull	0.3309%
230.	Least Bittern	0.3144%
231.	Chestnut-sided Warbler	0.3020%
232.	Barrow's Goldeneye	0.2709%
233.	Wilson's Warbler	0.2689%

[Go to top](#)

234.	Red-breasted Sapsucker	0.2627%
235.	Clark's Nutcracker	0.2585%
236.	Eastern Bluebird	0.2502%
237.	Black-capped Gnatcatcher	0.2461%
238.	Pacific Loon	0.2399%
239.	Barn Owl	0.2399%
240.	Yellow-bellied Sapsucker	0.2399%
241.	Northern Pygmy-Owl	0.2316%
242.	Downy Woodpecker	0.2151%
243.	Greater Pewee	0.2151%
244.	Black-bellied Whistling-Duck	0.2130%
245.	Eastern Phoebe	0.2130%
246.	Elegant Trogon	0.2110%
247.	Broad-tailed Hummingbird	0.2027%
248.	Baird's Sparrow	0.2006%
249.	Least Grebe	0.1965%
250.	Rufous Hummingbird	0.1944%
251.	Northern Beardless-Tyrannulet	0.1944%
252.	Couch's Kingbird	0.1841%
253.	Gray Catbird	0.1841%
254.	Violet-green Swallow	0.1779%
255.	California Condor	0.1758%
256.	Mountain Plover	0.1737%
257.	Black Scoter	0.1696%
258.	Clay-colored Sparrow	0.1696%
259.	Red-shouldered Hawk	0.1675%

[Go to top](#)

260.	Solitary Sandpiper	0.1655%
261.	Winter Wren	0.1655%
262.	American Bittern	0.1593%
263.	Band-tailed Pigeon	0.1572%
264.	Green Kingfisher	0.1551%
265.	Zone-tailed Hawk	0.1489%
266.	American Dipper	0.1489%
267.	Groove-billed Ani	0.1427%
268.	Rufous-capped Warbler	0.1406%
269.	Louisiana Waterthrush	0.1386%
270.	Red-throated Loon	0.1324%
271.	McCown's Longspur	0.1324%
272.	Pacific Wren	0.1262%
273.	Baltimore Oriole	0.1262%
274.	Long-tailed Duck	0.1220%
275.	Varied Thrush	0.1199%
276.	Tennessee Warbler	0.1158%
277.	Rough-legged Hawk	0.1117%
278.	Purple Finch	0.1096%
279.	American Redstart	0.1096%
280.	Forster's Tern	0.1075%
281.	Golden-crowned Sparrow	0.1075%
282.	Eurasian Wigeon	0.1055%
283.	Ridgway's Rail	0.1055%
284.	Iceland Gull	0.1055%
285.	LeConte's Thrasher	0.1055%
286.	Mexican Chickadee	0.1034%

[Go to top](#)

287.	Lesser Nighthawk	0.1013%
288.	Western Tanager	0.0993%
289.	Tundra Swan	0.0972%
290.	Cackling Goose	0.0931%
291.	White-winged Scoter	0.0931%
292.	American Golden-Plover	0.0931%
293.	Red-necked Grebe	0.0910%
294.	Lapland Longspur	0.0910%
295.	Brown Thrasher	0.0889%
296.	Sprague's Pipit	0.0869%
297.	Gray Hawk	0.0848%
298.	Northern Saw-whet Owl	0.0807%
299.	Northern Jacana	0.0786%
300.	Heermann's Gull	0.0786%
301.	Northern Goshawk	0.0786%
302.	Blue Grosbeak	0.0786%
303.	Cassin's Sparrow	0.0765%
304.	Harris's Sparrow	0.0765%
305.	Bell's Sparrow	0.0765%
306.	Black-legged Kittiwake	0.0745%
307.	Pacific-slope Flycatcher	0.0724%
308.	Nashville Warbler	0.0703%
309.	Franklin's Gull	0.0683%
310.	Long-eared Owl	0.0662%
311.	Mew Gull	0.0641%
312.	Reddish Egret	0.0620%

[Go to top](#)

313.	Streak-backed Oriole	0.0620%
314.	Rose-breasted Grosbeak	0.0620%
315.	Blue-footed Booby	0.0600%
316.	Common Black Hawk	0.0600%
317.	Whiskered Screech-Owl	0.0600%
318.	Short-eared Owl	0.0600%
319.	Sinaloa Wren	0.0600%
320.	Glaucous-winged Gull	0.0579%
321.	Bay-breasted Warbler	0.0579%
322.	Bell's Vireo	0.0558%
323.	Monk Parakeet	0.0538%
324.	Caspian Tern	0.0517%
325.	Black-throated Blue Warbler	0.0496%
326.	Rusty Blackbird	0.0476%
327.	Warbling Vireo	0.0455%
328.	Hooded Oriole	0.0434%
329.	Magnolia Warbler	0.0434%
330.	Pectoral Sandpiper	0.0414%
331.	Spotted Owl	0.0414%
332.	Brant	0.0393%
333.	Common Poorwill	0.0393%
334.	Western Kingbird	0.0372%
335.	Scott's Oriole	0.0372%
336.	Yellow-throated Warbler	0.0372%
337.	Northern Shrike	0.0352%
338.	Nanday Parakeet	0.0331%

[Go to top](#)

339.	Rose-throated Becard	0.0331%
340.	Bullock's Oriole	0.0331%
341.	Semipalmated Plover	0.0310%
342.	Thick-billed Kingbird	0.0290%
343.	Wilson's Phalarope	0.0269%
344.	Roseate Spoonbill	0.0269%
345.	Swainson's Hawk	0.0269%
346.	Blackpoll Warbler	0.0269%
347.	Red Phalarope	0.0248%
348.	Black-bellied Plover	0.0227%
349.	Red-necked Phalarope	0.0227%
350.	Yellow-collared Lovebird	0.0227%
351.	Orchard Oriole	0.0227%
352.	Palm Warbler	0.0227%
353.	Black-throated Green Warbler	0.0227%
354.	Pomarine Jaeger	0.0207%
355.	Worm-eating Warbler	0.0207%
356.	Ferruginous Pygmy-Owl	0.0186%
357.	American Three-toed Woodpecker	0.0186%
358.	Nutting's Flycatcher	0.0186%
359.	Canada Jay	0.0186%
360.	Black-billed Magpie	0.0186%
361.	Bank Swallow	0.0186%
362.	Hooded Warbler	0.0186%
363.	Black-headed Grosbeak	0.0186%
364.	Painted Bunting	0.0186%
365.	Brown Booby	0.0165%

[Go to top](#)

366.	Tropical Kingbird	0.0165%
367.	Wood Thrush	0.0165%
368.	Lucy's Warbler	0.0165%
369.	Black Rail	0.0145%
370.	Marbled Godwit	0.0145%
371.	Eared Quetzal	0.0145%
372.	Cliff Swallow	0.0145%
373.	Botteri's Sparrow	0.0145%
374.	Mute Swan	0.0124%
375.	Snowy Plover	0.0124%
376.	Baird's Sandpiper	0.0124%
377.	Laughing Gull	0.0124%
378.	Lesser Black-backed Gull	0.0124%
379.	Gray Vireo	0.0124%
380.	Ovenbird	0.0124%
381.	Crescent-chested Warbler	0.0124%
382.	Pine Warbler	0.0124%
383.	Indigo Bunting	0.0124%
384.	Ring-necked Pheasant	0.0103%
385.	Common Tern	0.0103%
386.	Red-eyed Vireo	0.0103%
387.	Common Grackle	0.0103%
388.	Prairie Warbler	0.0103%
389.	Black-chinned Hummingbird	0.0083%
390.	Calliope Hummingbird	0.0083%
391.	American Tree Sparrow	0.0083%

[Go to top](#)

392.	Yellow-breasted Chat	0.0083%
393.	Northern Waterthrush	0.0083%
394.	MacGillivray's Warbler	0.0083%
395.	Hermit Warbler	0.0083%
396.	Willet	0.0062%
397.	Black Tern	0.0062%
398.	Tricolored Heron	0.0062%
399.	Western Wood-Pewee	0.0062%
400.	Least Flycatcher	0.0062%
401.	Pine Grosbeak	0.0062%
402.	Golden-winged Warbler	0.0062%
403.	Scarlet Tanager	0.0062%
404.	Varied Bunting	0.0062%
405.	Fulvous Whistling-Duck	0.0041%
406.	Vaux's Swift	0.0041%
407.	Mississippi Kite	0.0041%
408.	Ringed Kingfisher	0.0041%
409.	Sedge Wren	0.0041%
410.	Virginia's Warbler	0.0041%
411.	Cape May Warbler	0.0041%
412.	Trumpeter Swan	0.0021%
413.	Egyptian Goose	0.0021%
414.	Tufted Duck	0.0021%
415.	California Quail	0.0021%
416.	Mexican Whip-poor-will	0.0021%
417.	Plain-capped Starthroat	0.0021%

[Go to top](#)

418.	Lucifer Hummingbird	0.0021%
419.	Stilt Sandpiper	0.0021%
420.	Sanderling	0.0021%
421.	Sabine's Gull	0.0021%
422.	Glaucous Gull	0.0021%
423.	Little Blue Heron	0.0021%
424.	Red-headed Woodpecker	0.0021%
425.	Dusky-capped Flycatcher	0.0021%
426.	Blue-headed Vireo	0.0021%
427.	Blue Jay	0.0021%
428.	Black-capped Chickadee	0.0021%
429.	Swainson's Thrush	0.0021%
430.	Black Rosy-Finch	0.0021%
431.	White-winged Crossbill	0.0021%
432.	Prothonotary Warbler	0.0021%
433.	Kentucky Warbler	0.0021%
434.	Grace's Warbler	0.0021%
435.	Chukar	0.0000%
436.	Sharp-tailed Sandpiper	0.0000%
437.	Parasitic Jaeger	0.0000%
438.	White Ibis	0.0000%
439.	Short-tailed Hawk	0.0000%
440.	Elf Owl	0.0000%
441.	White-eyed Vireo	0.0000%
442.	Blackburnian Warbler	0.0000%