

## Target Species

Based on 44,807 complete checklists

**481** species observed in Arizona, US (subnational1/US-AZ) in **Oct** that you need for your **Arizona Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.8458%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0022%</b>
3. <b>Snow Goose</b>	<b>0.5468%</b>
4. <b>Ross's Goose</b>	<b>0.0402%</b>
5. <b>Greater White-fronted Goose</b>	<b>0.6204%</b>
6. <b>Cackling Goose</b>	<b>0.0156%</b>
7. <b>Canada Goose</b>	<b>4.01%</b>
8. <b>Mute Swan</b>	<b>0.0112%</b>
9. <b>Egyptian Goose</b>	<b>0.0022%</b>
10. <b>Wood Duck</b>	<b>1.01%</b>
11. <b>Blue-winged Teal</b>	<b>3.54%</b>
12. <b>Cinnamon Teal</b>	<b>6.18%</b>
13. <b>Northern Shoveler</b>	<b>10.15%</b>
14. <b>Gadwall</b>	<b>4.00%</b>
15. <b>Eurasian Wigeon</b>	<b>0.0022%</b>
16. <b>American Wigeon</b>	<b>12.41%</b>
17. <b>Mallard</b>	<b>11.85%</b>
18. <b>Mexican Duck</b>	<b>1.59%</b>
19. <b>Northern Pintail</b>	<b>5.72%</b>
20. <b>Green-winged Teal</b>	<b>7.97%</b>
21. <b>Canvasback</b>	<b>1.07%</b>
22. <b>Redhead</b>	<b>2.59%</b>

[Go to top](#)

23.	<b>Ring-necked Duck</b>	<b>8.99%</b>
24.	<b>Greater Scaup</b>	<b>0.0670%</b>
25.	<b>Lesser Scaup</b>	<b>1.99%</b>
26.	<b>Surf Scoter</b>	<b>0.2812%</b>
27.	<b>White-winged Scoter</b>	<b>0.0067%</b>
28.	<b>Black Scoter</b>	<b>0.0424%</b>
29.	<b>Long-tailed Duck</b>	<b>0.0446%</b>
30.	<b>Bufflehead</b>	<b>1.54%</b>
31.	<b>Common Goldeneye</b>	<b>0.0357%</b>
32.	<b>Barrow's Goldeneye</b>	<b>0.0000%</b>
33.	<b>Hooded Merganser</b>	<b>0.1674%</b>
34.	<b>Common Merganser</b>	<b>0.6807%</b>
35.	<b>Red-breasted Merganser</b>	<b>0.0670%</b>
36.	<b>Ruddy Duck</b>	<b>12.69%</b>
37.	<b>Northern Bobwhite</b>	<b>0.0000%</b>
38.	<b>Scaled Quail</b>	<b>0.7945%</b>
39.	<b>California Quail</b>	<b>0.0022%</b>
40.	<b>Gambel's Quail</b>	<b>19.31%</b>
41.	<b>Montezuma Quail</b>	<b>0.3794%</b>
42.	<b>Chukar</b>	<b>0.0022%</b>
43.	<b>Ring-necked Pheasant</b>	<b>0.0089%</b>
44.	<b>Dusky Grouse</b>	<b>0.0379%</b>
45.	<b>Wild Turkey</b>	<b>1.11%</b>
46.	<b>Least Grebe</b>	<b>0.1094%</b>
47.	<b>Pied-billed Grebe</b>	<b>14.16%</b>
48.	<b>Horned Grebe</b>	<b>0.2388%</b>
49.	<b>Red-necked Grebe</b>	<b>0.0223%</b>

[Go to top](#)

50. Eared Grebe	6.09%
51. Western Grebe	5.00%
52. Clark's Grebe	1.13%
53. Rock Pigeon	16.02%
54. Band-tailed Pigeon	0.5892%
55. Eurasian Collared-Dove	16.54%
56. Inca Dove	6.68%
57. Common Ground Dove	1.30%
58. Ruddy Ground Dove	0.1361%
59. White-winged Dove	5.08%
60. Mourning Dove	41.54%
61. Groove-billed Ani	0.0022%
62. Greater Roadrunner	7.72%
63. Yellow-billed Cuckoo	0.0268%
64. Lesser Nighthawk	0.7878%
65. Common Nighthawk	0.0045%
66. Common Poorwill	0.2812%
67. Buff-collared Nightjar	0.0022%
68. Mexican Whip-poor-will	0.0134%
69. Vaux's Swift	0.6160%
70. White-throated Swift	1.29%
71. Rivoli's Hummingbird	1.67%
72. Plain-capped Starthroat	0.0446%
73. Blue-throated Mountain-gem	0.6004%
74. Lucifer Hummingbird	0.2321%
75. Ruby-throated Hummingbird	0.0246%

[Go to top](#)

76. <b>Black-chinned Hummingbird</b>	<b>2.44%</b>
77. <b>Anna's Hummingbird</b>	<b>28.48%</b>
78. <b>Costa's Hummingbird</b>	<b>4.45%</b>
79. <b>Broad-tailed Hummingbird</b>	<b>0.8392%</b>
80. <b>Rufous Hummingbird</b>	<b>1.71%</b>
81. <b>Allen's Hummingbird</b>	<b>0.0000%</b>
82. <b>Calliope Hummingbird</b>	<b>0.1272%</b>
83. <b>Broad-billed Hummingbird</b>	<b>5.68%</b>
84. <b>Berylline Hummingbird</b>	<b>0.0022%</b>
85. <b>Violet-crowned Hummingbird</b>	<b>0.7901%</b>
86. <b>White-eared Hummingbird</b>	<b>0.0268%</b>
87. <b>Ridgway's Rail</b>	<b>0.1138%</b>
88. <b>Virginia Rail</b>	<b>2.04%</b>
89. <b>Sora</b>	<b>4.55%</b>
90. <b>Common Gallinule</b>	<b>3.18%</b>
91. <b>American Coot</b>	<b>25.94%</b>
92. <b>Black Rail</b>	<b>0.0357%</b>
93. <b>Sandhill Crane</b>	<b>0.9574%</b>
94. <b>Black-necked Stilt</b>	<b>4.45%</b>
95. <b>American Avocet</b>	<b>3.73%</b>
96. <b>Black-bellied Plover</b>	<b>0.1785%</b>
97. <b>American Golden-Plover</b>	<b>0.0424%</b>
98. <b>Lesser Sand-Plover</b>	<b>0.1964%</b>
99. <b>Snowy Plover</b>	<b>0.0424%</b>
100. <b>Semipalmated Plover</b>	<b>0.0826%</b>
101. <b>Killdeer</b>	<b>16.80%</b>

[Go to top](#)

102.	<b>Mountain Plover</b>	<b>0.0960%</b>
103.	<b>Northern Jacana</b>	<b>0.0089%</b>
104.	<b>Whimbrel</b>	<b>0.0022%</b>
105.	<b>Long-billed Curlew</b>	<b>0.4664%</b>
106.	<b>Marbled Godwit</b>	<b>0.1183%</b>
107.	<b>Ruddy Turnstone</b>	<b>0.0000%</b>
108.	<b>Ruff</b>	<b>0.0246%</b>
109.	<b>Sharp-tailed Sandpiper</b>	<b>0.0022%</b>
110.	<b>Stilt Sandpiper</b>	<b>0.2767%</b>
111.	<b>Sanderling</b>	<b>0.0446%</b>
112.	<b>Dunlin</b>	<b>0.4173%</b>
113.	<b>Baird's Sandpiper</b>	<b>0.4508%</b>
114.	<b>Least Sandpiper</b>	<b>6.65%</b>
115.	<b>Buff-breasted Sandpiper</b>	<b>0.0067%</b>
116.	<b>Pectoral Sandpiper</b>	<b>0.4798%</b>
117.	<b>Semipalmated Sandpiper</b>	<b>0.0335%</b>
118.	<b>Western Sandpiper</b>	<b>1.37%</b>
119.	<b>Short-billed Dowitcher</b>	<b>0.0580%</b>
120.	<b>Long-billed Dowitcher</b>	<b>4.60%</b>
121.	<b>Wilson's Snipe</b>	<b>2.29%</b>
122.	<b>Wilson's Phalarope</b>	<b>0.3705%</b>
123.	<b>Red-necked Phalarope</b>	<b>0.4575%</b>
124.	<b>Red Phalarope</b>	<b>0.0357%</b>
125.	<b>Spotted Sandpiper</b>	<b>4.80%</b>
126.	<b>Solitary Sandpiper</b>	<b>0.2098%</b>
127.	<b>Greater Yellowlegs</b>	<b>4.81%</b>
128.	<b>Willet</b>	<b>0.0781%</b>

[Go to top](#)

129.	<b>Lesser Yellowlegs</b>	<b>1.08%</b>
130.	<b>Pomarine Jaeger</b>	<b>0.0045%</b>
131.	<b>Parasitic Jaeger</b>	<b>0.0000%</b>
132.	<b>Long-tailed Jaeger</b>	<b>0.0469%</b>
133.	<b>Black-legged Kittiwake</b>	<b>0.0045%</b>
134.	<b>Sabine's Gull</b>	<b>0.1763%</b>
135.	<b>Bonaparte's Gull</b>	<b>0.1294%</b>
136.	<b>Laughing Gull</b>	<b>0.0000%</b>
137.	<b>Franklin's Gull</b>	<b>0.1652%</b>
138.	<b>Heermann's Gull</b>	<b>0.0513%</b>
139.	<b>Mew Gull</b>	<b>0.0022%</b>
140.	<b>Ring-billed Gull</b>	<b>2.52%</b>
141.	<b>Western Gull</b>	<b>0.0089%</b>
142.	<b>California Gull</b>	<b>0.5959%</b>
143.	<b>Herring Gull</b>	<b>0.2410%</b>
144.	<b>Iceland Gull</b>	<b>0.0022%</b>
145.	<b>Caspian Tern</b>	<b>0.1652%</b>
146.	<b>Black Tern</b>	<b>0.0179%</b>
147.	<b>Common Tern</b>	<b>0.1718%</b>
148.	<b>Forster's Tern</b>	<b>0.3482%</b>
149.	<b>Black Skimmer</b>	<b>0.0045%</b>
150.	<b>Red-throated Loon</b>	<b>0.0067%</b>
151.	<b>Pacific Loon</b>	<b>0.0893%</b>
152.	<b>Common Loon</b>	<b>0.5535%</b>
153.	<b>Wood Stork</b>	<b>0.0000%</b>
154.	<b>Magnificent Frigatebird</b>	<b>0.0022%</b>

[Go to top](#)

155.	<b>Blue-footed Booby</b>	<b>0.0848%</b>
156.	<b>Brown Booby</b>	<b>0.0357%</b>
157.	<b>Neotropic Cormorant</b>	<b>5.40%</b>
158.	<b>Double-crested Cormorant</b>	<b>6.60%</b>
159.	<b>American White Pelican</b>	<b>1.79%</b>
160.	<b>Brown Pelican</b>	<b>0.4575%</b>
161.	<b>American Bittern</b>	<b>0.2009%</b>
162.	<b>Least Bittern</b>	<b>0.4664%</b>
163.	<b>Great Blue Heron</b>	<b>15.42%</b>
164.	<b>Great Egret</b>	<b>12.15%</b>
165.	<b>Snowy Egret</b>	<b>6.19%</b>
166.	<b>Little Blue Heron</b>	<b>0.0000%</b>
167.	<b>Tricolored Heron</b>	<b>0.1317%</b>
168.	<b>Reddish Egret</b>	<b>0.2254%</b>
169.	<b>Cattle Egret</b>	<b>0.7588%</b>
170.	<b>Green Heron</b>	<b>6.53%</b>
171.	<b>Black-crowned Night-Heron</b>	<b>4.53%</b>
172.	<b>White Ibis</b>	<b>0.0000%</b>
173.	<b>White-faced Ibis</b>	<b>2.73%</b>
174.	<b>Roseate Spoonbill</b>	<b>0.0312%</b>
175.	<b>California Condor</b>	<b>0.3973%</b>
176.	<b>Black Vulture</b>	<b>1.16%</b>
177.	<b>Turkey Vulture</b>	<b>17.72%</b>
178.	<b>Osprey</b>	<b>5.53%</b>
179.	<b>White-tailed Kite</b>	<b>0.2142%</b>
180.	<b>Golden Eagle</b>	<b>0.6517%</b>

[Go to top](#)

181.	<b>Mississippi Kite</b>	<b>0.0022%</b>
182.	<b>Northern Harrier</b>	<b>8.48%</b>
183.	<b>Sharp-shinned Hawk</b>	<b>5.20%</b>
184.	<b>Cooper's Hawk</b>	<b>15.64%</b>
185.	<b>Northern Goshawk</b>	<b>0.1674%</b>
186.	<b>Bald Eagle</b>	<b>1.75%</b>
187.	<b>Common Black Hawk</b>	<b>0.5401%</b>
188.	<b>Harris's Hawk</b>	<b>2.51%</b>
189.	<b>Gray Hawk</b>	<b>1.72%</b>
190.	<b>Red-shouldered Hawk</b>	<b>0.1986%</b>
191.	<b>Broad-winged Hawk</b>	<b>0.0513%</b>
192.	<b>Short-tailed Hawk</b>	<b>0.0000%</b>
193.	<b>Swainson's Hawk</b>	<b>1.15%</b>
194.	<b>Zone-tailed Hawk</b>	<b>0.2321%</b>
195.	<b>Red-tailed Hawk</b>	<b>23.45%</b>
196.	<b>Rough-legged Hawk</b>	<b>0.0089%</b>
197.	<b>Ferruginous Hawk</b>	<b>0.4040%</b>
198.	<b>Barn Owl</b>	<b>0.3549%</b>
199.	<b>Flammulated Owl</b>	<b>0.0089%</b>
200.	<b>Whiskered Screech-Owl</b>	<b>0.1004%</b>
201.	<b>Western Screech-Owl</b>	<b>0.6316%</b>
202.	<b>Great Horned Owl</b>	<b>2.49%</b>
203.	<b>Northern Pygmy-Owl</b>	<b>0.2901%</b>
204.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0045%</b>
205.	<b>Elf Owl</b>	<b>0.0022%</b>
206.	<b>Burrowing Owl</b>	<b>0.9708%</b>
207.	<b>Spotted Owl</b>	<b>0.0781%</b>

[Go to top](#)

208.	<b>Long-eared Owl</b>	<b>0.0848%</b>
209.	<b>Short-eared Owl</b>	<b>0.0067%</b>
210.	<b>Northern Saw-whet Owl</b>	<b>0.0446%</b>
211.	<b>Eared Quetzal</b>	<b>0.0045%</b>
212.	<b>Elegant Trogon</b>	<b>0.1741%</b>
213.	<b>Ringed Kingfisher</b>	<b>0.0692%</b>
214.	<b>Belted Kingfisher</b>	<b>8.45%</b>
215.	<b>Green Kingfisher</b>	<b>0.0982%</b>
216.	<b>Williamson's Sapsucker</b>	<b>0.6762%</b>
217.	<b>Yellow-bellied Sapsucker</b>	<b>0.1116%</b>
218.	<b>Red-naped Sapsucker</b>	<b>9.14%</b>
219.	<b>Red-breasted Sapsucker</b>	<b>0.1272%</b>
220.	<b>Lewis's Woodpecker</b>	<b>0.7454%</b>
221.	<b>Red-headed Woodpecker</b>	<b>0.0067%</b>
222.	<b>Acorn Woodpecker</b>	<b>8.18%</b>
223.	<b>Gila Woodpecker</b>	<b>37.34%</b>
224.	<b>American Three-toed Woodpecker</b>	<b>0.0558%</b>
225.	<b>Downy Woodpecker</b>	<b>0.3102%</b>
226.	<b>Ladder-backed Woodpecker</b>	<b>15.73%</b>
227.	<b>Hairy Woodpecker</b>	<b>4.30%</b>
228.	<b>Arizona Woodpecker</b>	<b>1.66%</b>
229.	<b>Northern Flicker</b>	<b>24.11%</b>
230.	<b>Gilded Flicker</b>	<b>3.99%</b>
231.	<b>Crested Caracara</b>	<b>0.1986%</b>
232.	<b>American Kestrel</b>	<b>17.08%</b>
233.	<b>Merlin</b>	<b>1.52%</b>

[Go to top](#)

234.	<b>Peregrine Falcon</b>	<b>3.38%</b>
235.	<b>Prairie Falcon</b>	<b>1.65%</b>
236.	<b>Rosy-faced Lovebird</b>	<b>1.93%</b>
237.	<b>Yellow-collared Lovebird</b>	<b>0.0089%</b>
238.	<b>Monk Parakeet</b>	<b>0.0156%</b>
239.	<b>Nanday Parakeet</b>	<b>0.0179%</b>
240.	<b>Rose-throated Becard</b>	<b>0.0156%</b>
241.	<b>Northern Beardless-Tyrannulet</b>	<b>0.4017%</b>
242.	<b>Tufted Flycatcher</b>	<b>0.0246%</b>
243.	<b>Olive-sided Flycatcher</b>	<b>0.1071%</b>
244.	<b>Greater Pewee</b>	<b>0.1205%</b>
245.	<b>Western Wood-Pewee</b>	<b>1.39%</b>
246.	<b>Eastern Wood-Pewee</b>	<b>0.0089%</b>
247.	<b>Willow Flycatcher</b>	<b>0.2254%</b>
248.	<b>Least Flycatcher</b>	<b>0.0045%</b>
249.	<b>Hammond's Flycatcher</b>	<b>1.43%</b>
250.	<b>Gray Flycatcher</b>	<b>1.67%</b>
251.	<b>Dusky Flycatcher</b>	<b>0.5245%</b>
252.	<b>Pacific-slope Flycatcher</b>	<b>0.5580%</b>
253.	<b>Cordilleran Flycatcher</b>	<b>0.0134%</b>
254.	<b>Buff-breasted Flycatcher</b>	<b>0.0067%</b>
255.	<b>Black Phoebe</b>	<b>22.03%</b>
256.	<b>Eastern Phoebe</b>	<b>0.0848%</b>
257.	<b>Say's Phoebe</b>	<b>21.84%</b>
258.	<b>Vermilion Flycatcher</b>	<b>10.59%</b>
259.	<b>Dusky-capped Flycatcher</b>	<b>0.5825%</b>

[Go to top](#)

260.	<b>Ash-throated Flycatcher</b>	<b>1.12%</b>
261.	<b>Nutting's Flycatcher</b>	<b>0.0112%</b>
262.	<b>Brown-crested Flycatcher</b>	<b>0.0089%</b>
263.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0067%</b>
264.	<b>Tropical Kingbird</b>	<b>0.0536%</b>
265.	<b>Cassin's Kingbird</b>	<b>5.97%</b>
266.	<b>Thick-billed Kingbird</b>	<b>0.0156%</b>
267.	<b>Western Kingbird</b>	<b>4.24%</b>
268.	<b>Eastern Kingbird</b>	<b>0.0022%</b>
269.	<b>Scissor-tailed Flycatcher</b>	<b>0.0089%</b>
270.	<b>White-eyed Vireo</b>	<b>0.0022%</b>
271.	<b>Bell's Vireo</b>	<b>1.02%</b>
272.	<b>Gray Vireo</b>	<b>0.0134%</b>
273.	<b>Hutton's Vireo</b>	<b>3.39%</b>
274.	<b>Yellow-throated Vireo</b>	<b>0.0000%</b>
275.	<b>Cassin's Vireo</b>	<b>2.01%</b>
276.	<b>Blue-headed Vireo</b>	<b>0.0000%</b>
277.	<b>Plumbeous Vireo</b>	<b>2.60%</b>
278.	<b>Philadelphia Vireo</b>	<b>0.0402%</b>
279.	<b>Warbling Vireo</b>	<b>1.25%</b>
280.	<b>Red-eyed Vireo</b>	<b>0.0625%</b>
281.	<b>Loggerhead Shrike</b>	<b>7.20%</b>
282.	<b>Canada Jay</b>	<b>0.0357%</b>
283.	<b>Pinyon Jay</b>	<b>0.8838%</b>
284.	<b>Steller's Jay</b>	<b>6.84%</b>
285.	<b>Blue Jay</b>	<b>0.0045%</b>
286.	<b>California Scrub-Jay</b>	<b>0.0045%</b>

[Go to top](#)

287.	<b>Woodhouse's Scrub-Jay</b>	<b>6.38%</b>
288.	<b>Mexican Jay</b>	<b>5.13%</b>
289.	<b>Black-billed Magpie</b>	<b>0.0446%</b>
290.	<b>Clark's Nutcracker</b>	<b>0.7231%</b>
291.	<b>American Crow</b>	<b>2.92%</b>
292.	<b>Chihuahuan Raven</b>	<b>2.07%</b>
293.	<b>Common Raven</b>	<b>30.78%</b>
294.	<b>Mountain Chickadee</b>	<b>6.68%</b>
295.	<b>Mexican Chickadee</b>	<b>0.2098%</b>
296.	<b>Bridled Titmouse</b>	<b>7.23%</b>
297.	<b>Juniper Titmouse</b>	<b>2.46%</b>
298.	<b>Verdin</b>	<b>34.80%</b>
299.	<b>Horned Lark</b>	<b>3.35%</b>
300.	<b>Northern Rough-winged Swallow</b>	<b>4.38%</b>
301.	<b>Purple Martin</b>	<b>0.1674%</b>
302.	<b>Tree Swallow</b>	<b>2.71%</b>
303.	<b>Violet-green Swallow</b>	<b>2.97%</b>
304.	<b>Bank Swallow</b>	<b>0.2120%</b>
305.	<b>Barn Swallow</b>	<b>9.17%</b>
306.	<b>Cliff Swallow</b>	<b>0.4486%</b>
307.	<b>Cave Swallow</b>	<b>0.0000%</b>
308.	<b>Bushtit</b>	<b>2.88%</b>
309.	<b>Golden-crowned Kinglet</b>	<b>0.4017%</b>
310.	<b>Ruby-crowned Kinglet</b>	<b>22.28%</b>
311.	<b>Red-breasted Nuthatch</b>	<b>2.76%</b>
312.	<b>White-breasted Nuthatch</b>	<b>13.04%</b>

[Go to top](#)

313. <b>Pygmy Nuthatch</b>	<b>5.47%</b>
314. <b>Brown Creeper</b>	<b>2.74%</b>
315. <b>Blue-gray Gnatcatcher</b>	<b>4.01%</b>
316. <b>Black-tailed Gnatcatcher</b>	<b>9.88%</b>
317. <b>Black-capped Gnatcatcher</b>	<b>0.1830%</b>
318. <b>Rock Wren</b>	<b>9.64%</b>
319. <b>Canyon Wren</b>	<b>5.69%</b>
320. <b>House Wren</b>	<b>9.58%</b>
321. <b>Pacific Wren</b>	<b>0.0625%</b>
322. <b>Winter Wren</b>	<b>0.0312%</b>
323. <b>Marsh Wren</b>	<b>7.39%</b>
324. <b>Carolina Wren</b>	<b>0.0045%</b>
325. <b>Bewick's Wren</b>	<b>13.51%</b>
326. <b>Cactus Wren</b>	<b>14.40%</b>
327. <b>Sinaloa Wren</b>	<b>0.1094%</b>
328. <b>American Dipper</b>	<b>0.0714%</b>
329. <b>European Starling</b>	<b>16.64%</b>
330. <b>Gray Catbird</b>	<b>0.0826%</b>
331. <b>Curve-billed Thrasher</b>	<b>26.34%</b>
332. <b>Brown Thrasher</b>	<b>0.0469%</b>
333. <b>Bendire's Thrasher</b>	<b>0.5178%</b>
334. <b>LeConte's Thrasher</b>	<b>0.1049%</b>
335. <b>Crissal Thrasher</b>	<b>2.97%</b>
336. <b>Sage Thrasher</b>	<b>0.6338%</b>
337. <b>Northern Mockingbird</b>	<b>17.45%</b>
338. <b>Eastern Bluebird</b>	<b>0.1294%</b>

[Go to top](#)

339.	<b>Western Bluebird</b>	<b>7.83%</b>
340.	<b>Mountain Bluebird</b>	<b>0.8191%</b>
341.	<b>Townsend's Solitaire</b>	<b>2.14%</b>
342.	<b>Brown-backed Solitaire</b>	<b>0.0000%</b>
343.	<b>Varied Thrush</b>	<b>0.1116%</b>
344.	<b>Swainson's Thrush</b>	<b>0.2187%</b>
345.	<b>Hermit Thrush</b>	<b>4.69%</b>
346.	<b>Wood Thrush</b>	<b>0.0312%</b>
347.	<b>Aztec Thrush</b>	<b>0.0022%</b>
348.	<b>American Robin</b>	<b>5.90%</b>
349.	<b>Rufous-backed Robin</b>	<b>0.2433%</b>
350.	<b>Northern Wheatear</b>	<b>0.0000%</b>
351.	<b>Cedar Waxwing</b>	<b>2.12%</b>
352.	<b>Phainopepla</b>	<b>11.11%</b>
353.	<b>Olive Warbler</b>	<b>0.4687%</b>
354.	<b>House Sparrow</b>	<b>19.69%</b>
355.	<b>Red-throated Pipit</b>	<b>0.0022%</b>
356.	<b>American Pipit</b>	<b>3.72%</b>
357.	<b>Sprague's Pipit</b>	<b>0.0290%</b>
358.	<b>Evening Grosbeak</b>	<b>0.6160%</b>
359.	<b>Pine Grosbeak</b>	<b>0.0000%</b>
360.	<b>House Finch</b>	<b>47.45%</b>
361.	<b>Purple Finch</b>	<b>0.0290%</b>
362.	<b>Cassin's Finch</b>	<b>2.13%</b>
363.	<b>Red Crossbill</b>	<b>0.9195%</b>
364.	<b>Pine Siskin</b>	<b>4.00%</b>
365.	<b>Lesser Goldfinch</b>	<b>26.92%</b>

[Go to top](#)

366.	<b>Lawrence's Goldfinch</b>	<b>0.9998%</b>
367.	<b>American Goldfinch</b>	<b>0.4173%</b>
368.	<b>Lapland Longspur</b>	<b>0.0402%</b>
369.	<b>Chestnut-collared Longspur</b>	<b>0.4441%</b>
370.	<b>McCown's Longspur</b>	<b>0.0379%</b>
371.	<b>Rufous-winged Sparrow</b>	<b>4.85%</b>
372.	<b>Botteri's Sparrow</b>	<b>0.0603%</b>
373.	<b>Cassin's Sparrow</b>	<b>0.2366%</b>
374.	<b>Grasshopper Sparrow</b>	<b>0.4776%</b>
375.	<b>Chipping Sparrow</b>	<b>13.35%</b>
376.	<b>Clay-colored Sparrow</b>	<b>0.1674%</b>
377.	<b>Black-chinned Sparrow</b>	<b>0.5088%</b>
378.	<b>Field Sparrow</b>	<b>0.0022%</b>
379.	<b>Brewer's Sparrow</b>	<b>6.08%</b>
380.	<b>Black-throated Sparrow</b>	<b>7.70%</b>
381.	<b>Five-striped Sparrow</b>	<b>0.0223%</b>
382.	<b>Lark Sparrow</b>	<b>4.87%</b>
383.	<b>Lark Bunting</b>	<b>1.07%</b>
384.	<b>Fox Sparrow</b>	<b>0.2767%</b>
385.	<b>Dark-eyed Junco</b>	<b>12.79%</b>
386.	<b>Yellow-eyed Junco</b>	<b>2.33%</b>
387.	<b>White-crowned Sparrow</b>	<b>36.14%</b>
388.	<b>Golden-crowned Sparrow</b>	<b>0.0937%</b>
389.	<b>Harris's Sparrow</b>	<b>0.0067%</b>
390.	<b>White-throated Sparrow</b>	<b>0.2544%</b>
391.	<b>Sagebrush Sparrow</b>	<b>0.3928%</b>

[Go to top](#)

392.	<b>Bell's Sparrow</b>	<b>0.0402%</b>
393.	<b>Vesper Sparrow</b>	<b>5.23%</b>
394.	<b>Nelson's Sparrow</b>	<b>0.0000%</b>
395.	<b>Savannah Sparrow</b>	<b>5.36%</b>
396.	<b>Baird's Sparrow</b>	<b>0.0803%</b>
397.	<b>Song Sparrow</b>	<b>12.99%</b>
398.	<b>Lincoln's Sparrow</b>	<b>11.90%</b>
399.	<b>Swamp Sparrow</b>	<b>0.1116%</b>
400.	<b>Canyon Towhee</b>	<b>6.57%</b>
401.	<b>Abert's Towhee</b>	<b>22.32%</b>
402.	<b>Rufous-crowned Sparrow</b>	<b>2.26%</b>
403.	<b>Green-tailed Towhee</b>	<b>5.89%</b>
404.	<b>Spotted Towhee</b>	<b>6.82%</b>
405.	<b>Yellow-breasted Chat</b>	<b>0.4173%</b>
406.	<b>Yellow-headed Blackbird</b>	<b>5.57%</b>
407.	<b>Bobolink</b>	<b>0.0290%</b>
408.	<b>Western Meadowlark</b>	<b>4.23%</b>
409.	<b>Eastern Meadowlark</b>	<b>1.30%</b>
410.	<b>Orchard Oriole</b>	<b>0.0112%</b>
411.	<b>Hooded Oriole</b>	<b>0.3437%</b>
412.	<b>Streak-backed Oriole</b>	<b>0.0156%</b>
413.	<b>Bullock's Oriole</b>	<b>0.2276%</b>
414.	<b>Baltimore Oriole</b>	<b>0.1004%</b>
415.	<b>Scott's Oriole</b>	<b>0.3749%</b>
416.	<b>Red-winged Blackbird</b>	<b>15.01%</b>
417.	<b>Bronzed Cowbird</b>	<b>0.4240%</b>

[Go to top](#)

418.	<b>Brown-headed Cowbird</b>	<b>2.97%</b>
419.	<b>Rusty Blackbird</b>	<b>0.0000%</b>
420.	<b>Brewer's Blackbird</b>	<b>6.42%</b>
421.	<b>Common Grackle</b>	<b>0.0134%</b>
422.	<b>Great-tailed Grackle</b>	<b>24.16%</b>
423.	<b>Ovenbird</b>	<b>0.0446%</b>
424.	<b>Worm-eating Warbler</b>	<b>0.0290%</b>
425.	<b>Louisiana Waterthrush</b>	<b>0.1205%</b>
426.	<b>Northern Waterthrush</b>	<b>0.0424%</b>
427.	<b>Golden-winged Warbler</b>	<b>0.0134%</b>
428.	<b>Blue-winged Warbler</b>	<b>0.0089%</b>
429.	<b>Black-and-white Warbler</b>	<b>0.3950%</b>
430.	<b>Prothonotary Warbler</b>	<b>0.1116%</b>
431.	<b>Crescent-chested Warbler</b>	<b>0.0000%</b>
432.	<b>Tennessee Warbler</b>	<b>0.1049%</b>
433.	<b>Orange-crowned Warbler</b>	<b>13.71%</b>
434.	<b>Lucy's Warbler</b>	<b>0.4240%</b>
435.	<b>Nashville Warbler</b>	<b>0.6450%</b>
436.	<b>Virginia's Warbler</b>	<b>0.0603%</b>
437.	<b>MacGillivray's Warbler</b>	<b>0.9619%</b>
438.	<b>Mourning Warbler</b>	<b>0.0000%</b>
439.	<b>Kentucky Warbler</b>	<b>0.0022%</b>
440.	<b>Common Yellowthroat</b>	<b>6.19%</b>
441.	<b>Hooded Warbler</b>	<b>0.0246%</b>
442.	<b>American Redstart</b>	<b>0.1763%</b>
443.	<b>Cape May Warbler</b>	<b>0.0067%</b>
444.	<b>Northern Parula</b>	<b>0.1294%</b>

[Go to top](#)

445.	<b>Magnolia Warbler</b>	<b>0.0580%</b>
446.	<b>Bay-breasted Warbler</b>	<b>0.0000%</b>
447.	<b>Blackburnian Warbler</b>	<b>0.0156%</b>
448.	<b>Yellow Warbler</b>	<b>1.94%</b>
449.	<b>Chestnut-sided Warbler</b>	<b>0.0937%</b>
450.	<b>Blackpoll Warbler</b>	<b>0.0134%</b>
451.	<b>Black-throated Blue Warbler</b>	<b>0.0290%</b>
452.	<b>Palm Warbler</b>	<b>0.0826%</b>
453.	<b>Pine Warbler</b>	<b>0.0022%</b>
454.	<b>Yellow-rumped Warbler</b>	<b>35.28%</b>
455.	<b>Yellow-throated Warbler</b>	<b>0.0045%</b>
456.	<b>Prairie Warbler</b>	<b>0.1540%</b>
457.	<b>Grace's Warbler</b>	<b>0.0558%</b>
458.	<b>Black-throated Gray Warbler</b>	<b>5.77%</b>
459.	<b>Townsend's Warbler</b>	<b>2.72%</b>
460.	<b>Hermit Warbler</b>	<b>0.3325%</b>
461.	<b>Black-throated Green Warbler</b>	<b>0.0089%</b>
462.	<b>Rufous-capped Warbler</b>	<b>0.1585%</b>
463.	<b>Canada Warbler</b>	<b>0.0022%</b>
464.	<b>Wilson's Warbler</b>	<b>3.41%</b>
465.	<b>Red-faced Warbler</b>	<b>0.0045%</b>
466.	<b>Painted Redstart</b>	<b>1.17%</b>
467.	<b>Slate-throated Redstart</b>	<b>0.0446%</b>
468.	<b>Hepatic Tanager</b>	<b>1.24%</b>
469.	<b>Summer Tanager</b>	<b>1.83%</b>
470.	<b>Scarlet Tanager</b>	<b>0.0067%</b>

[Go to top](#)

471. <b>Western Tanager</b>	<b>2.36%</b>
472. <b>Northern Cardinal</b>	<b>9.94%</b>
473. <b>Pyrrhuloxia</b>	<b>6.00%</b>
474. <b>Rose-breasted Grosbeak</b>	<b>0.0960%</b>
475. <b>Black-headed Grosbeak</b>	<b>0.6115%</b>
476. <b>Blue Grosbeak</b>	<b>2.09%</b>
477. <b>Lazuli Bunting</b>	<b>3.04%</b>
478. <b>Indigo Bunting</b>	<b>0.1205%</b>
479. <b>Varied Bunting</b>	<b>0.3549%</b>
480. <b>Painted Bunting</b>	<b>0.1808%</b>
481. <b>Dickcissel</b>	<b>0.2678%</b>