

Target Species

Based on 809,880 complete checklists

560 species observed in Arizona, US (subnational1/US-AZ) that you need for your **Arizona Life List**

1. Mourning Dove	45.15% frequency
2. House Finch	44.90%
3. Gila Woodpecker	33.60%
4. Lesser Goldfinch	31.06%
5. Verdin	30.05%
6. Common Raven	27.37%
7. Anna's Hummingbird	23.44%
8. White-winged Dove	22.97%
9. Yellow-rumped Warbler	22.03%
10. Curve-billed Thrasher	21.83%
11. Gambel's Quail	21.49%
12. Great-tailed Grackle	21.43%
13. White-crowned Sparrow	21.29%
14. Turkey Vulture	21.27%
15. House Sparrow	20.22%
16. Red-tailed Hawk	20.20%
17. Abert's Towhee	19.54%
18. American Coot	18.99%
19. Northern Mockingbird	17.67%
20. Eurasian Collared-Dove	16.69%
21. Ladder-backed Woodpecker	16.45%
22. Ruby-crowned Kinglet	15.98%
23. Say's Phoebe	15.87%

[Go to top](#)

24. Black Phoebe	15.75%
25. Cactus Wren	15.52%
26. Bewick's Wren	15.05%
27. Northern Flicker	14.82%
28. Northern Cardinal	14.72%
29. European Starling	14.36%
30. Phainopepla	14.29%
31. White-breasted Nuthatch	14.28%
32. Red-winged Blackbird	13.44%
33. Vermilion Flycatcher	13.36%
34. Rock Pigeon	12.75%
35. Killdeer	12.42%
36. Song Sparrow	11.93%
37. Great Blue Heron	11.74%
38. American Kestrel	11.26%
39. Acorn Woodpecker	11.23%
40. Cooper's Hawk	11.20%
41. Black-chinned Hummingbird	11.09%
42. Broad-billed Hummingbird	10.87%
43. Chipping Sparrow	10.62%
44. Ruddy Duck	10.43%
45. Mallard	10.08%
46. Bridled Titmouse	10.06%
47. Pied-billed Grebe	9.84%
48. Black-throated Sparrow	9.68%
49. Dark-eyed Junco	9.40%

[Go to top](#)

50.	American Robin	<u>9.28%</u>
51.	Black-tailed Gnatcatcher	<u>9.24%</u>
52.	Northern Shoveler	<u>8.97%</u>
53.	Spotted Towhee	<u>8.89%</u>
54.	Lucy's Warbler	<u>8.80%</u>
55.	Brown-headed Cowbird	<u>8.72%</u>
56.	Canyon Towhee	<u>8.48%</u>
57.	Mexican Jay	<u>8.41%</u>
58.	Ash-throated Flycatcher	<u>8.40%</u>
59.	Black-headed Grosbeak	<u>8.20%</u>
60.	American Wigeon	<u>8.17%</u>
61.	Yellow Warbler	<u>8.12%</u>
62.	Northern Rough-winged Swallow	<u>7.96%</u>
63.	Greater Roadrunner	<u>7.84%</u>
64.	House Wren	<u>7.75%</u>
65.	Bell's Vireo	<u>7.67%</u>
66.	Great Egret	<u>7.40%</u>
67.	Ring-necked Duck	<u>7.40%</u>
68.	Orange-crowned Warbler	<u>7.20%</u>
69.	Pyrrhuloxia	<u>7.20%</u>
70.	Cassin's Kingbird	<u>7.00%</u>
71.	Western Kingbird	<u>6.83%</u>
72.	Western Bluebird	<u>6.79%</u>
73.	Barn Swallow	<u>6.70%</u>
74.	Common Yellowthroat	<u>6.69%</u>
75.	Canyon Wren	<u>6.62%</u>
76.	Lincoln's Sparrow	<u>6.56%</u>

[Go to top](#)

77.	Cinnamon Teal	6.38%
78.	Neotropic Cormorant	6.29%
79.	Western Tanager	5.97%
80.	Green-winged Teal	5.88%
81.	Hermit Thrush	5.87%
82.	Inca Dove	5.78%
83.	Lark Sparrow	5.78%
84.	Costa's Hummingbird	5.70%
85.	Loggerhead Shrike	5.58%
86.	Wilson's Warbler	5.55%
87.	Steller's Jay	5.54%
88.	Western Wood-Pewee	5.50%
89.	Pine Siskin	5.46%
90.	Broad-tailed Hummingbird	5.43%
91.	Rock Wren	5.31%
92.	Double-crested Cormorant	5.30%
93.	Northern Harrier	5.27%
94.	Blue Grosbeak	5.25%
95.	Violet-green Swallow	5.22%
96.	Rufous-winged Sparrow	5.12%
97.	Summer Tanager	5.09%
98.	Black-throated Gray Warbler	4.98%
99.	Gadwall	4.97%
100.	Plumbeous Vireo	4.95%
101.	Pygmy Nuthatch	4.88%
102.	Painted Redstart	4.80%

[Go to top](#)

103.	Canada Goose	4.80%
104.	Mountain Chickadee	4.75%
105.	Green-tailed Towhee	4.63%
106.	Least Sandpiper	4.57%
107.	Woodhouse's Scrub-Jay	4.51%
108.	Blue-gray Gnatcatcher	4.48%
109.	Black-necked Stilt	4.45%
110.	Green Heron	4.44%
111.	Brown-crested Flycatcher	4.41%
112.	Snowy Egret	4.29%
113.	Hutton's Vireo	4.21%
114.	Hairy Woodpecker	4.11%
115.	Yellow-eyed Junco	4.08%
116.	Black-crowned Night-Heron	4.06%
117.	Hooded Oriole	4.04%
118.	Spotted Sandpiper	4.04%
119.	Brewer's Sparrow	4.04%
120.	Cliff Swallow	4.00%
121.	Rufous-crowned Sparrow	3.96%
122.	Bushtit	3.77%
123.	Marsh Wren	3.73%
124.	Lazuli Bunting	3.68%
125.	Belted Kingfisher	3.62%
126.	Gilded Flicker	3.62%
127.	Yellow-breasted Chat	3.62%
128.	Rivoli's Hummingbird	3.57%

[Go to top](#)

129.	Brewer's Blackbird	3.54%
130.	Bullock's Oriole	3.51%
131.	Yellow-headed Blackbird	3.40%
132.	Dusky-capped Flycatcher	3.36%
133.	Bufflehead	3.35%
134.	Gray Hawk	3.33%
135.	Lesser Scaup	3.31%
136.	Hepatic Tanager	3.30%
137.	Northern Pintail	3.28%
138.	Eared Grebe	3.27%
139.	White-throated Swift	3.12%
140.	Arizona Woodpecker	3.11%
141.	Rufous Hummingbird	3.11%
142.	Vesper Sparrow	3.10%
143.	Brown Creeper	3.09%
144.	Osprey	3.09%
145.	Warbling Vireo	3.02%
146.	Western Meadowlark	2.85%
147.	Red-naped Sapsucker	2.83%
148.	Great Horned Owl	2.77%
149.	Common Gallinule	2.71%
150.	American Avocet	2.68%
151.	Long-billed Dowitcher	2.63%
152.	Savannah Sparrow	2.62%
153.	White-faced Ibis	2.59%
154.	Sora	2.53%
155.	Scott's Oriole	2.53%

[Go to top](#)

156.	Gray Flycatcher	2.44%
157.	Horned Lark	2.43%
158.	Crissal Thrasher	2.42%
159.	American Crow	2.36%
160.	Wild Turkey	2.35%
161.	Tree Swallow	2.35%
162.	Greater Yellowlegs	2.34%
163.	Redhead	2.28%
164.	Common Merganser	2.20%
165.	Sharp-shinned Hawk	2.20%
166.	Townsend's Warbler	2.16%
167.	American Pipit	2.15%
168.	Grace's Warbler	2.10%
169.	Swainson's Hawk	2.10%
170.	Canvasback	2.09%
171.	Harris's Hawk	2.04%
172.	Peregrine Falcon	1.97%
173.	Western Grebe	1.96%
174.	Ring-billed Gull	1.95%
175.	Juniper Titmouse	1.91%
176.	Chihuahuan Raven	1.84%
177.	Cordilleran Flycatcher	1.84%
178.	Lesser Nighthawk	1.84%
179.	Zone-tailed Hawk	1.82%
180.	Mexican Duck	1.80%
181.	Common Ground Dove	1.78%

[Go to top](#)

182.	Rosy-faced Lovebird	1.75%
183.	Bald Eagle	1.73%
184.	Bronzed Cowbird	1.72%
185.	Black Vulture	1.71%
186.	Blue-winged Teal	1.70%
187.	Eastern Meadowlark	1.68%
188.	Red-faced Warbler	1.64%
189.	Hammond's Flycatcher	1.61%
190.	Red-breasted Nuthatch	1.61%
191.	Northern Beardless-Tyrannulet	1.49%
192.	MacGillivray's Warbler	1.45%
193.	Elegant Trogon	1.42%
194.	Wilson's Snipe	1.40%
195.	Virginia's Warbler	1.37%
196.	Blue-throated Mountain-gem	1.37%
197.	Cassin's Vireo	1.34%
198.	Cedar Waxwing	1.33%
199.	Varied Bunting	1.33%
200.	Violet-crowned Hummingbird	1.31%
201.	Purple Martin	1.31%
202.	Townsend's Solitaire	1.26%
203.	Cassin's Finch	1.23%
204.	Wilson's Phalarope	1.21%
205.	Western Sandpiper	1.20%
206.	Sulphur-bellied Flycatcher	1.18%
207.	Olive Warbler	1.12%

[Go to top](#)

208.	Common Goldeneye	1.09%
209.	Common Black Hawk	1.07%
210.	Virginia Rail	1.07%
211.	Lark Bunting	1.06%
212.	Botteri's Sparrow	1.06%
213.	Greater Pewee	1.04%
214.	Black-chinned Sparrow	1.04%
215.	Band-tailed Pigeon	1.00%
216.	Scaled Quail	0.9997%
217.	Dusky Flycatcher	0.9853%
218.	Nashville Warbler	0.9742%
219.	Prairie Falcon	0.9416%
220.	Yellow-billed Cuckoo	0.9253%
221.	Common Poorwill	0.9214%
222.	American White Pelican	0.9036%
223.	Western Screech-Owl	0.8958%
224.	Snow Goose	0.8933%
225.	Burrowing Owl	0.8735%
226.	Tropical Kingbird	0.8512%
227.	Pacific-slope Flycatcher	0.8454%
228.	Cassin's Sparrow	0.8304%
229.	Hermit Warbler	0.8186%
230.	Red Crossbill	0.8126%
231.	Montezuma Quail	0.8052%
232.	Mountain Bluebird	0.7925%
233.	Hooded Merganser	0.7841%
234.	Wood Duck	0.7783%

[Go to top](#)

235.	Sandhill Crane	0.7578%
236.	Elf Owl	0.7478%
237.	Lesser Yellowlegs	0.7434%
238.	Golden Eagle	0.7142%
239.	Bendire's Thrasher	0.7043%
240.	Merlin	0.7013%
241.	Clark's Grebe	0.7011%
242.	Olive-sided Flycatcher	0.6019%
243.	Bank Swallow	0.5969%
244.	Pinyon Jay	0.5943%
245.	Cattle Egret	0.5923%
246.	Whiskered Screech-Owl	0.5849%
247.	American Goldfinch	0.5797%
248.	Buff-breasted Flycatcher	0.5640%
249.	Ferruginous Hawk	0.5426%
250.	Lewis's Woodpecker	0.5330%
251.	Long-billed Curlew	0.5251%
252.	White-throated Sparrow	0.5032%
253.	Lawrence's Goldfinch	0.5029%
254.	Black-bellied Whistling-Duck	0.5027%
255.	Thick-billed Kingbird	0.4907%
256.	Willow Flycatcher	0.4903%
257.	Baird's Sandpiper	0.4881%
258.	Mexican Whip-poor-will	0.4876%
259.	Lucifer Hummingbird	0.4828%
260.	Black-capped Gnatcatcher	0.4823%

[Go to top](#)

261.	Solitary Sandpiper	0.4682%
262.	Least Bittern	0.4620%
263.	Northern Pygmy-Owl	0.4607%
264.	Sage Thrasher	0.4477%
265.	Mexican Chickadee	0.4460%
266.	Calliope Hummingbird	0.4404%
267.	Williamson's Sapsucker	0.4346%
268.	California Gull	0.4115%
269.	Barn Owl	0.3801%
270.	Indigo Bunting	0.3775%
271.	Grasshopper Sparrow	0.3597%
272.	Common Loon	0.3476%
273.	Clark's Nutcracker	0.3460%
274.	Evening Grosbeak	0.3458%
275.	Greater White-fronted Goose	0.3351%
276.	Crested Caracara	0.3210%
277.	California Condor	0.3117%
278.	Eastern Bluebird	0.3060%
279.	Red-necked Phalarope	0.2988%
280.	Swainson's Thrush	0.2893%
281.	Greater Scaup	0.2879%
282.	Black-and-white Warbler	0.2819%
283.	Five-striped Sparrow	0.2792%
284.	Sagebrush Sparrow	0.2784%
285.	Gray Vireo	0.2715%
286.	Willet	0.2703%

[Go to top](#)

287.	Brown Pelican	0.2699%
288.	Downy Woodpecker	0.2698%
289.	Rufous-capped Warbler	0.2693%
290.	Semipalmated Plover	0.2615%
291.	Spotted Owl	0.2569%
292.	Golden-crowned Kinglet	0.2529%
293.	Red-breasted Merganser	0.2492%
294.	Swamp Sparrow	0.2451%
295.	Rufous-backed Robin	0.2386%
296.	Vaux's Swift	0.2215%
297.	Forster's Tern	0.2204%
298.	Ross's Goose	0.2197%
299.	Rose-throated Becard	0.2177%
300.	Chestnut-collared Longspur	0.2177%
301.	Franklin's Gull	0.2111%
302.	White-tailed Kite	0.1953%
303.	Fox Sparrow	0.1911%
304.	LeConte's Thrasher	0.1863%
305.	Common Nighthawk	0.1856%
306.	Northern Parula	0.1847%
307.	Northern Goshawk	0.1825%
308.	Stilt Sandpiper	0.1783%
309.	Horned Grebe	0.1780%
310.	White-eared Hummingbird	0.1694%
311.	Ridgway's Rail	0.1672%
312.	Bonaparte's Gull	0.1657%
313.	Dunlin	0.1629%

[Go to top](#)

314. Marbled Godwit	0.1600%
315. Ruddy Ground Dove	0.1435%
316. Caspian Tern	0.1359%
317. Red-shouldered Hawk	0.1345%
318. Berylline Hummingbird	0.1330%
319. Black Tern	0.1289%
320. Tufted Flycatcher	0.1242%
321. Flame-colored Tanager	0.1230%
322. Mountain Plover	0.1221%
323. Sinaloa Wren	0.1193%
324. Flammulated Owl	0.1164%
325. Plain-capped Starthroat	0.1133%
326. Pectoral Sandpiper	0.1117%
327. Buff-collared Nightjar	0.1114%
328. Painted Bunting	0.1104%
329. Gray Catbird	0.1062%
330. Northern Waterthrush	0.1042%
331. Barrow's Goldeneye	0.1038%
332. Louisiana Waterthrush	0.1033%
333. Eastern Phoebe	0.1005%
334. American Redstart	0.1005%
335. Herring Gull	0.1003%
336. Green Kingfisher	0.0990%
337. Yellow-bellied Sapsucker	0.0974%
338. Streak-backed Oriole	0.0972%
339. American Bittern	0.0966%

[Go to top](#)

340.	Pacific Loon	0.0947%
341.	Golden-crowned Sparrow	0.0930%
342.	Least Grebe	0.0905%
343.	American Dipper	0.0901%
344.	Rose-breasted Grosbeak	0.0888%
345.	Eurasian Wigeon	0.0875%
346.	Tundra Swan	0.0868%
347.	Mississippi Kite	0.0857%
348.	Clay-colored Sparrow	0.0832%
349.	Chestnut-sided Warbler	0.0780%
350.	Semipalmated Sandpiper	0.0775%
351.	American Three-toed Woodpecker	0.0743%
352.	Tricolored Heron	0.0736%
353.	Red-breasted Sapsucker	0.0709%
354.	Long-eared Owl	0.0673%
355.	Surf Scoter	0.0669%
356.	Baird's Sparrow	0.0649%
357.	Snowy Plover	0.0627%
358.	Winter Wren	0.0621%
359.	Cackling Goose	0.0617%
360.	Dickcissel	0.0599%
361.	Rough-legged Hawk	0.0589%
362.	Harris's Sparrow	0.0582%
363.	Sabine's Gull	0.0563%
364.	Slate-throated Redstart	0.0563%
365.	Pacific Wren	0.0552%

[Go to top](#)

366.	White-throated Thrush	0.0543%
367.	Black-bellied Plover	0.0540%
368.	McCown's Longspur	0.0532%
369.	White-winged Scoter	0.0523%
370.	Black Rail	0.0515%
371.	Brown Thrasher	0.0515%
372.	Short-billed Dowitcher	0.0472%
373.	Long-tailed Duck	0.0468%
374.	Sanderling	0.0458%
375.	Northern Saw-whet Owl	0.0453%
376.	Reddish Egret	0.0449%
377.	Baltimore Oriole	0.0446%
378.	Common Crane	0.0432%
379.	Crescent-chested Warbler	0.0432%
380.	Hooded Warbler	0.0426%
381.	Bell's Sparrow	0.0405%
382.	Common Tern	0.0400%
383.	Black Scoter	0.0389%
384.	Nutting's Flycatcher	0.0379%
385.	Short-tailed Hawk	0.0367%
386.	Palm Warbler	0.0349%
387.	Red-throated Loon	0.0347%
388.	Least Tern	0.0341%
389.	Varied Thrush	0.0341%
390.	Canada Jay	0.0336%
391.	Yellow-throated Warbler	0.0309%
392.	Sprague's Pipit	0.0300%

[Go to top](#)

393.	Broad-winged Hawk	0.0283%
394.	Red-necked Grebe	0.0280%
395.	Mute Swan	0.0269%
396.	Lapland Longspur	0.0263%
397.	Allen's Hummingbird	0.0252%
398.	Blue-footed Booby	0.0247%
399.	Whimbrel	0.0243%
400.	Tennessee Warbler	0.0243%
401.	Yellow-throated Vireo	0.0238%
402.	Purple Gallinule	0.0232%
403.	Rusty Blackbird	0.0230%
404.	Dusky Grouse	0.0228%
405.	American Golden-Plover	0.0228%
406.	Ovenbird	0.0220%
407.	Short-eared Owl	0.0217%
408.	Prairie Warbler	0.0217%
409.	Monk Parakeet	0.0212%
410.	Purple Finch	0.0212%
411.	Ferruginous Pygmy-Owl	0.0210%
412.	Heermann's Gull	0.0199%
413.	Roseate Spoonbill	0.0190%
414.	Magnolia Warbler	0.0186%
415.	Black-legged Kittiwake	0.0177%
416.	Prothonotary Warbler	0.0177%
417.	Red Phalarope	0.0166%
418.	Black-throated Blue Warbler	0.0166%

[Go to top](#)

419.	Groove-billed Ani	0.0162%
420.	Pine Flycatcher	0.0159%
421.	Trumpeter Swan	0.0154%
422.	Orchard Oriole	0.0153%
423.	Nanday Parakeet	0.0152%
424.	Eared Quetzal	0.0151%
425.	Couch's Kingbird	0.0151%
426.	White-rumped Sandpiper	0.0149%
427.	Fulvous Whistling-Duck	0.0143%
428.	Brown Booby	0.0143%
429.	Black-throated Green Warbler	0.0143%
430.	Northern Jacana	0.0138%
431.	Red-eyed Vireo	0.0127%
432.	Black Rosy-Finch	0.0127%
433.	Iceland Gull	0.0126%
434.	Scissor-tailed Flycatcher	0.0126%
435.	Clay-colored Thrush	0.0122%
436.	Aztec Thrush	0.0117%
437.	Pine Warbler	0.0116%
438.	White-eyed Vireo	0.0115%
439.	Red Knot	0.0114%
440.	Yellow-collared Lovebird	0.0114%
441.	Fan-tailed Warbler	0.0114%
442.	Mew Gull	0.0112%
443.	Yellow-billed Loon	0.0110%
444.	Lesser Sand-Plover	0.0109%

[Go to top](#)

445.	Little Blue Heron	0.0109%
446.	Tropical Parula	0.0109%
447.	Blackpoll Warbler	0.0109%
448.	Ring-necked Pheasant	0.0105%
449.	Hudsonian Godwit	0.0104%
450.	Gray-crowned Rosy-Finch	0.0096%
451.	Worm-eating Warbler	0.0094%
452.	Arctic Tern	0.0093%
453.	White Wagtail	0.0091%
454.	Black-billed Magpie	0.0090%
455.	Blue Mockingbird	0.0088%
456.	Red-headed Woodpecker	0.0086%
457.	Elegant Tern	0.0084%
458.	Yellow-green Vireo	0.0084%
459.	Glossy Ibis	0.0083%
460.	Baikal Teal	0.0080%
461.	Laughing Gull	0.0075%
462.	Parasitic Jaeger	0.0073%
463.	Carolina Wren	0.0072%
464.	Long-tailed Jaeger	0.0068%
465.	Bobolink	0.0064%
466.	Eastern Kingbird	0.0062%
467.	Ringed Kingfisher	0.0059%
468.	Ruddy Turnstone	0.0058%
469.	Northern Shrike	0.0058%
470.	Cave Swallow	0.0056%
471.	Lesser Black-backed Gull	0.0053%

[Go to top](#)

472.	Ruby-throated Hummingbird	0.0052%
473.	Wood Stork	0.0048%
474.	Pine Grosbeak	0.0048%
475.	Wedge-rumped Storm-Petrel	0.0047%
476.	White Ibis	0.0046%
477.	Sharp-tailed Sandpiper	0.0044%
478.	Smith's Longspur	0.0043%
479.	Blackburnian Warbler	0.0043%
480.	Common Grackle	0.0042%
481.	Bay-breasted Warbler	0.0041%
482.	Kentucky Warbler	0.0039%
483.	Cape May Warbler	0.0037%
484.	Glaucous-winged Gull	0.0036%
485.	Sedge Wren	0.0036%
486.	Wood Thrush	0.0035%
487.	Brant	0.0032%
488.	California Quail	0.0032%
489.	Yellow Grosbeak	0.0032%
490.	Black Skimmer	0.0031%
491.	Scarlet Tanager	0.0030%
492.	Egyptian Goose	0.0026%
493.	Chukar	0.0026%
494.	Upland Sandpiper	0.0026%
495.	Royal Tern	0.0026%
496.	Western Gull	0.0025%
497.	Black Storm-Petrel	0.0025%

[Go to top](#)

498.	Philadelphia Vireo	0.0025%
499.	Glaucous Gull	0.0023%
500.	California Scrub-Jay	0.0022%
501.	Golden-winged Warbler	0.0021%
502.	Ruff	0.0020%
503.	Pomarine Jaeger	0.0020%
504.	LeConte's Sparrow	0.0020%
505.	Least Storm-Petrel	0.0019%
506.	Black-capped Chickadee	0.0017%
507.	Buff-breasted Sandpiper	0.0016%
508.	Tufted Duck	0.0014%
509.	Pacific Golden-Plover	0.0012%
510.	Black Turnstone	0.0012%
511.	Least Flycatcher	0.0012%
512.	Brown-backed Solitaire	0.0012%
513.	Blue-winged Warbler	0.0012%
514.	Eastern Wood-Pewee	0.0010%
515.	Canada Warbler	0.0009%
516.	Black Swift	0.0007%
517.	Yellow-bellied Flycatcher	0.0007%
518.	Common Redpoll	0.0007%
519.	American Tree Sparrow	0.0007%
520.	Yellow-crowned Night-Heron	0.0006%
521.	Blue-headed Vireo	0.0006%
522.	Black-throated Magpie-Jay	0.0006%
523.	Field Sparrow	0.0006%

[Go to top](#)

524.	Mourning Warbler	0.0006%
525.	Garganey	0.0005%
526.	Little Gull	0.0005%
527.	Magnificent Frigatebird	0.0005%
528.	Thick-billed Parrot	0.0005%
529.	Blue Jay	0.0005%
530.	Great Crested Flycatcher	0.0004%
531.	Little Bunting	0.0004%
532.	Northern Bobwhite	0.0003%
533.	Elegant Quail	0.0003%
534.	African Collared-Dove	0.0003%
535.	Chimney Swift	0.0003%
536.	Veery	0.0003%
537.	White-winged Crossbill	0.0003%
538.	Snow Bunting	0.0003%
539.	Harlequin Duck	0.0001%
540.	Black-billed Cuckoo	0.0001%
541.	Yellow-footed Gull	0.0001%
542.	Wedge-tailed Shearwater	0.0001%
543.	Sooty Shearwater	0.0001%
544.	Black-vented Shearwater	0.0001%
545.	Great Kiskadee	0.0001%
546.	Brown-chested Martin	0.0001%
547.	Scaly-breasted Munia	0.0001%
548.	Red-throated Pipit	0.0001%
549.	European Goldfinch	0.0001%
550.	Eastern Towhee	0.0001%

[Go to top](#)

551. **Cinnamon Hummingbird** **0.0000%**

552. **Ivory Gull** **0.0000%**

553. **Juan Fernandez Petrel** **0.0000%**

554. **Aplomado Falcon** **0.0000%**

555. **Gray-collared Becard** **0.0000%**

556. **Northern Wheatear** **0.0000%**

557. **Bohemian Waxwing** **0.0000%**

558. **Nelson's Sparrow** **0.0000%**

559. **Swainson's Warbler** **0.0000%**

560. **Connecticut Warbler** **0.0000%**